

ISSUE 47

New Products



New Ranges To Issue 47










NEW ACCESSORIES









We have tried to ensure that all price and product information is correct at the time of going to print. However, the specifications contained in this catalogue are for information purposes only and are subject to change. Due to our ongoing policy of product development and improvement, all prices, specifications and features are subject to change without prior notice. Errors and omissions excepted.

Beaufort Baths



Lundy Offset Corner	2-3
Chislehurst	4
Freestanding	
Wickham	5
Freestanding	
Portland Single Ended	6-9
Portland Single Ended,	10-13
Twin Grip	
Portland L-Shape	14-17
Portland P-Shape	18-21
Biscay Double Ended	22-23
Malin D-Shape	24-25
Back to Wall	
Malin Single Ended	26-29
Malin Double Ended	30-33
Shannon L-Shape	34-37
Shannon P-Shape	38-41

Bath Panels & Shower Screens



Designer Bath Screen	42
Beaufort & Vantage	43
Bath Screens	

Vanity & Fitted Furniture Ranges



Cavone Units	44-49
Hardwick Units	50-55

Shower Enclosures



A STATE OF THE STA	
/antage 2000	56
Pivot Door	
/antage 2000	57
Quadrant	
/antage 2000	58
Offset Quadrant	
/antage 2000	59
Sliding Door	
/antage 2000	60
Bi-Fold Door	
Corniche 2000	61-63
Sliding Door	

Panelling



Hydropanel Shower Panelling

PVC wide panels 66-67

Heated Towel Rails & Radiators



Multirail range	68-75
Dry Element range	76-79
Designer range	80-95
Traditional range	96-113
Elements	114-119
Valves	120-121

Showering



Shower bundles	122-125
Traditional & modern	126
shower valves	
Shower poles	127
Shower handset	128-130
Hoses	130
Elbows & Shower	131
Handset Holder	
Shower arms	132-133
Shower heads	134-135

Taps, Wastes & Accessories



The second secon	THE STATE OF THE S
Abberton Range	136
Abberton Range	137
Bath Filler	



Lundy offset corner

Located off the Southwestern coast of England, the Lundy Sea region includes some of Great Britain's finest Coastlines. Stretching from the shores of Cornwall, Devon, and Somerset; to the westerly tip of Wales. Designed for luxury bathing within a limited space, the Lundy can be installed in the corner of your bathroom so you can relax in luxurious comfort in a smaller bathroom space.

Within the bath is an integrated seating area that provides more options to use this bath to the full. This space efficient bath provides a large bathing area and is 420mm at its deepest point, ensuring a deep, comfortable soak.


Available in left & right-handed variants of 1500x1040. The Lundy is offered in both 5mm acrylic & ultra-strong Beauforté, which significantly extends the life of the bath.

PRODUCT FEATURES

- 4 Offset Corner models
- Each available in:
 5mm Acrylic & Ultra
 Strong Beauforté
- Supplied without pre-drilled tap holes or waste fittings.
- 420mm depth on all Offset Corner models



offset corner Lundy



1500 x 1040 LH NEW


1500 x 1040 x 420mm		2	216 Litres
DESCRIPTION	CODE	£EXVAT	£ INC VAT
1500 x 1040 Lundy Offset Corner LH - 5mm	42.0221	533.00	639.60
1500 x 1040 Lundy Offset Corner LH - Beauforté	42.1221	864.00	1036.80
PANELS			
Lundy Offset Corner Bath Panel - 5mm	42.5081	123.00	147.61
Lundy Offset Corner Bath Panel - Beauforté	42.6081	343.00	411.64




HEADREST









1500 x 1040 RH

1500 x 1040 x 420mm		2	216 Litres
DESCRIPTION	CODE	£EXVAT	£ INC VAT
1500 x 1040 Lundy Offset Corner RH - 5mm	42.0222	533.00	639.60
1500 x 1040 Lundy Offset Corner RH - Beauforté	42.1222	864.00	1036.80
PANELS			
Lundy Offset Corner Bath Panel - 5mm	42.5081	123.00	147.61
Lundy Offset Corner Bath Panel - Beauforté	42.6081	343.00	411.64



HEAD



ULTRA STRONG



SHOWER

Headrests







Chislehurst freestanding




PRODUCT FEATURES

- 1 model
- · Gloss White
- · Double skinned 4mm acrylic
- Supplied with white waste fittings & slimline slotted overflow
- 580mm depth on all Chislehurst Freestanding baths
- 5 year warranty







1700 x 790 FS

1700 x 790 x 730mm260 LitresDESCRIPTIONCODE£ EX VAT£ INC VAT1700 x 790 Chislehurst Freestanding Bath - Gloss White33.00091109.001330.81About: Model comes with bath waste & overflow.







Freestanding Wickham


PRODUCT FEATURES


- 2 models
- · Gloss White
- Double skinned 4mm acrylic
- Supplied with white waste fittings & slimline slotted overflow
- 740mm depth on all Wickham Freestanding baths
- 5 year warranty











1525 x 640 FS


1525 x 640 x 590mm202 LitresDESCRIPTIONCODE£ EX VAT£ INC VAT1525 x 640 Wickham Freestanding Bath - Gloss White33.0011988.001185.61About: Model comes with bath waste & overflow.



HEAD REST







1700 x 640 FS

1700 x 640 x 590mm230 LitresDESCRIPTIONCODE£ EX VAT£ INC VAT1700 x 640 Wickham Freestanding Bath - Gloss White33.00101018.001221.61About: Model comes with bath waste & overflow.







Portland single ended


Situated in the mild depths of the English Channel, the Portland sea region is located along the Jurassic Coast, famous for its geology and striking landforms. Named after this area, the Portland bath is a stunning, minimalist bathing solution, available in both single and double ended variants, with or without grips. Featuring a modern angular design with straight sides and a sloping back, the Portland is surprisingly deep, providing a generous, warm, and relaxing bath.

The Portland is available in a wide range of bath sizes and in a choice of thickness - 5mm acrylic or ultra-strong Beauforté, which significantly extends the life of the bath.



PRODUCT FEATURES

- 20 models
- Each available in: 5mm Acrylic & Ultra Strong Beauforté
- Supplied without pre-drilled tap holes or waste fittings
- 440mm depth on all Portland SE models
- Sloping back rest for lumbar support



1500 x 700 SE


1500 x 700 x 440mm			192 Litres
DESCRIPTION	CODE	£ EX VAT	£ INC VAT
1500 x 700 Portland - 5mm	42.0019	284.00	340.80
1500 x 700 Portland - Beauforté	42.1019	521.00	625.20
PANELS			
1500 x 560 Front Panel	42.5017	114.00	136.80
700 x 560 End Panel	42.5024	69.00	82.80
1500 x 560 Front Panel - Beauforté	42.6017	192.00	230.40
700 x 560 End Panel - Beauforté	42.6024	114.00	136.80
1500 Adjustable Front Panel - Beauforté	42.6034	277.00	332.40
1810 x 810 L Shape Flat Panel - Beauforté	42.6035	367.00	440.40











1600 x 700 SE

1600 x 700 x 440mm		2	209 Litres
DESCRIPTION	CODE	£ EX VAT	£ INC VAT
1600 x 700 Portland - 5mm	42.0018	284.00	340.80
1600 x 700 Portland - Beauforté	42.1018	521.00	625.20
PANELS			
1600 x 560 Front Panel	42.5016	114.00	136.80
700 x 560 End Panel	42.5024	69.00	82.80
1600 x 560 Front Panel - Beauforté	42.6016	192.00	230.40
700 x 560 End Panel - Beauforté	42.6024	114.00	136.80
1810 x 810 L Shape Flat Panel - Beauforté	42.6035	367.00	440.40









Universal Fittings


ALL 5mm & Beauforté baths come complete with Universal Fittings such as legs, feet & wall brackets etc. Organised ready for your bath installer to fit with ease.



single ended Portland



Portland single ended



1600 x 800 SE


1600 x 800 x 440mm		2	241 Litres
DESCRIPTION	CODE	£ EX VAT	£ INC VAT
1600 x 800 SE Portland - 5mm	42.0017	387.00	464.40
1600 x 800 SE Portland - Beauforté	42.1017	671.00	805.20
PANELS			
1600 x 560 SE Front Panel - 5mm	42.5016	114.00	136.80
800 x 560 SE End Panel	42.5022	69.00	82.80
1600 x 560 Front Panel - Beauforté	42.6016	192.00	230.40
800 x 560 End Panel - Beauforté	42.6022	124.00	148.80
1810 x 810 L Shape Flat Panel - Beauforté	42.6035	367.00	440.40











1700 x 700 SE


1700 x 700 x 440mm		2	230 Litres
DESCRIPTION	CODE	£ EX VAT	£ INC VAT
1700 x 700 SE Portland - 5mm	42.0016	284.00	340.80
1700 x 700 SE Portland - Beauforté	42.1016	521.00	625.20
PANELS			
1700 x 560 Front Panel	42.5013	114.00	136.80
700 x 560 End Panel	42.5024	69.00	82.80
1700 x 560 Front Panel - Beauforté	42.6013	192.00	230.40
700 x 560 End Panel - Beauforté	42.6024	114.00	136.80
1700 Adjustable Front Panel - Beauforté	42.6033	277.00	332.40
1810 x 810 L Shape Flat Panel - Beauforté	42.6035	367.00	440.40











1700 x 750 SE

1700 x 750 x 440mm		2	248 Litres
DESCRIPTION	CODE	£ EX VAT	£ INC VAT
1700 x 750 SE Portland - 5mm	42.0015	350.00	420.00
1700 x 750 SE Portland - Beauforté	42.1015	620.00	744.00
PANELS			
1700 x 560 Front Panel	42.5013	114.00	136.80
750x560 End Panel	42.5023	69.00	82.80
1700 x 560 Front Panel - Beauforté	42.6013	192.00	230.40
750 x 560 End Panel - Beauforté	42.6023	114.00	136.80
1700 Adjustable Front Panel - Beauforté	42.6033	277.00	332.40
1810 x 810 L Shape Flat Panel - Beauforté	42.6035	367.00	440.40






440 DEPTH







2.0014 3 2.1014 6	87.00 <i>4</i>	INC VAT 464.40 805.20
2.1014 6	71.00	805.20
2 E012 1	14.00	
2 5012 1	1400	
2.5013 1	14.00	136.80
2.5022	59.00	82.80
2.6013 1	92.00	230.40
2.6022 1	24.00	148.80
2.6033 2	77.00	332.40
	67.00	440.40
	2.6022 1 2.6033 2	2.6022 124.00 2.6033 277.00





440 DEPTH



single ended Portland

L₆₀ 60 690 900 415 560

1700 x 900 SE

1700 x 900 x 440mm		2	297 Litres
DESCRIPTION	CODE	£EXVAT	£ INC VAT
1700 x 900 SE Portland - 5mm	42.0013	431.00	517.20
1700 x 900 SE Portland - Beauforté	42.1013	735.00	882.00
PANELS			
1700 x 560 Front Panel	42.5013	114.00	136.80
900x560 End Panel	42.5021	69.00	82.80
1700 x 560 Front Panel - Beauforté	42.6013	192.00	230.40
900 x 560 End Panel - Beauforté	42.6021	137.00	164.40
1700 Adjustable Front Panel - Beauforté	42.6033	277.00	332.40










NEW

1750 x 750 SE



1750 x 750 x 440mm		2	258 Litres
DESCRIPTION	CODE	£EXVAT	£ INC VAT
1750 x 750 SE Portland - 5mm	42.0020	480.00	576.00
1750 x 750 SE Portland - Beauforté	42.1020	795.00	954.00
PANELS			
1750 x 560 Front Panel	42.5018	128.00	153.61
750x560 End Panel	42.5023	69.00	82.80
1750 x 560 Front Panel - Beauforté	42.6018	200.00	240.00
750 x 560 End Panel - Beauforté	42.6023	114.00	136.80
1700 Adjustable Front Panel - Beauforté	42.6033	277.00	332.40
1810 x 810 L Shape Flat Panel - Beauforté	42.6035	367.00	440.40




★ SHOWER







1800 x 725 SE



1800 x 725 x 440mm		2	250 Litres
DESCRIPTION	CODE	£EXVAT	£ INC VAT
1800 x 725 SE Portland - 5mm	42.0012	378.00	453.60
1800 x 725 SE Portland - Beauforté	42.1012	658.00	789.60
PANELS			
1800 x 560 Front Panel	42.5012	127.00	152.40
750x560 End Panel*	42.5023	69.00	82.80
1800 x 560 Front Panel - Beauforté	42.6012	203.00	243.60
750 x 560 End Panel - Beauforté*	42.6023	114.00	136.80
1800 Adjustable Front Panel - Beauforté	42.6032	288.00	345.60
1810 x 810 L Shape Flat Panel - Beauforté	42.6035	367.00	440.40









* Panel requires cutting down

1800 x 800 SE

	1800
800	90 590 60
	1800
560	440 415 1.40
*	

1800 x 800 x 440mm		:	283 Litres
DESCRIPTION	CODE	£EXVAT	£ INC VAT
1800 x 800 SE Portland - 5mm	42.0011	418.00	501.60
1800 x 800 SE Portland - Beauforté	42.1011	718.00	861.60
PANELS			
1800 x 560 Front Panel	42.5012	127.00	152.40
800x560 End Panel	42.5022	69.00	82.80
1800 x 560 Front Panel - Beauforté	42.6012	203.00	243.60
800 x 560 End Panel - Beauforté	42.6022	124.00	148.80
1800 Adjustable Front Panel - Beauforté	42.6032	288.00	345.60
1810 x 810 L Shape Flat Panel - Beauforté	42.6035	367.00	440.40





440 DEPTH



Portland single ended, twin grip

Situated in the mild depths of the English Channel, the Portland sea region is located along the Jurassic Coast, famous for its geology and striking landforms. Named after this area, the Portland bath is a stunning, minimalist bathing solution, available in both single and double ended variants, with or without grips. Featuring a modern angular design with straight sides and a sloping back, the Portland is surprisingly deep, providing a generous, warm, and relaxing bath.

The Portland is available in a wide range of bath sizes and in a choice of thickness - 5mm acrylic or ultra-strong Beauforté, which significantly extends the life of the bath.




PRODUCT FEATURES

- 16 models
- Each available in:
 5mm Acrylic & Ultra Strong Beauforté
- Supplied without pre-drilled tap holes or waste fittings
- 440mm depth on all Portland SE models
- Twin grips available in 6 colours (Sold separately)



single ended, twin grip Portland

1500 x 700 SE TG Grips Sold Separately - Page 21



1500 x 700 x 440mm		2	200 Litres	
DESCRIPTION	CODE	£ EX VAT	£ INC VAT	
1500 x 700 TG Portland - 5mm	42.0028	289.00	346.80	
1500 x 700 TG Portland - Beauforté	42.1028	528.00	633.60	
PANELS				
1500 x 560 Front Panel	42.5017	114.00	136.80	
700 x 560 End Panel	42.5024	69.00	82.80	
1500 x 560 Front Panel - Beauforté	42.6017	192.00	230.40	
700 x 560 End Panel - Beauforté	42.6024	114.00	136.80	
1500 Adjustable Front Panel - Beaufo	orté 42.6034	277.00	332.40	
1810 x 810 L Shape Flat Panel - Beau	forté 42.6035	367.00	440.40	


	SH	0	W	Ε	R
--	----	---	---	---	---











1600 x 700 SE TG	Grips Sold S	eparately	- Page 2	
1600 x 700 x 440mm		2	209 Litres	
DESCRIPTION	CODE	£EXVAT	£ INC VAT	
1600 x 700 TG Portland - 5mm	42.0027	289.00	346.80	
1600 x 700 TG Portland - Beauforté	42.1027	528.00	633.60	
PANELS				
1600 x 560 Front Panel	42.5016	114.00	136.80	
700 x 560 End Panel	42.5024	69.00	82.80	
1600 x 560 Front Panel - Beauforté	42.6016	192.00	230.40	
700 x 560 End Panel - Beauforté	42.6024	114.00	136.80	
1810 x 810 L Shape Flat Panel - Beauf	orté 42.6035	367.00	440.40	














1650 x 700 SE 1G	Grips Sold S	eparately	' - Page 21
1650 x 700 x 440mm		:	224 Litres
DESCRIPTION	CODE	£EXVAT	£ INC VAT
1650 x 700 TG Portland - 5mm	42.0026	289.00	346.80
1650 x 700 TG Portland - Beauforté	42.1026	528.00	633.60
PANELS			
1650 x 560 Front Panel	42.5015	114.00	136.80
700 x 560 End Panel	42.5024	69.00	82.80
1650 x 560 Front Panel - Beauforté	42.6015	192.00	230.40
700 x 560 End Panel - Beauforté	42.6024	114.00	136.80
1810 x 810 L Shape Flat Panel - Beaufo	orté 42.6035	367.00	440.40

SHOWER









	1700	
700	90 t 60 F 60	-
<u> </u>	760	
ļ		
40	115	560
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	

1700 x 700 SE TG	Grips Sold S	eparately	v - Page 21
1700 x 700 x 440mm			230 Litres
DESCRIPTION	CODE	£EXVAT	£ INC VAT
1700 x 700 TG Portland - 5mm	42.0025	289.00	346.80
1700 x 700 TG Portland - Beauforté	42.1025	528.00	633.60
PANELS			
1700 x 560 Front Panel	42.5013	114.00	136.80
700 x 560 End Panel	42.5024	69.00	82.80
1700 x 560 Front Panel - Beauforté	42.6013	192.00	230.40
700 x 560 End Panel - Beauforté	42.6024	114.00	136.80
1700 Adjustable Front Panel - Beaufor	rté 42.6033	277.00	332.40

367.00

440.40

42.6035

1810 x 810 L Shape Flat Panel - Beauforté

SHOWER
GRIPS

□ 440 DEPTH

HEAD REST



Portland single ended, twin grip

535 ____

1700 x 750 SE TG Grips Sold Separately

1700 x 750 x 440mm		2	248 Litres
DESCRIPTION	CODE	£ EX VAT	£ INC VAT
1700 x 750 TG Portland - 5mm	42.0024	368.00	441.60
1700 x 750 TG Portland - Beauforté	42.1024	645.00	774.00
PANELS			
1700 x 560 Front Panel	42.5013	114.00	136.80
750x560 End Panel	42.5023	69.00	82.80
1700 x 560 Front Panel - Beauforté	42.6013	192.00	230.40
750 x 560 End Panel - Beauforté	42.6023	114.00	136.80
1700 Adjustable Front Panel - Beauforté	42.6033	277.00	332.40
1810 x 810 L Shape Flat Panel - Beauforté	42.6035	367.00	440.40



SHOWER



GRIPS




440 DEPTH



HEAD REST



 $U\,L\,T\,R\,A$ STRONG



1700 x 800 SE TG Grips Sold Separately

17 OU A OUU DL 1 C			,
1700 x 800 x 440mm		2	264 Litres
DESCRIPTION	CODE	£ EX VAT	£ INC VAT
1700 x 800 TG Portland - 5mm	42.0022	404.00	484.80
1700 x 800 TG Portland - Beauforté	42.1022	697.00	836.40
PANELS			
1700 x 560 Front Panel	42.5013	114.00	136.80
800x560 End Panel	42.5022	69.00	82.80
1700 x 560 Front Panel - Beauforté	42.6013	192.00	230.40
800 x 560 End Panel - Beauforté	42.6022	124.00	148.80
1700 Adjustable Front Panel - Beaufor	té 42.6033	277.00	332.40
1810 x 810 L Shape Flat Panel - Beauf	orté 42.6035	367.00	440.40



SHOWER



GRIPS



□ 440 DEPTH



HEAD REST



ULTRASTRONG

NEW

1750 x 750 SE TG Grips Sold Separately

1750
750 Q 545 60 60 60 7545 7545 7545 7545 7545 7545 7545 754
45 1750

1/00 X/00 DL 10			
1750 x 750 x 440mm		2	258 Litres
DESCRIPTION	CODE	£ EX VAT	£ INC VAT
1750 x 750 TG Portland - 5mm	42.0023	487.00	584.40
1750 x 750 TG Portland - Beauforté	42.1023	766.00	919.20
PANELS			
1750 x 560 Front Panel	42.5018	128.00	153.61
750x560 End Panel	42.5023	69.00	82.80
1750 x 560 Front Panel - Beauforté	42.6018	200.00	240.00
750 x 560 End Panel - Beauforté	42.6023	114.00	136.80
1700 Adjustable Front Panel - Beaufor	té 42.6033	277.00	332.40
1810 x 810 L Shape Flat Panel - Beauf	orté 42.6035	367.00	440.40



SHOWER



GRIPS



1 440 DEPTH



HEAD REST



ULTRA STRONG

Universal Fittings


ALL 5mm & Beauforté baths come complete





single ended, twin grip Portland

1800 x 800 SE TG Grips Sold Separately



1000 A 000 DL 10			
1800 x 800 x 440mm		:	283 Litres
DESCRIPTION	CODE	£ EX VAT	£ INC VAT
1800 x 800 TG Portland - 5mm	42.0021	435.00	522.00
1800 x 800 TG Portland - Beauforté	42.1021	742.00	890.40
PANELS			
1800 x 560 Front Panel	42.5012	127.00	152.40
800x560 End Panel	42.5022	69.00	82.80
1800 x 560 Front Panel - Beauforté	42.6012	203.00	243.60
800 x 560 End Panel - Beauforté	42.6022	124.00	148.80
1800 Adjustable Front Panel - Beaufor	té 42.6032	288.00	345.60
1810 x 810 L Shape Flat Panel - Beauf	orté 42.6035	367.00	440.40














Twin Grips (Pair)



DESCRIPTION	CODE	£ EX VAT	£ INC VAT
Chrome Grips (pair)	42.0001	39.00	46.80
Matt White Grips (pair)	42.0002	51.00	61.20
Matt Grey Grips (pair)	42.0003	51.00	61.20

DESCRIPTION	CODE	£ EX VAT	£ INC VAT
Matt Black Grips (pair)	42.0004	51.00	61.20
Matt Cappuccino Grips (pair)	42.0005	51.00	61.20
Matt Anthracite Grips (pair)	42.0006	51.00	61.20

Portland L-SHAPE

Situated in the mild depths of the English Channel, the Portland sea region is located along the Jurassic Coast, famous for its geology and striking landforms. Named after this area, the Portland bath is a stunning, minimalist bathing solution. Featuring a modern angular design with straight sides and a sloping back, the Portland is surprisingly deep, providing a generous, warm, and relaxing bath.

The Portland L-Shape is available in a wide range of bath sizes and in a choice of thickness - 5mm acrylic or ultra-strong Beauforté, which significantly extends the life of the bath.



PRODUCT FEATURES

- 8 models
- Each available in:
 5mm Acrylic & Ultra Strong
 Beauforté
- Supplied without pre-drilled tap holes or waste fittings
- 440mm depth on all Portland SE models
- Wider space at one end for showering



L-SHAPE Portland

60 ‡ 1020 850 O 505 650

1500 x 850 LH NEW BEAUFORTÉ PANELS


1500 x 850 x 700 x 440mm		2	224 Litres
DESCRIPTION	CODE	£ EX VAT	£ INC VAT
1500 x 850 LH Portland - 5mm	42.0183	475.00	570.00
1500 x 850 LH Portland - Beauforté	42.1183	785.00	942.00
PANELS			
1500 x 560 L-Shape Front Panel	42.5062	124.00	148.80
1500 x 560 L-Shape Front Panel - Beauforté	42.6062	350.00	420.00
L-Shape Universal End Panel	42.5063	70.00	84.00
L-Shape Universal End Panel - Beauforté	42.6063	123.00	147.61
BATH SCREENS			
Beaufort Screen 1400mm	58.4000	335.00	402.00
Beaufort Screen 1400mm with Towel Rail	69.0141	450.00	540.00



440 DEPTH



ULTRA STRONG



1500 x 850 RH NEW BEAUFORTÉ PANELS

1500 x 850 x 700 x 440mm		2	224 Litres
DESCRIPTION	CODE	£ EX VAT	£ INC VAT
1500 x 850 RH Portland - 5mm	42.0184	475.00	570.00
1500 x 850 RH Portland - Beauforté	42.1184	785.00	942.00
PANELS			
1500 x 560 L-Shape Front Panel	42.5062	124.00	148.80
1500 x 560 L-Shape Front Panel - Beauforté	42.6062	350.00	420.00
L-Shape Universal End Panel	42.5063	70.00	84.00
L-Shape Universal End Panel - Beauforté	42.6063	123.00	147.61
BATH SCREENS			
Beaufort Screen 1400mm	58.4000	335.00	402.00
Beaufort Screen 1400mm with Towel Rail	69.0141	450.00	540.00









420

355

60 ++

750

1600

1120

850

850

90

1600 x 850 LH NEW BEAUFORTÉ PANELS

100011000			
1600 x 850 x 700 x 440mm		2	249 Litres
DESCRIPTION	CODE	£ EX VAT	£ INC VAT
1600 x 850 LH Portland - 5mm	42.0231	475.00	570.00
1600 x 850 LH Portland - Beauforté	42.1231	785.00	942.00
PANELS			
1600 x 560 L-Shape Front Panel	42.5067	121.00	145.21
1600 x 560 L-Shape Front Panel - Beauforté	42.6067	350.00	420.00
L-Shape Universal End Panel	42.5063	70.00	84.00
L-Shape Universal End Panel - Beauforté	42.6063	123.00	147.61
BATH SCREENS			
Beaufort Screen 1400mm	58.4000	335.00	402.00
Beaufort Screen 1400mm with Towel Rail	69.0141	450.00	540.00



1 440 DEPTH



ULTRA STRONG




Complete the LOOK

Helston Bath Filler			
Description	Code	£ Ex VAT	£ Inc VAT
Helston Bath Filler Gloss White	93.0014	198.00	237.60
Helston Bath Filler Chrome	93.0011	176.00	211.20
Helston Bath Filler Matt Smooth Black	93.0020	198.00	237.60

Portland L-SHAPE

NEW 1600 x 850 RH



1600 x 850 x 700 x 440mm		2	249 Litres
DESCRIPTION	CODE	£ EX VAT	£ INC VAT
1600 x 850 RH Portland - 5mm	42.0232	475.00	570.00
1600 x 850 RH Portland - Beauforté	42.1232	785.00	942.00
PANELS			
1600 x 560 L-Shape Front Panel	42.5067	121.00	145.21
1600 x 560 L-Shape Front Panel - Beauforté	42.6067	350.00	420.00
L-Shape Universal End Panel	42.5063	70.00	84.00
L-Shape Universal End Panel - Beauforté	42.6063	123.00	147.61
BATH SCREENS			
Beaufort Screen 1400mm	58.4000	335.00	402.00
Beaufort Screen 1400mm with Towel Rail	69.0141	450.00	540.00




SHOWER










1700 x 850 LH	NEW BE	AUFORT	É PANEL	S
1700 x 850 x 700 x 440mm			2	274 Litres
DESCRIPTION		CODE	£ EX VAT	£ INC VAT
1700 x 850 LH Portland - 5mm		42.0181	475.00	570.00
1700 x 850 LH Portland - Beaufor	té	42.1181	785.00	942.00
PANELS				
1700 x 560 L-Shape Front Panel		42.5061	124.00	148.80
1700 x 560 L-Shape Front Panel -	Beauforté	42.6061	350.00	420.00
L-Shape Universal End Panel		42.5063	70.00	84.00
L-Shape Universal End Panel - Be	auforté	42.6063	123.00	147.61
BATH SCREENS				
Beaufort Screen 1400mm		58.4000	335.00	402.00
Beaufort Screen 1400mm with To	wel Rail	69.0141	450.00	540.00









1700 x 850 RH NEW BE	AUFORT	É PANEL	S
1700 x 850 x 700 x 440mm		2	274 Litres
DESCRIPTION	CODE	£ EX VAT	£ INC VAT
1700 x 850 RH Portland - 5mm	42.0182	475.00	570.00
1700 x 850 RH Portland - Beauforté	42.1182	785.00	942.00
PANELS			
1700 x 560 L-Shape Front Panel	42.5061	124.00	148.80
1700 x 560 L-Shape Front Panel - Beauforté	42.6061	350.00	420.00
L-Shape Universal End Panel	42.5063	70.00	84.00
L-Shape Universal End Panel - Beauforté	42.6063	123.00	147.61
BATH SCREENS			
Beaufort Screen 1400mm	58.4000	335.00	402.00
Beaufort Screen 1400mm with Towel Rail	69.0141	450.00	540.00



1 440 DEPTH




ULTRA STRONG

Universal Fittings

ALL 5mm & Beauforté baths come complete with Universal Fittings such as legs, feet & wall brackets etc. Organised ready for your bath installer to fit with ease.



L-SHAPE Portland



Portland P-SHAPE

Situated in the mild depths of the English Channel, the Portland sea region is located along the Jurassic Coast, famous for its geology and striking landforms. Named after this area, the Portland bath is a stunning, minimalist bathing solution. Featuring a modern angular design with straight sides and a sloping back, the Portland is surprisingly deep, providing a generous, warm, and relaxing bath.

The Portland P-Shape is available in a wide range of bath sizes and in a choice of thickness - 5mm acrylic or ultra-strong Beauforté, which significantly extends the life of the bath.



PRODUCT FEATURES

- 8 models
- Each available in:
 5mm Acrylic & Ultra Strong Beauforté
- Supplied without pre-drilled tap holes or waste fittings
- 440mm depth on all Portland SE models
- Wider curved space at one end for showering



P-SHAPE Portland

1500 440 60 🖽 415 850

1500 x 850 LH NEW BEAUFORTÉ PANELS


1500 x 850 x 750 x 440mm			196 Litres
DESCRIPTION	CODE	£EXVAT	£ INC VAT
1500 x 850 LH Portland - 5mm	42.0187	475.00	570.00
1500 x 850 LH Portland - Beauforté	42.1187	785.00	942.00
PANELS			
1500 x 560 P-Shape Front Panel	42.5065	124.00	148.80
1500 x 560 P-Shape Front Panel - Beauforté	42.6065	343.00	411.64
P-Shape Universal End Panel	42.5066	70.00	84.00
P-Shape Universal End Panel - Beauforté	42.6066	123.00	147.61
BATH SCREENS			
C Shape Screen 6mm easy clean	69.0140	229.00	274.80
C Shape Screen 6mm with towel rail	69.0143	413.00	495.60



SHOWER



ULTRA STRONG



1500 x 850 RH NEW BEAUFORTÉ PANELS

1500 x 850 x 750 x 440mm		1	196 Litres
DESCRIPTION	CODE	£EXVAT	£ INC VAT
1500 x 850 RH Portland - 5mm	42.0188	475.00	570.00
1500 x 850 RH Portland - Beauforté	42.1188	785.00	942.00
PANELS			
1500 x 560 P-Shape Front Panel	42.5065	124.00	148.80
1500 x 560 P-Shape Front Panel - Beauforté	42.6065	343.00	411.64
P-Shape Universal End Panel	42.5066	70.00	84.00
P-Shape Universal End Panel - Beauforté	42.6066	123.00	147.61
BATH SCREENS			
C Shape Screen 6mm easy clean	69.0140	229.00	274.80
C Shape Screen 6mm with towel rail	69.0143	413.00	495.60



440 DEPTH





1600 x 850 LH

NEW BEAUFORTÉ PANELS

1600 x 850 x 750 x 440mm		2	39 Litres
DESCRIPTION	CODE	£ EX VAT	£ INC VAT
1600 x 850 LH Portland - 5mm	42.0233	475.00	570.00
1600 x 850 LH Portland - Beauforté	42.1233	785.00	942.00
PANELS			
1600 x 560 P-Shape Front Panel	42.5068	121.00	145.21
1600 x 560 P-Shape Front Panel - Beauforté	42.6068	343.00	411.60
P-Shape Universal End Panel	42.5066	70.00	84.00
P-Shape Universal End Panel - Beauforté	42.6066	123.00	147.61
BATH SCREENS			
C Shape Screen 6mm easy clean	69.0140	229.00	274.80
C Shape Screen 6mm with towel rail	69.0143	413.00	495.60



1 440 DEPTH



ULTRA STRONG




Complete the LOOK

Helston Bath Filler			
Description	Code	£ Ex VAT	£ Inc VAT
Helston Bath Filler Gloss White	93.0014	198.00	237.60
Helston Bath Filler Chrome	93.0011	176.00	211.20
Helston Bath Filler Matt Smooth Black	93.0020	198.00	237.60

Portland P-SHAPE

NEW

1600 x 850 RH



1600 x 850 x 750 x 440mm		23	39 Litres
DESCRIPTION	CODE	£ EX VAT	£ INC VAT
1600 x 850 RH Portland - 5mm	42.0234	475.00	570.00
1600 x 850 RH Portland - Beauforté	42.1234	785.00	942.00
PANELS			
1600 x 560 P-Shape Front Panel	42.5068	121.00	145.21
1600 x 560 P-Shape Front Panel - Beauforté	42.6068	343.00	411.60
P-Shape Universal End Panel	42.5066	70.00	84.00
P-Shape Universal End Panel - Beauforté	42.6066	123.00	147.61
BATH SCREENS			
C Shape Screen 6mm easy clean	69.0140	229.00	274.80
C Shape Screen 6mm with towel rail	69.0143	413.00	495.60




★ SHOWER

□ □ □ □ 440 DEPTH



ULTRA STRONG



1700 x 850 LH	NEW BE	AUFORT	É PANEL	S
1700 x 850 x 750 x 440mm			2	258 Litres
DESCRIPTION		CODE	£ EX VAT	£ INC VAT
1700 x 850 LH Portland - 5mm		42.0185	475.00	570.00
1700 x 850 LH Portland - Beaufor	té	42.1185	785.00	942.00
PANELS				
1700 x 560 P-Shape Front Panel		42.5064	124.00	148.80
1700 x 560 P-Shape Front Panel -	Beauforté	42.6064	343.00	411.64
P-Shape Universal End Panel		42.5066	70.00	84.00
P-Shape Universal End Panel - Bea	auforté	42.6066	123.00	147.61
BATH SCREENS				
C Shape Screen 6mm easy clean		69.0140	229.00	274.80
C Shape Screen 6mm with towel ra	ail	69.0143	413.00	495.60




SHOWER

□ 440 DEPTH



ULTRASTRONG



1700 x 850 x 750 x 440mm		2	258 Litres
DESCRIPTION	CODE	£ EX VAT	£ INC VAT
1700 x 850 RH Portland - 5mm	42.0186	475.00	570.00
1700 x 850 RH Portland - Beauforté	42.1186	785.00	942.00
PANELS			
1700 x 560 L-Shape Front Panel	42.5064	124.00	148.80
1700 x 560 P-Shape Front Panel - Beauforté	42.6064	343.00	411.64
P-Shape Universal End Panel	42.5066	70.00	84.00
P-Shape Universal End Panel - Beauforté	42.6066	123.00	147.61
BATH SCREENS			
C Shape Screen 6mm easy clean	69.0140	229.00	274.80

69.0143

413.00

C Shape Screen 6mm with towel rail

1700 x 850 RH NEW BEAUFORTÉ PANELS



SHOWER

□ □ □ □ 440 DEPTH

HEAD REST

ULTRASTRONG

Universal Fittings

ALL 5mm & Beauforté baths come complete with Universal Fittings such as legs, feet & wall brackets etc. Organised ready for your bath installer to fit with ease.



495.60

P-SHAPE Portland



Biscay double ended

Located in the curved gulf where the west coast of France meets the north of Spain, the Biscay sea region is notorious for some of the fiercest weather conditions of the Atlantic Ocean. The robust double ended Biscay bath is reminiscent of this region, with a distinctive rounded end corner surrounded by a 40mm deep ledge. This space efficient bath provides a large bathing area and is 440mm at its deepest point, ensuring a luxurious, comfortable soak.


The Biscay is available in left or right-handed bath variants, and in a choice of 1600x725mm, 1700x750mm, and 1700x800mm. The range is offered in both 5mm acrylic and ultra-strong Beauforté, which significantly extends the life of the bath.



PRODUCT FEATURES

- 12 models
- Each available in:
 5mm Acrylic & Ultra Strong Beauforté
- Supplied without pre-drilled tap holes or waste fittings
- 440mm depth on all Biscay DE models
- Curved space saving style with one piece panel






1600 x 725 DE RH	NEW BE	AUFORTÉ	PANELS
1600 x 725 x 440mm			188 Litres
DESCRIPTION	CODE	£ EX VAT	£ INC VAT
1600 x 725 DE RH Biscay - 5mm	42.0056	349.00	418.80
1600 x 725 DE RH Biscay - Beauforté	42.1056	618.00	741.60
PANELS			
Biscay Panel 1600 x 725	42.5003	226.00	271.20
Biscay Panel 1600 x 725 - Beauforté	42.6003	385.00	462.00

□ 440 DEPTH





DOUBLE ENDED Biscay




1600 x 725 DE LH	NEW BEAUFORTÉ PANELS			
1600 x 725 x 440mm			188 Litres	
DESCRIPTION	CODE	£ EX VAT	£ INC VAT	
1600 x 725 DE LH Biscay - 5mm	42.0055	349.00	418.80	
1600 x 725 DE LH Biscay - Beauforté	42.1055	618.00	741.60	
PANELS				
Biscay Panel 1600 x 725	42.5003	226.00	271.20	
Biscay Panel 1600 x 725 - Beauforté	42.6003	385.00	462.00	

□ 440 DEPTH

HEAD REST

ULTRA STRONG




NEW BEAUFORTÉ PANELS			
		208 Litres	
CODE	£ EX VAT	£ INC VAT	
42.0054	349.00	418.80	
42.1054	618.00	741.60	
42.5002	226.00	271.20	
42.6002	385.00	462.00	
	CODE 42.0054 42.1054 42.5002	CODE £ EX VAT 42.0054 349.00 42.1054 618.00 42.5002 226.00	

□ 440 DEPTH

HEAD REST

ULTRA STRONG




1700 x 750 DE LH	NEW BEAUFORTÉ PANELS			
1700 x 750 x 440mm			208 Litres	
DESCRIPTION	CODE	£ EX VAT	£ INC VAT	
1700 x 750 DE LH Biscay - 5mm	42.0053	349.00	418.80	
1700 x 750 DE LH Biscay - Beauforté	42.1053	618.00	741.60	
PANELS				
Biscay Panel 1700 x 750	42.5002	226.00	271.20	
Biscay Panel 1700 x 750 - Beauforté	42.6002	385.00	462.00	

440 DEPTH

HEAD REST

ULTRA STRONG



1700 x 800 DE RH	NEW BEAUFORTÉ PANELS			
1700 x 800 x 440mm			219 Litres	
DESCRIPTION	CODE	£ EX VAT	£ INC VAT	
1700 x 800 DE RH Biscay - 5mm	42.0052	363.00	435.60	
1700 x 800 DE RH Biscay - Beauforté	42.1052	637.00	764.40	
PANELS				
Biscay Panel 1700 x 800	42.5001	226.00	271.20	
Biscay Panel 1700 x 800 - Beauforté	42.6001	385.00	462.00	

□ 440 DEPTH

HEAD REST

ULTRA STRONG

1700
206 60 535 190 190 190 190 190 190 190 190
40 1700

1700 x 800 DE LH	NEW BEAUFORTÉ PANELS			
1700 x 800 x 440mm			219 Litres	
DESCRIPTION	CODE	£ EX VAT	£ INC VAT	
1700 x 800 DE LH Biscay - 5mm	42.0051	363.00	435.60	
1700 x 800 DE LH Biscay - Beauforté	42.1051	637.00	764.40	
PANELS				
Biscay Panel 1700 x 800	42.5001	226.00	271.20	
Biscay Panel 1700 x 800 - Beauforté	42.6001	385.00	462.00	

440 DEPTH

HEAD REST

ULTRA STRONG

Malin d-shape back to wall

Malin is the sea region off the rugged Irish north coast, renowned for its strong sea winds, majestic landscapes, and high tides. The strength and clarity of the Malin bath is suggestive of this region, with its minimalist, clean lines, and gently curved back rest support. Featuring narrow ledges on 3 sides, the ultra-modern design of the Malin offers a larger internal bathing space than a deeper-sided bath of the same dimensions.

The range is offered in both 5mm acrylic and ultrastrong Beauforté, which significantly extends the life of the bath.



PRODUCT FEATURES


- · 2 D-Shape models
- Each available in:
 5mm Acrylic & Ultra
 Strong Beauforté
- Supplied without pre-drilled tap holes or waste fittings
- 440mm depth on all D-Shape BTW models
- Modern thin rim for maximised bathing space



D-SHAPE BACK TO WALL Malin

NEW

1700 x 800 BTW



1700 x 800 x 440mm		2	254 Litres
DESCRIPTION	CODE	£EXVAT	£ INC VAT
1700 x 800 Malin D-Shape BTW - 5mm	42.0241	533.00	639.60
1700 x 800 Malin D-Shape BTW - Beauforté	42.1241	872.00	1046.40
PANELS			
1700 x 800 D-Shape One Piece Front Panel - 5mm	42.5091	263.00	315.63



Headrests







Malin single ended

Malin is the sea region off the rugged Irish north coast, renowned for its strong sea winds, majestic landscapes, and high tides. The strength and clarity of the Malin bath is suggestive of this region, with its minimalist, clean lines, and gently curved back rest support. Featuring narrow ledges on 3 sides, the ultra-modern design of the Malin offers a larger internal bathing space than a deeper-sided bath of the same dimensions.

The Malin is available in both single-ended and double-ended bath variants and in a wide choice of sizes. The range is offered in both 5mm acrylic and ultra-strong Beauforté, which significantly extends the life of the bath.



PRODUCT FEATURES

- 12 SE models
- Each available in: 5mm Acrylic & Ultra Strong Beauforté
- Supplied without pre-drilled tap holes or waste fittings
- 440mm depth on all Malin SE models
- Modern thin rim for maximised bathing space



single ended Malin

1500 x 700 SE

90 90 1500 35 40 1500


1500 x 700 x 440mm		2	212 Litres
DESCRIPTION	CODE	£ EX VAT	£ INC VAT
1500 x 700 Malin - 5mm	42.0065	307.00	368.40
1500 x 700 Malin - Beauforté	42.1065	556.00	667.20
PANELS			
1500 x 560 Front Panel	42.5017	114.00	136.80
700 x 560 End Panel	42.5024	69.00	82.80
1500 x 560 Front Panel - Beauforté	42.6017	192.00	230.40
700 x 560 End Panel - Beauforté	42.6024	114.00	136.80
1500 Adjustable Front Panel - Beauforté	42.6034	277.00	332.40
1810 x 810 L Shape Flat Panel - Beauforté	42.6035	367.00	440.40











1600 x 700 SE


1600 x 700 x 440mm		2	230 Litres
DESCRIPTION	CODE	£ EX VAT	£ INC VAT
1600 x 700 Malin - 5mm	42.0064	307.00	368.40
1600 x 700 Malin - Beauforté	42.1064	556.00	667.20
PANELS			
1600 x 560 Front Panel	42.5016	114.00	136.80
700 x 560 End Panel	42.5024	69.00	82.80
1600 x 560 Front Panel - Beauforté	42.6016	192.00	230.40
700 x 560 End Panel - Beauforté	42.6024	114.00	136.80
1810 x 810 L Shape Flat Panel - Beauforté	42.6035	367.00	440.40











1700 x 700 SE


1700 x 700 x 440mm		2	238 Litres
DESCRIPTION	CODE	£ EX VAT	£ INC VAT
1700 x 700 Malin - 5mm	42.0063	307.00	368.40
1700 x 700 Malin - Beauforté	42.1063	556.00	667.20
PANELS			
1700 x 560 Front Panel	42.5013	114.00	136.80
700 x 560 End Panel	42.5024	69.00	82.80
1700 x 560 Front Panel - Beauforté	42.6013	192.00	230.40
700 x 560 End Panel - Beauforté	42.6024	114.00	136.80
1700 Adjustable Front Panel - Beauforté	42.6033	277.00	332.40
1810 x 810 L Shape Flat Panel - Beauforté	42.6035	367.00	440.40











1700 x 750 SE

1/00 X / 30 BL			
1700 x 750 x 440mm		2	270 Litres
DESCRIPTION	CODE	£EXVAT	£ INC VAT
1700 x 750 Malin - 5mm	42.0062	373.00	447.60
1700 x 750 Malin - Beauforté	42.1062	652.00	782.40
PANELS			
1700 x 560 Front Panel	42.5013	114.00	136.80
750x560 End Panel	42.5023	69.00	82.80
1700 x 560 Front Panel - Beauforté	42.6013	192.00	230.40
750 x 560 End Panel - Beauforté	42.6023	114.00	136.80
1700 Adjustable Front Panel - Beauforté	42.6033	277.00	332.40
1810 x 810 L Shape Flat Panel - Beauforté	42.6035	367.00	440.40



SHOWER




□ 440 DEPTH



Malin single ended

NEW 1750 x 750 SE



1750 x 750 x 440mm		2	274 Litres
DESCRIPTION	CODE	£ EX VAT	£ INC VAT
1750 x 750 Malin - 5mm	42.0066	487.00	584.40
1750 x 750 Malin - Beauforté	42.1066	817.00	854.40
PANELS			
1750 x 560 Front Panel	42.5018	128.00	153.61
750x560 End Panel	42.5023	69.00	82.80
1750 x 560 Front Panel - Beauforté	42.6018	200.00	240.00
750 x 560 End Panel - Beauforté	42.6023	114.00	136.80
1700 Adjustable Front Panel - Beauforté	42.6033	277.00	332.40
1810 x 810 L Shape Flat Panel - Beauforté	42.6035	367.00	440.40



SHOWER




HEAD REST



440 DEPTH



 ULTRA STRONG



1800 x 700 SE


1800 x 700 x 440mm		2	267 Litres
DESCRIPTION	CODE	£ EX VAT	£ INC VAT
1800 x 700 Malin - 5mm	42.0061	415.00	498.00
1800 x 700 Malin - Beauforté	42.1061	712.00	854.40
PANELS			
1800 x 560 Front Panel	42.5012	127.00	152.40
700 x 560 End Panel	42.5024	69.00	82.80
1800 x 560 Front Panel - Beauforté	42.6012	203.00	243.60
700 x 560 End Panel - Beauforté	42.6024	114.00	136.80
1800 Adjustable Front Panel - Beauforté	42.6032	288.00	345.60
1810 x 810 L Shape Flat Panel - Beauforté	42.6035	367.00	440.40












single ended Malin



Malin double ended

Malin is the sea region off the rugged Irish north coast, renowned for its strong sea winds, majestic landscapes, and high tides. The strength and clarity of the Malin bath is suggestive of this region, with its minimalist, clean lines, and gently curved back rest support. Featuring narrow ledges on 3 sides, the ultra-modern design of the Malin offers a larger internal bathing space than a deeper-sided bath of the same dimensions.

The Malin is available in both single-ended and double-ended bath variants and in a wide choice of sizes. The range is offered in both 5mm acrylic and ultra-strong Beauforté, which significantly extends the life of the bath.



PRODUCT FEATURES

- 12 DE models
- Each available in:
 5mm Acrylic & Ultra Strong Beauforté
- Supplied without pre-drilled tap holes or waste fittings
- 440mm depth on all Portland SE models
- Modern thin rim for maximised bathing space



double ended Malin

1600 x 700 DE

1600	90
35 455	35
	35 4
← 1600	 ↓
560 440	430 40 1


1600 x 700 x 440mm		2	210 Litres
DESCRIPTION	CODE	£ EX VAT	£ INC VAT
1600 x 700 Malin - 5mm	42.0075	322.00	386.40
1600 x 700 Malin - Beauforté	42.1075	577.00	692.40
PANELS			
1600 x 560 Front Panel	42.5016	114.00	136.80
700 x 560 End Panel	42.5024	69.00	82.80
1600 x 560 Front Panel - Beauforté	42.6016	192.00	230.40
700 x 560 End Panel - Beauforté	42.6024	114.00	136.80
1810 x 810 L Shape Flat Panel - Beauforté	42.6035	367.00	440.40

● H	EAD	REST
-----	-----	------






1650 x 700 DE




1650 x 700 x 440mm		2	219 Litres
DESCRIPTION	CODE	£EXVAT	£ INC VAT
1650 x 700 Malin - 5mm	42.0074	322.00	386.40
1650 x 700 Malin - Beauforté	42.1074	577.00	692.40
PANELS			
1650 x 560 Front Panel	42.5015	114.00	136.80
700 x 560 End Panel	42.5024	69.00	82.80
1650 x 560 Front Panel - Beauforté	42.6015	192.00	230.40
700 x 560 End Panel - Beauforté	42.6024	114.00	136.80
1810 x 810 L Shape Flat Panel - Beauforté	42.6035	367.00	440.40







1700 x 700 DE




1700 x 700 x 440mm		2	227 Litres
DESCRIPTION	CODE	£EXVAT	£ INC VAT
1700 x 700 Malin - 5mm	42.0073	322.00	386.40
1700 x 700 Malin - Beauforté	42.1073	577.00	692.40
PANELS			
1700 x 560 Front Panel	42.5013	114.00	136.80
700 x 560 End Panel	42.5024	69.00	82.80
1700 x 560 Front Panel - Beauforté	42.6013	192.00	230.40
700 x 560 End Panel - Beauforté	42.6024	114.00	136.80
1700 Adjustable Front Panel - Beauforté	42.6033	277.00	332.40
1810 x 810 L Shape Flat Panel - Beauforté	42.6035	367.00	440.40







1700 x 750 DE



1/00 X /30 DE			
1700 x 750 x 440mm		:	248 Litres
DESCRIPTION	CODE	£EXVAT	£ INC VAT
1700 x 750 Malin - 5mm	42.0072	390.00	468.00
1700 x 750 Malin - Beauforté	42.1072	675.00	810.00
PANELS			
1700 x 560 Front Panel	42.5013	114.00	136.80
750x560 End Panel	42.5023	69.00	82.80
1700 x 560 Front Panel - Beauforté	42.6013	192.00	230.40
750 x 560 End Panel - Beauforté	42.6023	114.00	136.80
1700 Adjustable Front Panel - Beauforté	42.6033	277.00	332.40
1810 x 810 L Shape Flat Panel - Beauforté	42.6035	367.00	440.40








Malin double ended

NEW 1750 x 750 DE




1750 x 750 x 440mm		2	254 Litres
DESCRIPTION	CODE	£ EX VAT	£ INC VAT
1750 x 750 Malin - 5mm	42.0076	487.00	584.40
1750 x 750 Malin - Beauforté	42.1076	817.00	980.40
PANELS			
1750 x 560 Front Panel	42.5018	128.00	153.61
750x560 End Panel	42.5023	69.00	82.80
1750 x 560 Front Panel - Beauforté	42.6018	200.00	240.00
750 x 560 End Panel - Beauforté	42.6023	114.00	136.80
1700 Adjustable Front Panel - Beauforté	42.6033	277.00	332.40
1810 x 810 L Shape Flat Panel - Beauforté	42.6035	367.00	440.40



□ 440 DEPTH



1800 x 700 DE



1800 x 700 x 440mm		2	238 Litres
DESCRIPTION	CODE	£ EX VAT	£ INC VAT
1800 x 700 Malin - 5mm	42.0071	431.00	517.20
1800 x 700 Malin - Beauforté	42.1071	735.00	882.00
PANELS			
1800 x 560 Front Panel	42.5012	127.00	152.40
700 x 560 End Panel	42.5024	69.00	82.80
1800 x 560 Front Panel - Beauforté	42.6012	203.00	243.60
700 x 560 End Panel - Beauforté	42.6024	114.00	136.80
1800 Adjustable Front Panel - Beauforté	42.6032	288.00	345.60
1810 x 810 L Shape Flat Panel - Beauforté	42.6035	367.00	440.40
1800 x 560 Front Panel - Beauforté 700 x 560 End Panel - Beauforté 1800 Adjustable Front Panel - Beauforté	42.6012 42.6024 42.6032	203.00 114.00 288.00	243.60 136.80 345.60







Complete the LOOK

The ultra modern design of the Malin Double Ended Bath allows you to match similar thin edged sleek bathroom products really easily. Create that fresh and contemporary bathroom feel by completing the look.



Gravina Gingle Drawer Wait Hung Grit					
Description	Colour	Code	£ Ex VAT	£ Inc VAT	
50cm Single Drawer Wall Hung Unit	White Gloss	36.0057	265.00	318.00	
50cm Single Drawer Wall Hung Unit	High Gloss Grey	36.0058	265.00	318.00	
60cm Single Drawer Wall Hung Unit	White Gloss	36.0060	291.00	349.20	
60cm Single Drawer Wall Hung Unit	High Gloss Grey	36.0061	291.00	349.20	



We suggest the Gravina wall hung basin unit. Available in High Gloss White & High Gloss Grey, both with a soft close drawer.

Cavone 50cm Cloakroom Basin							
Description	Colour	Code	£ Ex VAT	£ Inc VAT			
50cm Gravina Wall Hung Basin	White	36.0059	144.00	172.80			
60cm Gravina Wall Hung Basin	White	36.0062	162.00	194.40			

double ended Malin



Shannon L-Shape

The robust but comfortable single ended Shannon L-Shape Shower Bath is reminiscent of the Malin region, with its minimalist, clean lines along with a wider space at one end of the bath for showering.


This space efficient bath provides a deceptively large bathing area and is 400mm at its deepest point, ensuring a luxurious, comfortable soak.

The Shannon L-Shape Shower Bath is available in left or right-handed bath variants, and in a choice of 1500 x 850mm and 1700 x 850mm. The range is offered in both 4mm acrylic and ultra-strong Beauforté, which significantly extends the life of the bath.



PRODUCT FEATURES

- 8 models
- Each available in: 4mm Acrylic & Ultra Strong Beauforté
- Supplied without pre-drilled tap holes or waste fittings
- 400mm depth on all Shannon SE models
- Wider space at one end for showering



1500 x 850 LH NEW BEAUFORTÉ PANELS 1500 x 850/700 x 400mm DESCRIPTION CODE £EX VAT £1


1500 x 850/700 x 400mm		1	194 Litres
DESCRIPTION	CODE	£ EX VAT	£ INC VAT
1500 x 850 L-Shape LH - 4mm	42.0103	393.00	471.60
1500 x 850 L-Shape LH - Beauforté	42.1103	692.00	830.40
PANELS			
1500 x 515 L-Shape Front Panel	42.5032	114.00	136.80
1500 x 515 L-Shape Front Panel - Beauforté	42.6045	350.00	420.00
L-Shape Universal End Panel	42.5033	64.00	76.80
L-Shape Universal End Panel - Beauforté	42.6046	123.00	147.61
BATH SCREENS			
Beaufort Screen 1400mm	58.4000	335.00	402.00
Beaufort Screen 1400mm with Towel Rail	69.0141	450.00	540.00











1500 x 850 RH NEW BEAUFORTÉ PANELS

1500 x 850/700 x 400mm			194 Litres
DESCRIPTION	CODE	£ EX VAT	£ INC VAT
1500 x 850 L-Shape RH - 4mm	42.0104	393.00	471.60
1500 x 850 L-Shape RH - Beauforté	42.1104	692.00	830.40
PANELS			
1500 x 515 L-Shape Front Panel	42.5032	114.00	136.80
1500 x 515 L-Shape Front Panel - Beauforté	42.6045	350.00	420.00
L-Shape Universal End Panel	42.5033	64.00	76.80
L-Shape Universal End Panel - Beauforté	42.6046	123.00	147.61
BATH SCREENS			
Beaufort Screen 1400mm	58.4000	335.00	402.00
Beaufort Screen 1400mm with Towel Rail	69.0141	450.00	540.00









L-SHAPE Shannon



Shannon L-SHAPE

150mm **(4)** 1700mm

1700 x 850 LH NEW BEAUFORTÉ PANELS

1700 x 850/700 x 400mm		2	221 Litres
DESCRIPTION	CODE	£ EX VAT	£ INC VAT
1700 x 850 L-Shape LH - 4mm	42.0101	393.00	471.60
1700 x 850 L-Shape LH - Beauforté	42.1101	692.00	830.40
PANELS			
1700 x 515 L-Shape Front Panel	42.5031	114.00	136.80
1700 x 515 L-Shape Front Panel - Beauforté	42.6044	350.00	420.00
L-Shape Universal End Panel	42.5033	64.00	76.80
L-Shape Universal End Panel - Beauforté	42.6046	123.00	147.60
BATH SCREENS			
Beaufort Screen 1400mm	58.4000	335.00	402.00
Beaufort Screen 1400mm with Towel Rail	69.0141	450.00	540.00



SHOWER




HEAD REST



□ □ □ □ 400 DEPTH



ULTRASTRONG



1700 x 850 RH NEW BEAUFORTÉ PANELS

	1, 0 0 11 0 0 0 1411			
	1700 x 850/700 x 400mm		- 2	221 Litres
	DESCRIPTION	CODE	£ EX VAT	£ INC VAT
	1700 x 850 L-Shape RH - 4mm	42.0102	393.00	471.60
	1700 x 850 L-Shape RH - Beauforté	42.1102	692.00	830.40
	PANELS			
	1700 x 515 L-Shape Front Panel	42.5031	114.00	136.80
	1700 x 515 L-Shape Front Panel - Beauforté	42.6044	350.00	420.00
700-	L-Shape Universal End Panel	42.5033	64.00	76.80
5	L-Shape Universal End Panel - Beauforté	42.6046	123.00	147.60
	BATH SCREENS			
	Beaufort Screen 1400mm	58.4000	335.00	402.00
	Beaufort Screen 1400mm with Towel Rail	69.0141	450.00	540.00



♠ SHOWER



HEAD REST




1 400 DEPTH



ULTRA STRONG



Hardwick Corner Cabinet 90cm						
Description	Colour	Code	£ Ex VAT	£ Inc VAT		
Hardwick 90cm Corner Cabinet LH	Matt White	36.0015	825.00	990.00		
Hardwick Quartz Basins						
Description	Colour	Code	£ Ex VAT	£ Inc VAT		
Hardwick Quartz Corner 90cm Basin LH	White	36.4005	280.00	336.00		



Loddon Dry Element Rail - Matt Black							
Description	Code	£ Ex VAT	£ Inc VAT				
Loddon Dry Element Towel Rail 1200x600mm	47.0038	522.00	626.40				



L-SHAPE Shannon



Shannon p-shape



P-SHAPE Shannon

The robust but comfortable single ended Shannon P-Shape Shower Bath is reminiscent of the Biscay region, it has a wider curved space at one end of the bath for showering.


This space efficient bath provides a deceptively large bathing area and is 400mm at its deepest point, ensuring a luxurious, comfortable soak.


The Shannon P-Shape Shower Bath is available in left or right-handed bath variants, and in a choice of 1500 x 850mm and 1700 x 850mm. The range is offered in both 4mm acrylic and ultra-strong Beauforté, which significantly extends the life of the bath.



PRODUCT FEATURES

- 8 models
- Each available in: 4mm Acrylic & Ultra Strong Beauforté
- Supplied without pre-drilled tap holes or waste fittings
- 400mm depth on all Shannon SE models
- Wider curved space at one end for showering





1500 x 850 LH NEW BEAUFORTÉ PANELS


1500 x 850/750 x 400mm		1	179 Litres
DESCRIPTION	CODE	£ EX VAT	£ INC VAT
1500 x 850 P-Shape LH - 4mm	42.0107	393.00	471.60
1500 x 850 P-Shape LH - Beauforté	42.1107	692.00	830.40
PANELS			
1500 x 515 P-Shape Front Panel	42.5042	114.00	136.80
1500 x 515 P-Shape Front Panel - Beauforté	42.6042	343.00	411.64
P-Shape Universal End Panel	42.5043	64.00	76.80
P-Shape Universal End Panel - Beauforté	42.6043	123.00	147.61
BATH SCREENS			
C Shape Screen 6mm easy clean	69.0140	229.00	274.80
C Shape Screen 6mm easy clean with towel rail	69.0143	413.00	495.60














1500 x 850 RH NEW BEAUFORTÉ PANELS

1500 x 850/750 x 400mm		1	179 Litres
DESCRIPTION	CODE	£ EX VAT	£ INC VAT
1500 x 850 P-Shape RH - 4mm	42.0108	393.00	471.60
1500 x 850 P-Shape RH - Beauforté	42.1108	692.00	830.40
PANELS			
1500 x 515 P-Shape Front Panel	42.5042	114.00	136.80
1500 x 515 P-Shape Front Panel - Beauforté	42.6042	343.00	411.64
P-Shape Universal End Panel	42.5043	64.00	76.80
P-Shape Universal End Panel - Beauforté	42.6043	123.00	147.61
BATH SCREENS			
C Shape Screen 6mm easy clean	69.0140	229.00	274.80
C Shape Screen 6mm easy clean with towel rail	69.0143	413.00	495.60









Shannon p-shape

1700mm 90 → 240 _F70mm 1700mm

1700 x 850 LH NEW BEAUFORTÉ PANELS


1700 x 850/750 x 400mm		2	220 Litres
DESCRIPTION	CODE	£ EX VAT	£ INC VAT
1700 x 850 P-Shape LH - 4mm	42.0105	393.00	471.60
1700 x 850 P-Shape LH - Beauforté	42.1105	692.00	830.40
PANELS			
1700 x 515 P-Shape Front Panel	42.5041	114.00	136.80
1700 x 515 P-Shape Front Panel - Beauforté	42.6041	343.00	411.60
P-Shape Universal End Panel	42.5043	64.00	76.80
P-Shape Universal End Panel - Beauforté	42.6043	123.00	147.60
BATH SCREENS			
C Shape Screen 6mm easy clean	69.0140	229.00	274.80
C Shape Screen 6mm easy clean with towel rail	69.0143	413.00	495.60














1700 x 850 RH NEW BEAUFORTÉ PANELS

1700 x 850/750 x 400mm		2	220 Litres
DESCRIPTION	CODE	£ EX VAT	£ INC VAT
1700 x 850 P-Shape RH - 4mm	42.0106	393.00	471.60
1700 x 850 P-Shape RH - Beauforté	42.1106	692.00	830.40
PANELS			
1700 x 515 P-Shape Front Panel	42.5041	114.00	136.80
1700 x 515 P-Shape Front Panel - Beauforté	42.6041	343.00	411.60
P-Shape Universal End Panel	42.5043	64.00	76.80
P-Shape Universal End Panel - Beauforté	42.6043	123.00	147.60
BATH SCREENS			
C Shape Screen 6mm easy clean	69.0140	229.00	274.80
C Shape Screen 6mm easy clean with towel rail	69.0143	413.00	495.60














Complete the Statuario Marble Velvet Statuario Marble Velvet Hydropanel Description Code £ Ex VAT £ Inc VAT Straight Edge 275.00 330.00 3.151

Statuario Marble

Velvet Hydropanel

Brushed Brass

Pressure MP (0.5 bar minimum)

P-SHAPE Shannon



Designer Bath Screens



FEATURES

• 6mm P Shape clear glass • Concealed profile • Zinc-alloy pivot hinges



FEATURES

• 6mm P Shape clear glass • Concealed profile • Zinc-alloy pivot hinges



FEATURES

L Shape Bath Screen 6mm - Left Hand (LH)

L Shape Bath Screen 6mm - Left Hand (LH)

L Shape Bath Screen 6mm - Left Hand (LH)

• 6mm L Shape clear glass • Concealed profile • Zinc-alloy pivot hinges

Brushed Brass

Matt Black

Chrome

49.2012

49.2009

49.2007

254.00

234.00

220.00

304.80

280.80

264.00



FEATURES

• 6mm L Shape clear glass • Concealed profile • Zinc-alloy pivot hinges


Beaufort & Vantage Bath Screens



Description	Dimension width x height	Code	£ Ex VAT	£ Inc VAT
Beaufort Screen Type 1 Pivot Door LH	(775+850) x 1535	69.4001L	302.00	362.40
Beaufort Screen Type 1 Pivot Door RH	(775+850) x 1535	69.4001R	302.00	362.40

FEATURES

- 6mm tempered glass
- Left Hand or right hand options
- Easy clean glass Easy open pivot door, with handle.



Description	Dimension width x height	Code	£ Ex VAT	£ Inc VAT
Beaufort Screen Type 2 Folding Door LH	(785+465) x 1535	69.4002L	247.00	296.40
Beaufort Screen Type 2 Folding Door RH	(785+465) x 1535	69.4002R	247.00	296.40

FEATURES

- 6mm tempered glass
- Left hand or right hand options • Easy open folding door.
- Easy clean glass Easy open folding door



Description	Dimension width x height	Code	£ Ex VAT	£ Inc VAT
Beaufort Screen Type 3 Sliding Door	(985+850) x 1535	69.4003	315.00	378.00

FEATURES

- · 6mm tempered glass
- · Works on both LH & RH P-Shape baths
- Easy clean glass Easy slide action screen



Description	Dimension width x height	Code	£ Ex VAT	£ Inc VAT
6mm Matt Black Framed Hinge Bath Screen	800 x 1400	49.1101	205.00	246.00

- · 6mm tempered glass
- Easy clean glass



Our newly designed Cavone Cloakroom bathroom furniture features a luxurious curved basin that flows perfectly with the curved lines of the doors of the vanity unit.

FEATURES

- · Soft close system on door
- Curved door design
- Interchangeable chrome or black handles
- · Built in internal overflow as standard


FEATURES - BASIN TOPS

- Polymarble basin predrilled with 1 tap hole
 A modern seamless one-piece basin
- · Curved basin design

40 CM UNIT



Cavone 40cm Cloackroo	m Door Unit			
Description	Colour	Code	£ Ex VAT	£ Inc VAT
40cm Cloakroom Door Unit	White Gloss	36.0076	272.00	326.40
40cm Cloakroom Door Unit	Matt Grey	36.0074	272.00	326.43



40 CM UNIT BASINS 415


Cavone 40cm Cloakroom E	Basins			
Description	Colour	Code	£ Ex VAT	£ Inc VAT
40cm Cloakroom Cavone Basin	White	36.0073	95.00	114.00



CAVONE CLOAKROOM DOOR UNITS 50 CM UNIT



Description	Colour	Code	£ Ex VAT	£ Inc VAT
50cm Cloakroom Door Unit	White Gloss	36.0081	305.00	366.00
50cm Cloakroom Door Unit	Matt Grey	36.0079	305.00	366.00
492	SC 222	825		324







Our newly designed Cavone Cloakroom bathroom furniture features a luxurious curved basin that flows perfectly with the curved lines of the doors of the vanity unit.

FEATURES

- · Soft close system on door
- Curved door design
- Interchangeable chrome or black handles
- Built in internal overflow as standard

FEATURES - BASIN TOPS

- Polymarble basin predrilled with 1 tap hole
- A modern seamless one-piece basin
- Curved basin design

CAVONE CLOAKROOM WALL HUNG DOOR UNITS


40 CM UNIT









Cavone 40cm Cloackroom Wall Hung Door Unit					
Description	Colour	Code	£ Ex VAT	£ Inc VAT	
40cm Cloakroom Wall Hung Unit	White Gloss	36.0077	197.00	236.40	
40cm Cloakroom Wall Hung Unit	Matt Grey	36.0075	197.00	236.40	







Cavone 40cm Cloakroom E	Basins			
Description	Colour	Code	£ Ex VAT	£ Inc VAT
40cm Cloakroom Cavone Basin	White	36.0073	95.00	114.00







Cavone WC Unit



Our newly designed Cavone WC Unit features a the same luxurious curved corners, same colours and modern feel as its matching Cavone Vanity Units.

- Delivered to you fully assembled.
- High quality Matt Grey & White finishes exact match to Vanity Units.
- · Seamless surface easy to maintain.


- Hidden cistern sold separately.
 Supplied complete with plinth & top.
 Available in 50cm and 60cm widths

Cavone WC Unit

50 CM UNIT



Colour	Code	£ Ex VAT	£ Inc VAT
White Gloss	36.0089	271.00	325.20
Matt Grey	36.0090	271.00	325.20
	White Gloss	White Gloss 36.0089	White Gloss 36.0089 271.00






CAVONE WC UNITS 60 CM UNIT



Description	Colour	Code	£ Ex VAT	£ Inc VAT
60cm Cavone WC Unit	White Gloss	36.0091	293.00	351.60
60cm Cavone WC Unit	Matt Grey	36.0092	293.00	351.60
600	250	789	600	250



HARDWICK TRADITIONAL UNIT

Our newly designed Hardwick bathroom furniture features a luxurious basin design that flows perfectly with the traditional inspired curved lines and door panels of the vanity unit.

FEATURES

- Soft close system on doors
- Traditional design inspired door design
- · High quality painted doors
- Internal glass shelf (39cm unit has wooden shelf)

FEATURES - BASIN TOPS

- Polymarble basin predrilled with 1 tap hole
- · A modern seamless one-piece basin
- · Curved & straight basin designs
- · Built in internal overflow as standard



HARDWICK TRADITIONAL UNIT


50 CM UNIT






60 CM UNIT

Hardwick 50cm Traditional Unit				
Description	Colour	Code	£ Ex VAT	£ Inc VAT
Hardwick 50cm Unit	Matt White	36.0003	571.00	685.20
Hardwick 50cm Unit	Matt Anthracite	36.0004	571.00	685.20
Hardwick 50cm Unit	Matt Cobalt Blue	36.0063	571.00	685.20




Hardwick 60cm Traditional Unit				
Description	Colour	Code	£ Ex VAT	£ Inc VAT
Hardwick 60cm Unit	Matt White	36.0006	618.00	741.60
Hardwick 60cm Unit	Matt Anthracite	36.0007	618.00	741.60
Hardwick 60cm Unit	Matt Cobalt Blue	36.0064	618.00	741.60



120 CM UNIT







Hardwick Traditional 120cm Unit				
Description	Colour	Code	£ Ex VAT	£ Inc VAT
Hardwick 120cm Unit	Matt White	36.0021	1072.00	1286.40
Hardwick 120cm Unit	Matt Anthracite	36.0022	1072.00	1286.40
Hardwick 120cm Unit	Matt Cobalt Blue	36.0069	1072.00	1286.40
Hardwick 120cm Double Bowl Vanity Unit	Matt White	36.4011	1054.00	1264.80
Hardwick 120cm Double Bowl Vanity Unit	Matt Anthracite	36.4012	1054.00	1264.80
Hardwick 120cm Double Bowl Vanity Unit	Matt Cobalt Blue	36.4013	1054.00	1264.80

See page 18 for compatible basins









Hardwick WC Units

HARDWICK WC UNITS

Our newly designed Hardwick WC Unit features a the same traditional styling, same colours and luxurious feel as its matching Hardwick Vanity Units.

FEATURES

- · Delivered to you fully assembled.
- High quality Matt Anthracite, Cobalt Blue & White finishes.
- · Seamless surface easy to maintain.

- Hidden cistern sold separately. Supplied complete with plinth & top. Available in 50cm and 60cm widths




50 CM UNIT




60 CM UNIT



Hardwick WC 50cm Uni	t			
Description	Colour	Code	£ Ex VAT	£ Inc VAT
50cm Hardwick WC Unit	Matt White	36.0083	271.00	325.20
50cm Hardwick WC Unit	Matt Anthracite	36.0084	271.00	325.20
50cm Hardwick WC Unit	Matt Cobalt Blue	36.0085	271.00	325.20




Hardwick WC 60cm Uni	t			
Description	Colour	Code	£ Ex VAT	£ Inc VAT
60cm Hardwick WC Unit	Matt White	36.0086	293.00	351.60
60cm Hardwick WC Unit	Matt Anthracite	36.0087	293.00	351.60
60cm Hardwick WC Unit	Matt Cobalt Blue	36.0088	293.00	351.60




Hardwick Basins





HARDWICK CORNER BASINS TRADITIONAL



HARDWICK 39CM TRADITIONAL UNIT

Our newly designed Hardwick bathroom furniture features a luxurious basin design that flows perfectly with the traditional inspired curved lines and door panels of the vanity unit.

FEATURES

- · Soft close system on door
- Traditional design inspired door design
- High quality painted doors
- Internal wooden shelf

FEATURES - BASIN TOPS


- · Polymarble basin predrilled with 1 tap hole
- A modern seamless one-piece basin
- Straight basin designs
- · Built in internal overflow as standard

39 CM UNIT



Hardwick Traditio	nal Unit			
Description	Colour	Code	£ Ex VAT	£ Inc VAT
Hardwick 39cm Unit	Matt White	36.0024	311.00	373.20
Hardwick 39cm Unit	Matt Cobalt Blue RAL 5013	36.0070	311.00	373.20
Hardwick 39cm Unit	Matt Anthracite RAL 7016	36.0025	311.00	373.20






Hardwick Traditional Basins				
Description	Colour	Code	£ Ex VAT	£ Inc VAT
Hardwick Traditional 39cm Basin	White	36.0026	94.00	112.80







DOORS

200.10						
Vantage 2000 Pivot Door - Brushed Brass						
Size	Adjustment	Door Opening	Code	£ Ex VAT	£ Inc VAT	
700mm door	640mm-680mm	480mm	49.5008	423.00	507.60	
760mm door	700mm-740mm	540mm	49.5009	435.00	522.00	
800mm door	740mm-780mm	580mm	49.5011	442.00	530.40	
900mm door	840mm-880mm	680mm	49.5012	461.00	553.20	
1000mm door	940mm-980mm	720mm	49.5013	480.00	576.00	
Adjustment varies when f	itted with a side panel.			•		

EXTRAS


Vantage 2000 Side Panel - Brushed Brass					
Size	Adjustment	Code	£ Ex VAT	£ Inc VAT	
700mm side panel	660mm-680mm	49.5014	223.00	267.60	
760mm side panel	720mm-740mm	49.5015	233.00	279.60	
800mm side panel	760mm-780mm	49.5016	239.00	286.80	
900mm side panel	860mm-880mm	49.5017	256.00	307.20	
1000mm side panel	960mm-980mm	49.5018	272.00	326.40	

Vantage 2000 pivot door, 6mm tempered safety glass, 2000mm high

FEATURES

- 10 Year manufacturer's guarantee*

- Easy clean glass
 Trays available to match
 Suitable for power shower
 6mm Tempered safety glass
 Drughed Brees finish
- Brushed Brass finish
- Fully concealed fixings *With conditions



EXTRAS

EXTINO						
Extension Profile - Brushed Brass						
Size	Code	£ Ex VAT	£ Inc VAT			
Vantage 2000 6mm	49.3001	35.00	42.00			
Extension Profile	Extension Profile					
Brushed Brass						
Works with both sides of the door to wall, or side panel to wall.						



Vantage 2000 quadrant, 6mm tempered safety glass, 2000mm high

FEATURES


- 10 Year manufacturer's guarantee*
- Easy clean glassSuitable for power showersTrays available to match
- 6mm Tempered safety glass
- Brushed Brass
- Fully concealed fixings *With conditions





DOORS

Vantage 2000 Quadrant - Brushed Brass						
Size	Adjustment	Door Opening	Colour	Code	£ Ex VAT	£ Inc VAT
800mm	760-780 x 760-780	425mm	Brushed Brass	49.5025	605.00	726.00
900mm	860-880 x 860-880	479mm	Brushed Brass	49.5026	636.00	763.20
1000mm	960-980 x 960-980	479mm	Brushed Brass	49.5027	669.00	802.80



EXTRAS					
Extension Profile - Brushed Brass					
Size	Code	£ Ex VAT	£ Inc VAT		
Vantage 2000 6mm	49.3001	35.00	42.00		
Extension Profile					
Brushed Brass					
Works with both sides of the door to wall, or side panel to wall.					



DOORS

Vantage 2000 Offset Quadrant - Brushed Brass					
Size	Adjustment	Door Opening	Code	£ Ex VAT	£ Inc VAT
900 x 760mm	860-880 x 720-740	403mm	49.5028	609.00	730.80
900 x 800mm	860-880 x 760-780	425mm	49.5029	616.00	739.20
1000 x 760mm	960-980 x 720-740	403mm	49.5031	620.00	744.00
1000 x 800mm	960-980 x 760-780	425mm	49.5032	627.00	752.40
1000 X 900mm	960-980 x 860-880	479mm	49.5033	669.00	802.80
1100 x 760mm	1060-1080 x 720-740	403mm	49.5034	635.00	762.00
1100 x 800mm	1060-1080 x 760-780	425mm	49.5035	639.00	766.80
1100 x 900mm	1060-1080 x 860-880	479mm	49.5036	680.00	816.00
1200 x 760mm	1160-1180 x 720-740	403mm	49.5037	661.00	793.20
1200 x 800mm	1160-1180 x 760-780	425mm	49.5038	660.00	792.00
1200 x 900mm	1160-1180 x 860-880	479mm	49.5039	699.00	838.80
1300 x 760mm	1260-1280 x 720-740	403mm	49.5041	687.00	824.40
1300 x 800mm	1260-1280 x 760-780	425mm	49.5042	692.00	830.40
1400 x 760mm	1360-1380 x 720-740	403mm	49.5043	714.00	856.80
1400 x 800mm	1360-1380 x 760-780	425mm	49.5044	711.00	853.20

Offset Quadrant reversible left hand or right hand. This product requires trays with 550mm radius curve








Vantage 2000 offset quadrant, 6mm tempered glass, 2000mm high.

FEATURES

- 10 Year manufacturer's guarantee* W/Conditions
- Easy clean glass
- · Suitable for power showers
- Trays available to match
- 6mm Tempered safety glass
- Brushed Brass finishFully concealed fixings



EXTRAS

Extension Profile - Brushed Brass				
Size	Code	£ Ex VAT	£ Inc VAT	
Vantage 2000 6mm Extension Profile Brushed Brass	49.3001	35.00	42.00	
Works with both sides of the door to wall, or side panel to wall.				

February 2023

Vantage 2000

VANTAGE 2000 SLIDING DOOR - BRUSHED BRASS Tempered Glass - 6mm **1** 2000mm High

Vantage 2000 quadrant, 6mm tempered safety glass, 2000mm high

FEATURES

Code

49.5001

49.5002

49.5003

49.5004

49.5005

49.5006

49.5007

£ Ex VAT £ Inc VAT

547.20

566.40

585.60

624.00

662.40

666.00

668.40

456.00

472.00

488.00

520.00

552.00

555.00

557.00

- 10 Year manufacturer's guarantee* W/Conditions
- Easy clean glass
- · Suitable for power showers
- 6mm Tempered safety glass Brushed Brass finish
- · Fully concealed fixings

DOORS

1000mm door

1100mm door

1200mm door

1400mm door

1600mm door

1650mm door

1700mm door

Vantage 2000 Sliding Door - Brushed Brass

Adjustment varies when fitted with a side panel.

940mm-980mm

1040mm-1080mm

1140mm-1180mm

1340mm-1380mm

1540mm-1580mm

1590mm-1630mm

1640mm-1680mm

Vantage 2000 Side Panel - Brushed Brass						
Size	Adjustment	Code	£ Ex VAT	$\mathbf{f} \operatorname{Inc} \operatorname{VAT}$		
700mm side panel	660mm-680mm	49.5014	223.00	267.60		
760mm side panel	720mm-740mm	49.5015	233.00	279.60		
800mm side panel	760mm-780mm	49.5016	239.00	286.80		
900mm side panel	860mm-880mm	49.5017	256.00	307.20		
1000mm side panel	960mm-980mm	49.5018	272.00	326.40		

Door Opening

365mm

415mm

465mm


565mm

665mm

690mm

715mm





EXTRAS

Extension Profile - Brushed Brass						
Size	Code	£ Ex VAT	£ Inc VAT			
Vantage 2000 6mm Extension Profile Brushed Brass	49.3001	35.00	42.00			
Works with both sides of the	Works with both sides of the door to wall, or side panel to wall					

VANTAGE 2000 BI-FOLD DOOR - BRUSHED BRASS



DOORS

Vantage 2000 Bi-Fold Door - Brushed Brass						
Size	Adjustment	Door Opening	Code	£ Ex VAT	£ Inc VAT	
700mm door	640mm-680mm	400mm	49.5019	502.00	602.40	
760mm door	700mm-740mm	460mm	49.5021	516.00	619.20	
800mm door	740mm-780mm	500mm	49.5022	525.00	630.00	
900mm door	840mm-880mm	580mm	49.5023	547.00	656.40	
1000mm door	940mm-980mm	660mm	49.5024	355.00	507.60	
Adjustment varies when	fitted with a side nanel					

EXTRAS

Vantage 2000 Side P	anei - Brusned Brass			
Size	Adjustment	Code	£ Ex VAT	£ Inc VAT
700mm Side panel	660mm-680mm	49.5014	223.00	267.60
760mm Side panel	720mm-740mm	49.5015	233.00	279.60
800mm Side panel	760mm-780mm	49.5016	239.00	286.80
900mm Side panel	860mm-880mm	49.5017	256.00	307.20
1000mm Side panel	960mm-980mm	49.5018	272.00	326.40

FEATURES

• 10 Year manufacturer's guarantee* W/Conditions


Available February 2023

- To Year manufacturer's guara
 Easy clean glass
 Suitable for power showers
 Trays available to match
 6mm Tempered safety glass
 Brushed Brass finish

 Fully consocied fivings

- · Fully concealed fixings

Vantage bi-fold door, 6mm tempered glass, 2000mm high.




EXTRAS

Extension Profile - Brushed Brass						
Size	Code	£ Ex VAT	£ Inc VAT			
Vantage 2000 6mm Extension Profile Brushed Brass	49.3001	35.00	42.00			

Works with both sides of the door to wall, or side panel to wall.

Corniche 2000



DOORS

Corniche 2000 Sliding Door - Chrome							
Size	Adjustment	Door Opening	Code	£ Ex VAT	£ Inc VAT		
1000mm	965mm-980mm	388mm	49.6001	458.00	549.60		
1100mm	1065mm-1080mm	438mm	49.6002	481.00	577.20		
1200mm	1165mm-1180mm	488mm	49.6003	505.00	606.00		
1400mm	1365mm-1380mm	588mm	49.6004	552.00	662.40		
1600mm	1565mm-1580mm	688mm	49.6005	600.00	720.00		
1700mm	1665mm-1680mm	738mm	49.6006	620.00	744.00		
Adjustment varies when f	Adjustment varies when fitted with a side panel.						


EVTDAG

EXTRAS						
Corniche 2000 Side Panel - Chrome						
Size	Adjustment	Cod	e £ExVAT	£ Inc VAT		
700mm side panel	665mm-680mm	49.60	07 262.00	314.40		
760mm side panel	725mm-740mm	49.60	08 275.00	330.00		
800mm side panel	765mm-780mm	49.60	09 286.00	343.20		
900mm side panel	865mm-880mm	49.60	11 300.00	360.00		
1000mm side panel	965mm-980mm	49.60	12 319.00	382.80		

Corniche 2000 quadrant, 8mm tempered safety glass, 2000mm high

- 10 Year manufacturer's guarantee* W/Conditions
- · Easy clean glass
- Easy clean glass
 Suitable for power showers
 Trays available to match
 8mm Tempered safety glass
 Chrome finish
 Fully concealed fixings

Corniche 2000



\mathbf{n}		DC.
DO	U	KO.

Corniche 2000 Slid	ing Door - Brushed Brass				
Size	Adjustment	Door Opening	Code	£ Ex VAT	£ Inc VAT
1000mm door	965mm- 980mm	388mm	49.6025	561.00	673.20
1100mm door	1065mm-1080mm	438mm	49.6026	588.00	705.60
1200mm door	1165mm-1180mm	488mm	49.6027	616.00	739.20
1400mm door	1365mm-1380mm	588mm	49.6028	668.00	801.60
1600mm door	1565mm-1580mm	688mm	49.6029	713.00	855.60
1700mm door	1665mm-1680mm	738mm	49.6031	734.00	880.80
Adjustment varies when	fitted with a side panel				

EXTRAS

Corniche 2000 Side Panel - Brushed Brass					
Size	Adjustment	Code	£ Ex VAT	£ Inc VAT	
700mm side panel	665mm-680mm	49.6032	295.00	354.00	
760mm side panel	725mm-740mm	49.6033	309.00	370.80	
800mm side panel	765mm-780mm	49.6034	320.00	384.00	
900mm side panel	865mm-880mm	49.6035	335.00	402.00	
1000mm side panel	965mm-980mm	49.6036	355.00	426.00	

Corniche 2000 quadrant, 8mm tempered safety glass, 2000mm high

Available February 2023

- 10 Year manufacturer's guarantee* W/Conditions


- Easy clean glass
 Suitable for power showers
 Trays available to match
 8mm Tempered safety glass

 Probled Proce finish
- Brushed Brass finish
- · Fully concealed fixings

Available February 2023

Corniche 2000

CORNICHE 2000 SLIDING DOOR - MATT BLACK



DOORS

Corniche 2000 Sliding Door - Matt Black						
Size	Adjustment	Door Opening	Code	£ Ex VAT	£ Inc VAT	
1000mm door	965mm- 980mm	388mm	49.6013	516.00	619.20	
1100mm door	1065mm-1080mm	438mm	49.6014	542.00	650.40	
1200mm door	1165mm-1180mm	488mm	49.6015	567.00	680.40	
1400mm door	1365mm-1380mm	588mm	49.6016	616.00	739.20	
1600mm door	1565mm-1580mm	688mm	49.6017	658.00	789.60	
1700mm door	1665mm-1680mm	738mm	49.6018	677.00	812.40	
Adjustment varies when fitted with a side panel.						

EXTRAS

Corniche 2000 Side Panel - Matt Black					
Size	Adjustment	Code	£ Ex VAT	£ Inc VAT	
700mm side panel	665mm-680mm	49.6019	273.00	327.60	
760mm side panel	725mm-740mm	49.6021	286.00	343.20	
800mm side panel	765mm-780mm	49.6022	297.00	356.40	
900mm side panel	865mm-880mm	49.6023	311.00	373.20	
1000mm side panel	965mm-980mm	49.6024	330.00	396.00	

Corniche 2000 quadrant, 8mm tempered safety glass, 2000mm high

- 10 Year manufacturer's guarantee* W/Conditions
 Easy clean glass
- Suitable for power showersTrays available to match
- 8mm Tempered safety glass 0Anodized Matt Black finish
- · Fully concealed fixings

Hydropanel

HYDROPANEL SHOWER PANELLING


Colour samples subject to the limitations of the printing process




Marble Mint Green Gloss



White Gloss



Pacific Blue Granite




White Speckle




Black Speckle



Brushed Black



Mother of Pearl Gloss





Travertine Gloss



Slate Matt



New Marble White Gloss





Granite Gloss



Graphite Marble Effect



Lima Matt



Statuario Marble Velvet



Concete Effect



Stratus Marble Gloss

Straight edge stock panels. All 900mm panels are 2420mm high, all 1200mm panels are 2420mm high, 10mm thick.

900mm	£ Ex VAT	£ Inc VAT	1200mi	m £ Ex VAT	£ Inc VAT
3.101	234.00	280.80	3.201	263.00	315.60
3.121	226.00	271.20	3.221	258.00	309.60
3.108	237.00	284.40	3.208	271.00	325.20
3.112	226.00	271.20	3.212	258.00	309.60
3.129	234.00	280.80	3.229	275.00	330.00
3.116	241.00	289.20	3.216	275.00	330.00
3.126	241.00	289.20	3.226	275.00	330.00
3.119	241.00	289.20	3.219	275.00	330.00
-	-	-	3.224	277.00	332.40
-	-	-	3.225	292.00	350.40
-	-	-	3.227	300.00	360.00
-	-	-	3.228	300.00	360.00
-	-	-	3.151	275.00	330.00
-	-	-	3.152	275.00	330.00
-	-	-	3.153	275.00	330.00
-	-	-	3.154	275.00	330.00
-	-	-	3.155	275.00	330.00
	3.101 3.121 3.108 3.112 3.129 3.116 3.126 3.119	3.101 234.00 3.121 226.00 3.108 237.00 3.112 226.00 3.112 226.00 3.129 234.00 3.116 241.00 3.126 241.00	3.101 234.00 280.80 3.121 226.00 271.20 3.108 237.00 284.40 3.112 226.00 271.20 3.129 234.00 280.80 3.116 241.00 289.20 3.126 241.00 289.20	3.101 234.00 280.80 3.201 3.121 226.00 271.20 3.221 3.108 237.00 284.40 3.208 3.112 226.00 271.20 3.212 3.129 234.00 280.80 3.229 3.116 241.00 289.20 3.216 3.126 241.00 289.20 3.219 - - - 3.224 - - - 3.225 - - - 3.225 - - - 3.225 - - - 3.225 - - - 3.225 - - - 3.225 - - - 3.225 - - - 3.225 - - - 3.225 - - - 3.225 - - - 3.225 - - -	3.101 234.00 280.80 3.201 263.00 3.121 226.00 271.20 3.221 258.00 3.108 237.00 284.40 3.208 271.00 3.112 226.00 271.20 3.212 258.00 3.129 234.00 280.80 3.229 275.00 3.116 241.00 289.20 3.216 275.00 3.119 241.00 289.20 3.219 275.00 - - - 3.224 277.00 - - - 3.225 292.00 - - - 3.227 300.00 - - - 3.228 300.00 - - - 3.228 300.00 - - - 3.151 275.00 - - - 3.152 275.00 - - - 3.152 275.00 - - - 3.153

Hydropanel

Hydropanel conforms to class 3 standard fire grade. Class 1 can be obtained with a lead time of approximately one month and a 20% surcharge.

Pictures not to scale.

As with all decorative products, differences in shading can occur between batches.

Please ensure you order enough for the job in hand and also ensure that shades and colours are checked and approved on site before installation commences.

Colour samples available subject to the limitations of the printing process.

600mm Tongue and Groove Panels						
Colour	Code	£ Ex VAT	£ Inc VAT			
Marble Green Gloss	3.601	156.00	187.20			
New Marble White Gloss	3.621	159.00	190.80			
Pacific Blue Granite Gloss	3.608	167.00	200.40			
White Gloss	3.612	160.00	192.00			
New Granite Gloss	3.629	167.00	200.40			
Mother of Pearl Gloss	3.616	161.00	193.20			
Slate Matt	3.619	170.00	204.00			
Travertine Gloss	3.626	167.00	200.40			

2430 mm high, 11mm thick. Please note: Panels are 600mm wide, finished face 585mm.

Accessories							
Description	Code	£ Ex VAT	£ Inc VAT				
Hydropanel Adhesive 310ml*	32.005	15.00	18.00				
Hydropanel Sealant 310ml*	32.006	15.00	18.00				
Hydropanel Cleaner 500ml	32.007	14.00	16.80				

*Normal requirement 1 tube per

FEATURES

- Lightweight core materialWaterproof surfaceChemical resistant

- Easy clean surfaceResistant to distortion
- · Fade free





End 'U'

Join 'H'



Anthracite





Silver









Scotia





External

Extrusions. All 2430-2440mm lengths.

Straight Edge Stock	k Panels														
Description	Bright Silver	£ Ex VAT	£ Inc VAT	Satin Silver	£ Ex VAT	£ Inc VAT	White	£ Ex VAT	£ Inc VAT	Gold	£ Ex VAT	£ Inc VAT	Anthracite	£ Ex VAT	£ Inc VAT
	Silvei			Silvei											
Hydropanel Internal	32.311	33.00	39.60	32.001	32.00	38.40	32.101	33.00	39.60	-	-	-	32.301	53.00	63.60
Hydropanel External	32.312	37.00	44.40	32.002	33.00	39.60	32.102	37.00	44.40	-	-	-	32.302	57.00	68.40
End 'U'	32.313	30.00	36.00	32.003	21.00	25.20	32.103	24.00	28.80	-	-	-	32.303	36.00	43.20
Join 'H'	32.314	31.00	37.20	32.004	29.00	34.80	32.104	32.00	38.40	-	-	-	32.304	41.00	49.20
'L' shape	32.319	22.00	26.40	32.009	19.00	22.80	32.109	20.00	24.00	-	-	-	-	-	-
Scotia	32.320	29.00	34.80	32.010	22.00	26.40	32.110	24.00	28.80	-	-	-	-	-	-
Base seal	32.318	29.00	34.80	32.008	22.00	26.40	32.108	22.00	26.40	32.208†	30.00	36.00	32.308	22.00	26.40

Note: Gold is antique, silver is anodised and white is powder coated. †While stocks last

HYDROPANEL SHOWER PANELLING

PVC Widepanel



Ideal for walls and ceilings in bathrooms, showers and kitchens

- 1000mm wide tongue and groove Widepanels
- Wetroom Widepanels for all showers
- Suitable for wet and dry areas
- Suitable for both walls and ceilings
- Easy installation, no wet trades required

- · Non-porous and mould free
- Full range of accessories
- · Hygienic wipe clean surface
- · Virtually maintenance free
- PVC Widepanels are 2400mm high by 1000mm wide
- Profiles are 2400mm long (Can vary by up to 2%)
- H-join decor strips available in white and silver
- No tiling or grouting to discolour or leak

- Excellent insulation and sound proofing
- 10.5mm thickness
- Class 1 fire rated for commercial and domestic installations
- Light and easy to fit
- 100% waterproof. No water can be drawn into the core
- Made of recyclable PVC
- · Is strong and rigid
- Accessories can be screwed securely onto PVC Widepanels

PVC Widepanel

Hardwearing PVC surface suitable for all areas domestic and commercial



Marble Cream



Black Marble Gloss



Travertine Gloss



Black Sparkle



Carrara Marble



Marble Blue





White Sparkle



Mother Of Pearl



Concrete Beige Matt



Concrete Dark Matt Grey

PVC Widepanel 1000 x 2400mm						
Colour	Size	Code	£ Ex VAT	£ Inc VAT		
Marble blue Gloss	1000x2400mm	13.502	119.00	142.80		
Carrara marble Gloss	1000x2400mm	13.504	119.00	142.80		
Marble cream	1000x2400mm	13.507	119.00	142.80		
White Gloss	1000x2400mm	13.512	119.00	142.80		
Mother of Pearl	1000x2400mm	13.516	119.00	142.80		
Travertine	1000x2400mm	13.520	119.00	142.80		
Pearl White	1000x2400mm	13.521	119.00	142.80		
Black Marble Gloss	1000x2400mm	13.522	119.00	142.80		
Black Sparkle	1000x2400mm	13.523	126.00	151.20		
White Sparkle	1000x2400mm	13.524	126.00	151.20		
Concrete Beige Matt	1000x2400mm	13.525	119.00	142.80		
Tuscany Grey Marble	1000x2400mm	13.151	120.00	144.00		
Concrete Dark Matt Grey	1000x2400mm	13.152	120.00	144.00		
NB: Panels - range from 2400-2430 height						

NB: All panels are 1000mm wide.



Tuscany Grey Marble

PVC Profiles			
Description	White	£ Ex VAT	£ Inc VAT
PVC Widepanel internal corner	13.311	17.00	20.40
PVC Widepanel external corner	13.312	18.00	21.60
PVC Widepanel end U	13.313	14.00	16.80
PVC Widepanel join H	13.316	16.00	19.20

Colours are subject to the limitations of the printing process, and should only be used as a guide to colour matching.

NB: As with all decorative products differences in shading can occur between batches.


Please ensure you order enough to complete the job in hand and also ensure that shades and colours are checked and approved on site before installation commences.

Aluminium Profiles			
Description	Bright Silver	£ Ex VAT	£ Inc VAT
Widepanel aluminium internal	32.311	33.00	39.60
Widepanel aluminium external	32.312	37.00	44.40
Widepanel aluminium end U	32.313	30.00	36.00
Widepanel aluminium join H	32.314	31.00	37.20



Multirail Range






EE ATI IDES


- 22mm diameter horizontal round tubes
- Tested to BS EN 442 standards
- · 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings

Page 744-745












TECHNICAL INFORMATION

600mm High

All measurements in Height by Width. Heat output based on \$\tilde{\tilde{\tilde{\tilde{T}}}60\circ\$C. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 718-729. For matching valves see pages 731-737. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 70mm off the wall. Price includes radiator and wall fixing sets, valves extra.



















Multirail Range

Including new colour Wendover - Straight Brushed Brass 800 x 500mm* 309 1054 150W A, A+, D, E, F, G 41.0361 269.00 322.80 800 x 600mm* 1225 150W A, A+, D, E, F, G 41.0362 281.00 359 337.20 1200 x 500mm* 150W A, A+, D, E, F, G 41.0363 385.00 450 1535 462.00 1200 x 600mm* 554 1890 300W A, A+, D, E, F, G 41.0364 403.00 483.60 1400 x 500mm* 504 1720 150W A, A+, D, E, F, G 41.0365 439.00 526.80 1400 x 600mm* 582 1986 300W A, A+, D, E, F, G 41.0366 460.00 552.00 1600 x 500mm* 589 2010 300W A, A+, D, E, F, G 41.0367 501.00 601.20 1600 x 600mm* 681 2324 300W A, A+, D, E, F, G 41.0368 525.00 630.00 1800 x 500mm* 675 300W A, A+, D, E, F, G 41.0369 563.00 2303 675.60 1800 x 600mm* 780 450W A, A+, D, E, F, G 41.0370 591.00 2661 709.20

A modern ladder towel rail in a stunning brushed brass finish. This rail will add a touch of class to finish off your bathroom.

FEATURES

- · 22mm diameter horizontal round tubes
- · Rear fixing wall brackets

* Available February 2023

- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- · Can be single or dual fuel, or all electric
- * With conditions

















TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on ▲T60°C. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 718-729. For matching valves see pages 731-737. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 70mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Multirail Range



• 5 Year Manufacturer's Warranty*

* With conditions

61.0083 213.00



BI					DEN VENT		STRA	IGHT
	Biava Multir	ail Hic	lden \	Vent (HV	') Straight - Chror	ne		
	Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
	360 x 400mm	113	386	N/A	N/A	61.0074	54.00	64.80
N.	688 x 450mm	270	921	150W	A, A+, D, E, F, G	61.0075	81.00	97.20
8	688 x 600mm	344	1174	150W	A, A+, D, E, F, G	61.0076	92.00	110.40
	688 x 750mm	418	1426	150W	A, A+, D, E, F, G	61.0077	103.00	123.60
	1118 x 450mm	430	1467	150W	A, A+, D, E, F, G	61.0078	119.00	142.80
3	1118 x 600mm	546	1863	300W	A, A+, D, E, F, G	61.0079	135.00	162.00
	1118 x 750mm	663	2262	300W	A, A+, D, E, F, G	61.0080	147.00	176.40
	1720 x 450mm	663	2262	300W	A, A+, D, E, F, G	61.0081	159.00	190.80
	1720 x 600mm	843	2876	450W	A, A+, D, E, F, G	61.0082	186.00	223.20

1720 x 750mm 1024 3494

Biava Multir	Biava Multirail Hidden Vent (HV) Straight - Gloss White											
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT					
360 x 400mm	145	495	100W	A, A+, D, E, F, G	61.0084	46.00	55.20					
688 x 450mm	344	1174	150W	A, A+, D, E, F, G	61.0085	63.00	75.60					
688 x 600mm	438	1494	150W	A, A+, D, E, F, G	61.0086	69.00	82.80					
688 x 750mm	532	1815	300W	A, A+, D, E, F, G	61.0087	75.00	90.00					
1118 x 450mm	546	1863	300W	A, A+, D, E, F, G	61.0088	82.00	98.40					
1118 x 600mm	695	2371	300W	A, A+, D, E, F, G	61.0089	92.00	110.40					
1118 x 750mm	843	2876	450W	A, A+, D, E, F, G	61.0090	102.00	122.40					
1720 x 450mm	843	2876	450W	A, A+, D, E, F, G	61.0091	111.00	133.20					
1720 x 600mm	1072	3658	600W	A, A+, D, E, F, G	61.0092	126.00	151.20					
1720 x 750mm	1302	4442	750W	A, A+, D, E, F, G	61.0093	141.00	169.20					

A, A+, D, E, F, G

1720 X 700111111	1002	1112	,	7,7,7,0,0,0,0	01.0000	111.00	.07.20
Biava Multir	ail Hic	lden \	∕ent (HV	') Straight - Matt	White	New (Colour
Size H x W	Watts	BTU	Element	Element Type	Code	£ Ex VAT	£ Inc VAT
			Output				
360 x 400mm	145	495	100W	A, A+, D, E, F, G	61.0114	46.00	55.20
688 x 450mm	344	1174	150W	A, A+, D, E, F, G	61.0115	63.00	75.60
688 x 600mm	438	1494	150W	A, A+, D, E, F, G	61.0116	69.00	82.80
688 x 750mm	532	1815	300W	A, A+, D, E, F, G	61.0117	75.00	90.00
1118 x 450mm	546	1863	300W	A, A+, D, E, F, G	61.0118	82.00	98.40
1118 x 600mm	695	2371	300W	A, A+, D, E, F, G	61.0119	92.00	110.40
1118 x 750mm	843	2876	450W	A, A+, D, E, F, G	61.0120	102.00	122.40
1720 x 450mm	843	2876	450W	A, A+, D, E, F, G	61.0121	111.00	133.20
1720 x 600mm	1072	3658	600W	A, A+, D, E, F, G	61.0122	126.00	151.20
1720 x 750mm	1302	4442	750W	A, A+, D, E, F, G	61.0123	141.00	169.20







Towel Hangers

Page 738

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on ▲T60°C. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 718-729. For matching valves see pages 731-737. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 70-85mm off the wall. Price includes radiator and wall fixing sets, valves extra.













D Shaped vertical bars meet square 20x20mm horizontal bars in this modern and elegant designed towel rail. Available in 3 heights and 2 widths with 4 colour options.

FEATURES

- 40x30mm D shape vertical bars with 20x20mm square horizontal bars
- Rear fixing metal wall brackets
- Tested to BS EN 442 standards
- 4 colours available from stock
- 5 Year Manufacturer's Warranty* *With conditions





New Pro	New Product													
Rion Multirail - Gloss White														
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT							
800 x 500mm	419	1430	150W	A, A+, D, E, F, G	89.1671	128.00	153.60							
800 x 600mm	478	1631	150W	A, A+, D, E, F, G	89.1672	145.00	174.00							
1200 x 500mm	649	2215	150W	A, A+, D, E, F, G	89.1673	213.00	255.60							
1200 x 600mm	740	2525	300W	A, A+, D, E, F, G	89.1674	233.00	279.60							
1800 x 500mm	985	3361	300W	A, A+, D, E, F, G	89.1675	300.00	360.00							
1800 x 600mm	1122	3829	300W	A, A+, D, E, F, G	89.1676	330.00	396.00							

Rion Multirail - Matt Anthracite												
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT					
800 x 500mm	419	1430	150W	A, A+, D, E, F, G	89.1677	128.00	153.60					
800 x 600mm	478	1631	150W	A, A+, D, E, F, G	89.1678	145.00	174.00					
1200 x 500mm	649	2215	150W	A, A+, D, E, F, G	89.1679	213.00	255.60					
1200 x 600mm	740	2525	300W	A, A+, D, E, F, G	89.1680	233.00	279.60					
1800 x 500mm	985	3361	300W	A, A+, D, E, F, G	89.1681	300.00	360.00					
1800 x 600mm	1122	3829	300W	A, A+, D, E, F, G	89.1682	330.00	396.00					

				R		MULII	RAIL					
Rion Multirail - Matt Black												
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT					
800 x 500mm	419	1430	150W	A, A+, D, E, F, G	89.1683	128.00	153.60					
800 x 600mm	478	1631	150W	A, A+, D, E, F, G	89.1684	145.00	174.00					
1200 x 500mm	649	2215	150W	A, A+, D, E, F, G	89.1685	213.00	255.60					
1200 x 600mm	740	2525	300W	A, A+, D, E, F, G	89.1686	233.00	279.60					
1800 x 500mm	985	3361	300W	A, A+, D, E, F, G	89.1687	300.00	360.00					
1800 x 600mm	1122	3829	300W	A, A+, D, E, F, G	89.1688	330.00	396.00					

Rion Multirai	il - Chr	ome					
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	269	918	100W	A, A+, D, E, F, G	89.1689	187.00	224.40
800 x 600mm	304	1038	100W	A, A+, D, E, F, G	89.1690	212.00	254.40
1200 x 500mm	420	1434	150W	A, A+, D, E, F, G	89.1691	313.00	375.60
1200 x 600mm	475	1621	150W	A, A+, D, E, F, G	89.1692	341.00	409.20
1800 x 500mm	653	2229	150W	A, A+, D, E, F, G	89.1693	440.00	528.00
1800 x 600mm	738	2519	300W	A, A+, D, E, F, G	89.1694	484.00	580.80

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on ▲T60°C. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 718-729. For matching valves see pages 731-737. For indirect heating systems only. Tappings are approx. 45mm less than the width of the rail and approx. 80mm off the wall. Price includes radiator and wall fixing sets, valves extra.

























The very popular Tuscan Square towel rail is now available as Multirail. Available in 3 heights and 2 widths with 4 colour options.

FEATURES

- 30x30mm square vertical bars with 20x20mm square horizontal bars
- Rear fixing metal wall brackets
- Tested to BS EN 442 standards
- 4 colours available from stock
- 5 Year Manufacturer's Warranty*

*With conditions





New Pro	oduc	:t										
Tuscan Square Multirail - Gloss White												
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT					
800 x 500mm	425	1451	150W	A, A+, D, E, F, G	89.1647	128.00	153.60					
800 x 600mm	497	1696	150W	A, A+, D, E, F, G	89.1648	145.00	174.00					
1200 x 500mm	662	2259	150W	A, A+, D, E, F, G	89.1649	213.00	255.60					
1200 x 600mm	775	2645	300W	A, A+, D, E, F, G	89.1650	233.00	279.60					
1800 x 500mm	980	3344	300W	A, A+, D, E, F, G	89.1651	300.00	360.00					
1800 x 600mm	1147	3914	300W	A, A+, D, E, F, G	89.1652	330.00	396.00					

Tuscan Square Multirail - Matt Anthracite												
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT					
800 x 500mm	425	1451	150W	A, A+, D, E, F, G	89.1653	128.00	153.60					
800 x 600mm	497	1696	150W	A, A+, D, E, F, G	89.1654	145.00	174.00					
1200 x 500mm	662	2259	150W	A, A+, D, E, F, G	89.1655	213.00	255.60					
1200 x 600mm	775	2645	300W	A, A+, D, E, F, G	89.1656	233.00	279.60					
1800 x 500mm	980	3344	300W	A, A+, D, E, F, G	89.1657	300.00	360.00					
1800 x 600mm	1147	3914	300W	A, A+, D, E, F, G	89.1658	330.00	396.00					

	TUSCAN SQUARE MULTIKAIL											
Tuscan Square Multirail - Matt Black												
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT					
800 x 500mm	425	1451	150W	A, A+, D, E, F, G	89.1659	128.00	153.60					
800 x 600mm	497	1696	150W	A, A+, D, E, F, G	89.1660	145.00	174.00					
1200 x 500mm	662	2259	150W	A, A+, D, E, F, G	89.1661	213.00	255.60					
1200 x 600mm	775	2645	300W	A, A+, D, E, F, G	89.1662	233.00	279.60					
1800 x 500mm	980	3344	300W	A, A+, D, E, F, G	89.1663	300.00	360.00					
1800 x 600mm	1147	3914	300W	A, A+, D, E, F, G	89.1664	330.00	396.00					

Tuscan Squa	Tuscan Square Multirail - Chrome											
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT					
800 x 500mm	274	935	100W	A, A+, D, E, F, G	89.1665	187.00	224.40					
800 x 600mm	316	1079	100W	A, A+, D, E, F, G	89.1666	212.00	254.40					
1200 x 500mm	426	1454	150W	A, A+, D, E, F, G	89.1667	313.00	375.60					
1200 x 600mm	491	1676	150W	A, A+, D, E, F, G	89.1668	341.00	409.20					
1800 x 500mm	645	2201	150W	A, A+, D, E, F, G	89.1669	440.00	528.00					
1800 x 600mm	744	2539	300W	A, A+, D, E, F, G	89.1670	484.00	580.80					

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on ▲T60°C. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 718-729. For matching valves see pages 731-737. For indirect heating systems only. Tappings are approx. 30mm less than the width of the rail and approx. 80mm off the wall. Price includes radiator and wall fixing sets, valves extra.









Gloss White















Dry Element Range



FEATURES

- · No fluid filling required
- Just connect and Go
- Material of Towel Rail : Mild Steel
- IPX4 certificates (Zone 2 and 3)
- 4 colours available from stock
- 2 Year Manufacturer's Warranty*
- *With conditions

This product is electric only installation and cannot be used on a central heating system.

Technical Tables & Drawings Page 754-755





Dry Element Range

New Product Loddon Dry Element Towel Rail - Matt White 800 x 500mm* 1024 47.0027 402.00 482.40 800 x 600mm* 350 1195 47.0028 424.00 508.80 1200 x 500mm 450 1536 47.0029 495.00 594.00 1200 x 600mm 500 1707 47.0030 522.00 626.40

Loddon Dry Element Towel Rail - Matt Anthracite											
Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT						
800 x 500mm*	300	1024	47.0031	402.00	482.40						
800 x 600mm*	350	1195	47.0032	424.00	508.80						
1200 x 500mm	450	1536	47.0033	495.00	594.00						
1200 x 600mm 500 1707 47.0034 522.00 626.40											
*The total height of this rail is	780mm										

	L	ODDC	N DR	/ ELEN	JENT						
Loddon Dry Element Towel Rail - Matt Black											
Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT						
800 x 500mm*	300	1024	47.0035	402.00	482.40						
800 x 600mm*	350	1195	47.0036	424.00	508.80						
1200 x 500mm	450	1536	47.0037	495.00	594.00						
1200 x 600mm	500	1707	47.0038	522.00	626.40						

Loddon Dry Element Towel Rail - Chrome											
Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT						
800 x 500mm*	300	1024	47.0039	478.00	573.60						
800 x 600mm*	350	1195	47.0040	534.00	640.80						
1200 x 500mm	450	1536	47.0041	560.00	672.00						
1200 x 600mm	500	1707	47.0042	615.00	738.00						
*The total height of this rail is 780mm	m										

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on AT60°C. Can not be fitted upside down. Comes with an information label in the front that can be removed. Projection from wall 100mm.

Colour Coded Boost Function

The Loddon Dry Element towel rail has a colour coded boost function which allows the length of time the rail runs for to be set.

It can be on standby, 1 hour, 2 hours, 3 hours or continuously running.



Concealed or Exposed Wiring Option

The Loddon Dry Element towel rail can be installed with two different wiring options; an exposed wiring installation or concealed wiring installation.





Matt White



Matt Anthracite



Matt Black







Dry Element Range





FEATURES

- No fluid filling required
- Just connect and Go
- Material of Towel Rail : Mild Steel
- IPX4 certificates (Zone 2 and 3)
- 2 colours available from stock
- 2 Year Manufacturer's Warranty*
- *With conditions

This product is electric only installation and cannot be used on a central heating system.

Kennet Dry Element Towel Rail - Matt Anthracite											
Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT						
700 x 500mm*	120	410	47.0043	376.00	451.20						
700 x 600mm*	150	512	47.0044	398.00	477.60						
1200 x 500mm**	200	683	47.0045	446.00	535.20						
1200 x 600mm**	230	785	47.0046	483.00	579.60						

Technical Tables

& Drawings

Page 754-755

Kennet Dry Element Towel Rail - Chrome											
Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT						
700 x 500mm*	120	410	47.0047	429.00	514.80						
700 x 600mm*	150	512	47.0048	447.00	536.40						
1200 x 500mm**	200	683	47.0049	506.00	607.20						
1200 x 600mm**	230	785	47.0050	544.00	652.80						

^{*} Height shown excludes bottom control leg. Total height is 744.5mm ** Height shown excludes bottom control leg. Total height is 1253mm

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on Δ T60°C. Can not be fitted upside down. Comes with an information label in the front that can be removed. Projection from wall 130mm.

Colour Coded Boost Function

The Kennet Dry Element towel rail has a colour coded boost function which allows the length of time the rail runs for to be set. It can be on standby, 1 hour, 2 hours, 3 hours or continuously running.



EMSBURY DRY ELEMENT

Dry Element Range





Emsbury Dry Element Towel Rail - Polished										
Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT					
800 x 500mm	150	512	47.0023	391.00	469.20					
800 x 600mm	200	683	47.0024	421.00	505.20					
1200 x 500mm	250	854	47.0025	448.00	537.60					
1200 x 600mm	300	1024	47.0026	467.00	560.40					

FEATURES

- No fluid filling required
 Comes with integrated On/Off button
- Just connect and Go
 Material of Towel Rail : Grade 304 Stainless Steel
- Rear fixing metal wall brackets
- IPX4 certificates (Zone 2 and 3)
- · Only available as polished surface finishing
- 2 Year Manufacturer's Warranty*

This product is electric only installation and cannot be used on a central heating system.

Technical Tables & Drawings

Page 754-755

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on ▲T60°C. Can not be fitted upside down. Projection from wall 92mm.





The single sided pipes on this wonderfully stylish Leonardo rail allows maximium hanging space.

FEATURES

- 42 x 14mm. horizontal bars
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be reverse handed (left or right)Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings

Page 756-757



Leonardo - C	hrom	е					
Size H x W	Watts	BTU	Element	Element Type	Code	£ Ex VAT	£ Inc VAT
			Output				
600 x 400mm	244	833	150W	A, A+, D, E, F, G	41.0255	272.00	326.40
600 x 500mm	288	983	150W	A, A+, D, E, F, G	41.0258	295.00	354.00
600 x 600mm	332	1133	150W	A, A+, D, E, F, G	41.0263	322.00	386.40
688 x 500mm	324	1105	150W	A, A+, D, E, F, G	41.0261	307.00	368.40
1200 x 400mm	465	1587	150W	A, A+, D, E, F, G	41.0256	458.00	549.60
1200 x 500mm	548	1870	300W	A, A+, D, E, F, G	41.0259	508.00	609.60
1200 x 600mm	631	2153	300W	A, A+, D, E, F, G	41.0264	552.00	662.40
1450 x 500mm	658	2245	300W	A, A+, D, E, F, G	41.0262	597.00	716.40
1800 x 400mm	665	2269	300W	A, A+, D, E, F, G	41.0257	638.00	765.60
1800 x 500mm	780	2661	450W	A, A+, D, E, F, G	41.0260	703.00	843.60
1800 x 600mm	896	3057	450W	A, A+, D, E, F, G	41.0265	768.00	921.60




Leonardo - Br	New C	Colour					
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 500mm*	548	1870	300W	A, A+, D, E, F, G	41.0371	679.00	814.80
1200 x 600mm*	631	2153	300W	A, A+, D, E, F, G	41.0372	733.00	879.60
* Available Februa	ry 2023.						

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on \$\tilde{\tilde{T}}60\circ\$C. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 718-729. For matching valves see pages 731-737. For indirect heating systems only. Tappings are approx. 82mm and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Brushed Brass colour shown in images are subject to the limitations of the printing process and may appear different.



The Staverton Tube on Tube takes the design one step further with a higher output.

Staverton - Tube on Tube - Straight Gloss White										
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT			
600 x 400mm	364	1242	150W	A, A+, D, E, F, G	41.0190	220.00	264.00			
600 x 500mm	432	1474	150W	A, A+, D, E, F, G	41.0193	239.00	286.80			
600 x 600mm	500	1706	300W	A, A+, D, E, F, G	41.0196	260.00	312.00			
1200 x 400mm	651	2221	300W	A, A+, D, E, F, G	41.0191	354.00	424.80			
1200 x 500mm	766	2614	450W	A, A+, D, E, F, G	41.0194	368.00	441.60			
1200 x 600mm	883	3013	450W	A, A+, D, E, F, G	41.0197	404.00	484.80			
1800 x 400mm	1014	3460	600W	A, A+, D, E, F, G	41.0192	509.00	610.80			
1800 x 500mm	1198	4088	600W	A, A+, D, E, F, G	41.0195	535.00	642.00			
1800 x 600mm	1382	4715	750W	A, A+, D, E, F, G	41.0198	590.00	708.00			
Staverton - Tube on Tube - Brushed Brass New Colour										
Size H x W	Watt	s BTU	J Element Output	Element Type	Code	£ Ex VAT	£ Inc VA			
1200 x 500mm*	606	206	8 300W	A, A+, D, E, F, G	41.0375	850.00	1020.00			

300W

FEATURES

1200 x 600mm*

- · 68 x 12mm. horizontal bars
- · Rear fixing wall brackets

* Available February 2023

- Tested to BS EN 442 standards
- · 5 Year manufacturer's warranty*

697 2378

- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables
& Drawings
Page 758-759


A, A+, D, E, F, G 41.0376 920.00 **1104.00**

Staverton - Tube on Tube - Straight Chrome										
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT			
600 x 400mm	288	983	150W	A, A+, D, E, F, G	41.0181	381.00	457.20			
600 x 500mm	340	1160	150W	A, A+, D, E, F, G	41.0184	416.00	499.20			
600 x 600mm	394	1344	150W	A, A+, D, E, F, G	41.0187	453.00	543.60			
600 x 1000mm	603	2057	300W	A, A+, D, E, F, G	41.0333	559.00	670.80			
600 x 1200mm	710	2423	300W	A, A+, D, E, F, G	41.0334	578.00	693.60			
800 x 1000mm	779	2658	450W	A, A+, D, E, F, G	41.0335	645.00	774.00			
800 x 1200mm	916	3125	450W	A, A+, D, E, F, G	41.0336	729.00	874.80			
1200 x 400mm	514	1754	300W	A, A+, D, E, F, G	41.0182	652.00	782.40			
1200 x 500mm	606	2068	300W	A, A+, D, E, F, G	41.0185	686.00	823.20			
1200 x 600mm	697	2378	300W	A, A+, D, E, F, G	41.0188	752.00	902.40			
1800 x 400mm	802	2736	450W	A, A+, D, E, F, G	41.0183	912.00	1094.40			
1800 x 500mm	946	3228	450W	A, A+, D, E, F, G	41.0186	961.00	1153.20			
1800 x 600mm	1092	3726	600W	A, A+, D, E, F, G	41.0189	1122.00	1346.40			

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\blacktriangle T60\,^{\circ}\text{C}.$ Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 718-729. For matching valves see pages 731-737. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Brushed Brass colour shown in images are subject to the limitations of the printing process and may appear different.



A modern style towel rail with horizontal flat bars, that still allows maximum space for keeping your towels warm.

FEATURES

- 42 x 14mm. horizontal bars
- · Tested to BS EN 442 standards
- · 5 Year manufacturer's warranty*
- Comes in chrome, brushed brass or white finish
- · Can be single or dual fuel, or all electric
- * With conditions

Technical	Tables
& Drawing	gs
Page 760-7	61



Staverton - B	New C	colour					
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 500mm*	523	1784	300W	A, A+, D, E, F, G	41.0373	569.00	682.80
1200 x 600mm*	611	2085	300W	A, A+, D, E, F, G	41.0374	613.00	735.60
*Available Februa	ary 2023						

Staverton - Gloss White									
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT		
600 x 400mm	276	942	150W	A, A+, D, E, F, G	41.0136	119.00	142.80		
600 x 500mm	332	1133	150W	A, A+, D, E, F, G	41.0139	129.00	154.80		
600 x 600mm	388	1324	150W	A, A+, D, E, F, G	41.0142	139.00	166.80		
1200 x 400mm	552	1883	300W	A, A+, D, E, F, G	41.0137	193.00	231.60		
1200 x 500mm	665	2269	300W	A, A+, D, E, F, G	41.0140	206.00	247.20		
1200 x 600mm	776	2648	450W	A, A+, D, E, F, G	41.0143	227.00	272.40		
1800 x 400mm	829	2829	450W	A, A+, D, E, F, G	41.0138	266.00	319.20		
1800 x 500mm	996	3398	600W	A, A+, D, E, F, G	41.0141	290.00	348.00		
1800 x 600mm	1164	3972	600W	A, A+, D, E, F, G	41.0144	318.00	381.60		

Staverton - Chrome									
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT		
600 x 400mm	217	740	100W	A, A+, D, E, F, G	41.0127	204.00	244.80		
600 x 500mm	261	891	150W	A, A+, D, E, F, G	41.0130	236.00	283.20		
600 x 600mm	305	1041	150W	A, A+, D, E, F, G	41.0133	245.00	294.00		
1200 x 400mm	435	1484	150W	A, A+, D, E, F, G	41.0128	354.00	424.80		
1200 x 500mm	523	1784	300W	A, A+, D, E, F, G	41.0131	392.00	470.40		
1200 x 600mm	611	2085	300W	A, A+, D, E, F, G	41.0134	429.00	514.80		
1800 x 400mm	652	2225	300W	A, A+, D, E, F, G	41.0129	503.00	603.60		
1800 x 500mm	784	2675	450W	A, A+, D, E, F, G	41.0132	557.00	668.40		
1800 x 600mm	916	3125	450W	A, A+, D, E, F, G	41.0135	618.00	741.60		

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on ▲T60°C. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 718-729. For matching valves see pages 731-737. For indirect heating systems only. Tappings are approx. 45mm less than the width of the rail and approx. 70mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Round Vent Caps Page 741





The curves on this rail allow maximum space for the whole family to warm towels easily, without compromising on space in the room due to the slimline design.

Mezzo Tondo - Chrome									
Size H x W	Watts	BTU	Element Output		Code	£ Ex VAT	£ Inc VAT		
1600 x 320mm Chrome	574	1958	N/A	N/A	41.0248	458.00	549.60		

FEATURES

- · Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- · Can be single or dual fuel, or all electric
- * With conditions

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on ▲T60°C. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D or E. For element types see pages 718-729. For matching valves see pages 731-737. For indirect heating systems only. Tappings are approx. 286mm and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.



A designer towel rail that allows the hanging of up to six towels at once. This statement piece has a unique design for those who want to make a bold

Pesaro - Chrome									
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT		
1005 x 550mm	349	1191	150W	A, A+, D, E, F, G	41.0328	455.00	546.00		

FEATURES

- Tested to BS EN 442 standards
- · 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric
- * With conditions

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on ▲T60°C. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 718-729. For matching valves see pages 731-737. For indirect heating systems only. Tappings are approx. 80mm and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Round Vent Caps Page 741



Technical Tables & Drawings Page 760-761




















A modern, versatile towel rail. Available in 6 colours with reversible installation possibility.

FEATURES

- · 40 x 10mm. horizontal bars and 30 x 30mm. vertical profiles
- Rear fixing metal wall brackets
- · Tested to BS EN 442 standards
- 6 colours available from stock
- · Can be reverse handed (left or right)
- Can be single, dual fuel or all electric
 5 Year Manufacturer's Warranty*
 With conditions













Including new sizes & new colour **HURLEY** Hurley Towel Rail - Matt White Hurley Towel Rail - Matt Anthracite £ Inc VA Element Type ement Type 800 x 500mm 368 1256 150W A, A+, D, E, F, G 89.0542 245.00 294.00 800x500mm 368 1256 150W A, A+, D, E, F, G 89.0548 245.00 294.00 800 x 600mm 414 1413 150W A, A+, D, E, F, G 89.0543 277.00 332,40 800x600mm 414 1413 150W A, A+, D, E, F, G 89.0549 277.00 332.40 1000 x 500mm 460 1570 150W A, A+, D, E, F, G 89.1717 300.00 360.00 1000 x 500mm 460 1570 150W A, A+, D, E, F, G 89.1723 300.00 360.00 150W 150W 1000 x 600mm 517 1765 A. A+, D. E. F. G 89,1718 336.00 403.20 1000 x 600mm 517 1765 A. A+. D. E. F. G 89.1724 336.00 403.20 89.0544 1200 x 500mm 551 1881 300W A. A+. D. E. F. G 339.00 406.80 1200x500mm 551 1881 300W A. A+. D. E. F. G 89.0550 339.00 406.80 89.0545 1200 x 600mm 619 2113 300W A. A+. D. E. F. G 379.00 454.80 2113 300W A, A+, D, E, F, G 89.0551 379 00 1200x600mm 619 454.80 1500 x 500mm 684 2334 300W A. A+. D. E. F. G 89.1729 393.00 471.60 300W A, A+, D, E, F, G 89.1735 1500 x 500mm 684 2334 393 00 471.60 1500 x 600mm 768 2621 300W A, A+, D, E, F, G 89.1730 439.00 526.80 300W A, A+, D, E, F, G 89.1736 439.00 1500 x 600mm 768 2621 526.80 450W 1800 x 500mm 813 2774 A, A+, D, E, F, G 89.0546 431.00 517.20 2774 450W 89.0552 431.00 1800x500mm 813 A, A+, D, E, F, G 517.20 450W 89.0547 1800 x 600mm 913 3116 A, A+, D, E, F, G 482.00 578.40 1800x600mm 913 3116 450W A, A+, D, E, F, G 89.0553 482.00 578.40 **Hurley Towel Rail - Matt Grey** Hurley Towel Rail - Matt Ca appucino 245.00 1256 270.00 800 x 500mm 368 1256 150W A, A+, D, E, F, G 89.0554 294.00 800x500mm 368 150W A, A+, D, E, F, G 89.0560 324.00 277.00 800 x 600mm 414 1413 150W A, A+, D, E, F, G 89.0555 332.40 800x600mm 414 1413 150W A, A+, D, E, F, G 89.0561 301.00 361.20 1000 x 500mm 460 1570 150W A, A+, D, E, F, G 89.1719 300.00 360.00 1000 x 500mm 460 1570 150W A, A+, D, E, F, G 89.1721 300.00 360.00 1000 x 600mm 1765 150W A, A+, D, E, F, G 89.1720 336.00 403.20 1000 x 600mm 517 1765 150W A, A+, D, E, F, G 89.1722 336.00 403.20 517 1200 x 500mm 1881 300W A, A+, D, E, F, G 89.0556 339.00 406.80 1200x500mm 551 1881 300W A, A+, D, E, F, G 89.0562 370.00 444.00 551 1200 x 600mm 2113 300W A, A+, D, E, F, G 89.0557 379.00 454.80 1200x600mm 619 2113 300W A, A+, D, E, F, G 89.0563 415.00 498.00 619 89.1733 1500 x 500mm 2334 300W A, A+, D, E, F, G 89.1731 393.00 471.60 1500 x 500mm 684 2334 300W A, A+, D, E, F, G 393.00 471.60 1500 x 600mm 768 2621 300W A, A+, D, E, F, G 89.1732 439.00 526.80 1500 x 600mm 768 2621 300W A, A+, D, E, F, G 89.1734 439.00 526.80 1800 x 500mm 813 2774 450W A, A+, D, E, F, G 89.0558 431.00 517.20 1800x500mm 813 2774 450W A, A+, D, E, F, G 89.0564 472.00 566.40 A, A+, D, E, F, G 89.0559 450W 1800 x 600mm 913 3116 450W 482.00 578.40 1800x600mm 913 3116 A, A+, D, E, F, G 89.0565 528.00 633.60 Hurley Towel Rail - Matt Black **Hurley Towel Rail - Chrome** 800 x 500mm 368 1256 150W A, A+, D, E, F, G 89.1711 245.00 294.00 239 816 150W A, A+, D, E, F, G 89.0566 311.00 800 x 500mm 373.20 800 x 600mm 414 1413 150W A, A+, D, E, F, G 89.1712 277.00 332.40 915 150W A, A+, D, E, F, G 89.0567 800 x 600mm 268 349.00 418.80 1570 150W A, A+, D, E, F, G 89.1725 1000 x 500mm 298 1017 100W A, A+, D, E, F, G 89.1727 1000 x 500mm 460 300.00 360.00 376.00 451.20 150W A, A+, D, E, F, G 89.1726 100W 1000 x 600mm 517 1765 336.00 403.20 334 A. A+, D. E. F. G. 89.1728 1000 x 600mm 1140 421.00 505.20 1881 300W A, A+, D, E, F, G 89.1713 1200 x 500mm 551 339.00 406.80 1200 x 500mm 1215 150W A. A+, D. E. F. G. 89.0568 356 431.00 517.20 300W A, A+, D, E, F, G 89.1714 150W 1200 x 600mm 619 2113 379.00 454.80 399 1362 A. A+, D. E. F. G. 89.0569 1200 x 600mm 482.00 578,40 150W 300W A, A+, D, E, F, G 89.1737 1500 x 500mm 441 1505 A, A+, D, E, F, G 89.1739 521.00 625.20 1500 x 500mm 684 2334 393.00 471.60 300W 150W 1500 x 600mm 768 2621 A, A+, D, E, F, G 89.1738 439.00 526.80 1500 x 600mm 494 1686 A, A+, D, E, F, G 89.1740 582 00 698.40 1800 x 500mm 813 2774 450W A, A+, D, E, F, G 89.1715 431.00 517.20 1800 x 500mm 1782 300W 89.0570 715.20 522 A, A+, D, E, F, G 596.00 450W 1800 x 600mm 913 3116 A, A+, D, E, F, G 89.1716 482.00 578.40 1800 x 600mm 585 1997 300W 665.00 798.00 A, A+, D, E, F, G 89.0571


TECHNICAL INFORMATION


All measurements in Height by Width. Heat output based on \triangle T60°C. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 718-729. For matching valves see pages 731-737. For indirect heating systems only. Tappings are approx. 60mm and approx. 79mm off the wall. Price includes radiator and wall fixing sets, valves extra.


Technical Tables & Drawings Page 762-763

















A masterpiece for your bathroom or any other room. The vertical bars at the ends can be used as towel / bathrobe hangers, middle section at the top can be used to dry your towels too. This exceptional design is available in 2 heights and 2 widths with 4 colour options.

Technical Tables

& Drawings

Page 764-765

FEATURES

- 42mm diameter horizontal bars
- 42mm diameter vertical profiles
- Rear fixing metal wall brackets
- Tested to BS EN 442 standards
- State-of-the-Art welding technology
- · Can have either side or bottom connections
- 4 colours available from stock
- 5 Year Manufacturer's Warranty*
- *With conditions

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on ▲T60°C. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 718-729. For matching valves see pages 731-737. For indirect heating systems only. For side connection, tappings are the width of the rail and approx. 85mm off the wall. For bottom connection, tappings are approx. 180mm less than the width of the rail and approx. 106mm off the wall. Projection from wall 127mm. Price includes radiator and wall fixing sets, valves extra.

Lambourne Designer Radiator - Matt White 1200 x 420mm 649 2215 A, A+, D, E, F, G 89.1703 305.00 1200 x 540mm 837 2856 300W A, A+, D, E, F, G 89.1704 457.20 1800 x 420mm 888 3030 300W A, A+, D, E, F, G 89.1695 380.00 456.00 1800 x 540mm 1146 3911 450W A, A+, D, E, F, G 89.1696 475.00 570.00

Lambourne Designer Radiator - Matt Anthracite									
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT		
1200 x 420mm	649	2215	150W	A, A+, D, E, F, G	89.1705	305.00	366.00		
1200 x 540mm	837	2856	300W	A, A+, D, E, F, G	89.1706	381.00	457.20		
1800 x 420mm	888	3030	300W	A, A+, D, E, F, G	89.1697	380.00	456.00		
1800 x 540mm	1146	3911	450W	A, A+, D, E, F, G	89.1698	475.00	570.00		

Lambourne Designer Radiator - Matt Black										
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT			
1200 x 420mm	649	2215	150W	A, A+, D, E, F, G	89.1707	305.00	366.00			
1200 x 540mm	837	2856	300W	A, A+, D, E, F, G	89.1708	381.00	457.20			
1800 x 420mm	888	3030	300W	A, A+, D, E, F, G	89.1699	380.00	456.00			
1800 x 540mm	1146	3911	450W	A, A+, D, E, F, G	89.1700	475.00	570.00			

Lambourne Designer Radiator - Chrome									
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT		
1200 x 420mm	426	1454	150W	A, A+, D, E, F, G	89.1709	406.00	487.20		
1200 x 540mm	549	1874	150W	A, A+, D, E, F, G	89.1710	506.00	607.20		
1800 x 420mm	652	2225	150W	A, A+, D, E, F, G	89.1701	506.00	607.20		
1800 x 540mm	842	2873	300W	A, A+, D, E, F, G	89.1702	633.00	759.60		





Side Connection shown: For dual fuel installation element can only be fitted vertically from the bottom inside left or right hand profile. (T piece not required)

Bottom Connection shown: Valves can also be fitted from the bottom inlets. For electric only installation element can be fitted to the left or right hand side.














Create a fresh new look with this elegant designer radiator which will suit any room in the house. Available in four colour finishes.

FEATURES

- 50 x 25mm vertical bars
- · Comes with pre-fitted flow diverter
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty* Not suitable for elements
 With conditions

Technical Tables & Drawings Page 770-771



Round Vent Caps Page 741



Robe Hooks Page 738





Including new sizes

TUNSTALL VERTICAL









Tunstall Vert		New Sizes					
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	583	1990	N/A	N/A	89.0001	159.00	190.80
1800 x 350mm	750	2559	N/A	N/A	89.1620	189.00	226.80
1800 x 420mm	926	3160	N/A	N/A	89.0005	218.00	261.60
1800 x 490mm	1099	3750	N/A	N/A	89.1624	264.00	316.80
1800 x 560mm	1280	4368	N/A	N/A	89.1628	307.00	368.40
1800 x 630mm	1471	5020	N/A	N/A	89.0009	341.00	409.20

1000 X 00011111	17/1	0020	14/74	14/73	05.0005	041.00	407.20
Tunstall Vert		New	Sizes				
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	583	1990	N/A	N/A	89.0002	159.00	190.80
1800 x 350mm	750	2559	N/A	N/A	89.1621	189.00	226.80
1800 x 420mm	926	3160	N/A	N/A	89.0006	218.00	261.60
1800 x 490mm	1099	3750	N/A	N/A	89.1625	264.00	316.80
1800 x 560mm	1280	4368	N/A	N/A	89.1629	307.00	368.40
1800 x 630mm	1471	5020	N/A	N/A	89.0010	341.00	409.20

Tunstall Ver		New Sizes					
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	583	1990	N/A	N/A	89.0003	159.00	190.80
1800 x 350mm	750	2559	N/A	N/A	89.1622	189.00	226.80
1800 x 420mm	926	3160	N/A	N/A	89.0007	218.00	261.60
1800 x 490mm	1099	3750	N/A	N/A	89.1626	264.00	316.80
1800 x 560mm	1280	4368	N/A	N/A	89.1630	307.00	368.40
1800 x 630mm	1471	5020	N/A	N/A	89.0011	341.00	409.20

Tunstall Vert	Tunstall Vertical Radiators - Chrome							
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT	
1800 x 280mm	320	1092	N/A	N/A	89.0004	368.00	441.60	
1800 x 350mm	423	1444	N/A	N/A	89.1623	398.00	477.60	
1800 x 420mm	533	1819	N/A	N/A	89.0008	426.00	511.20	
1800 x 490mm	644	2198	N/A	N/A	89.1627	473.00	567.60	
1800 x 560mm	760	2594	N/A	N/A	89.1631	521.00	625.20	
1800 x 630mm	890	3037	N/A	N/A	89.0012	563.00	675.60	

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}$ C. For matching valves see pages 731-737. For indirect heating systems only. Tappings are the width of the rail and approx. 52mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Vertical Tunstall Towel Hangers




80.00

96.00

630mm


101.0036





Towel Hanger - Chrome									
Size	Code	£ Ex VAT	£ Inc VAT						
280mm	101.0031	61.00	73.20						
350mm	89.1750	68.00	81.60						
420mm	101.0035	75.00	90.00						
490mm	89.1751	80.00	96.00						
560mm	89.1752	82.00	98.40						
630mm	101.0039	85.00	102.00						

The Vertical Tunstall Towel Hangers can be fitted on both sides of the radiator (as left hand or right hand). Remember, these towel hangers must be fitted before installing on the wall. Must be fitted before installation!



The eliptical shape of these tubes will provide a stylish focus to any room. Available in three colours.

FEATURES

- 50 x 25mm vertical bars
- Comes with pre-fitted flow diverter
- Tested to BS EN 442 standards
- · 5 Year manufacturer's warranty*
- · Not suitable for elements
- * With conditions

Technical Tables & Drawings

Page 770-771



Tunstall Hor	Tunstall Horizontal Radiators - Matt White							
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT	
600 x 471mm	399	1362	N/A	N/A	89.1632	130.00	156.00	
600 x 589mm	509	1737	N/A	N/A	89.0013	145.00	174.00	
600 x 648mm	565	1928	N/A	N/A	89.1635	159.00	190.80	
600 x 825mm	742	2532	N/A	N/A	89.0016	197.00	236.40	
600 x 1002mm	928	3167	N/A	N/A	89.0019	240.00	288.00	
600 x 1061mm	1003	3423	N/A	N/A	89.1638	258.00	309.60	
600 x 1179mm	1123	3832	N/A	N/A	89.0022	281.00	337.20	









TECHNICAL INFORMATION


All measurements in Height by Width. Heat output based on ▲T60°C. For matching valves see pages 731-737. For indirect heating systems only. Tappings are the width of the rail and approx. 52mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Tunstall Hori	Tunstall Horizontal Radiators - Matt Anthracite							
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT	
600 x 471mm	399	1362	N/A	N/A	89.1633	130.00	156.00	
600 x 589mm	509	1737	N/A	N/A	89.0014	145.00	174.00	
600 x 648mm	565	1928	N/A	N/A	89.1636	159.00	190.80	
600 x 825mm	742	2532	N/A	N/A	89.0017	197.00	236.40	
600 x 1002mm	928	3167	N/A	N/A	89.0020	240.00	288.00	
600 x 1061mm	1003	3423	N/A	N/A	89.1639	258.00	309.60	
600 x 1179mm	1123	3832	N/A	N/A	89.0023	281.00	337.20	

Tunstall Hori	zonta	Rad	iators - Matt E	lack		New Sizes	
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 471mm	399	1362	N/A	N/A	89.1634	130.00	156.00
600 x 589mm	509	1737	N/A	N/A	89.0015	145.00	174.00
600 x 648mm	565	1928	N/A	N/A	89.1637	159.00	190.80
600 x 825mm	742	2532	N/A	N/A	89.0018	197.00	236.40
600 x 1002mm	928	3167	N/A	N/A	89.0021	240.00	288.00
600 x 1061mm	1003	3423	N/A	N/A	89.1640	258.00	309.60
600 x 1179mm	1123	3832	N/A	N/A	89.0024	281.00	337.20

Horizontal Tunstall Towel Hangers






Towel Hanger - Matt Black								
Size	Code	£ Ex VAT	£ Inc VAT					
330mm	101.0042	66.00	79.20					
589mm	101.0046	80.00	96.00					

Towel Ha	inger - Ch	nrome	
Size	Code	£ Ex VAT	£ Inc VAT
330mm	101.0043	66.00	79.20
589mm	101.0047	85.00	102.00

The Horizontal Tunstall Towel Hangers can be fitted on both sides of the radiator (as left hand or right hand). Remember, these towel hangers must be fitted before installing on the wall. Must be fitted before installation!



Tunstall Tow	el Rail	s - M	att Anthracite	:			
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
560 x 1000mm	690	2355	300W	A, A+, D, E, F, G	89.0026	244.00	292.80
800 x 500mm	454	1550	150W	A, A+, D, E, F, G	89.0030	169.00	202.80
800 x 600mm	524	1788	300W	A, A+, D, E, F, G	89.0042	185.00	222.00
1200 x 500mm	663	2263	300W	A, A+, D, E, F, G	89.0034	255.00	306.00
1200 x 600mm	766	2614	450W	A, A+, D, E, F, G	89.0046	281.00	337.20
1600 x 500mm	879	3000	450W	A, A+, D, E, F, G	89.0038	314.00	376.80
1600 x 600mm	1015	3464	600W	A, A+, D, E, F, G	89.0050	355.00	426.00

Tunstall Tow	Tunstall Towel Rails - Matt Black											
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT					
560 x 1000mm	690	2355	300W	A, A+, D, E, F, G	89.0027	244.00	292.80					
800 x 500mm	454	1550	150W	A, A+, D, E, F, G	89.0031	169.00	202.80					
800 x 600mm	524	1788	300W	A, A+, D, E, F, G	89.0043	185.00	222.00					
1200 x 500mm	663	2263	300W	A, A+, D, E, F, G	89.0035	255.00	306.00					
1200 x 600mm	766	2614	450W	A, A+, D, E, F, G	89.0047	281.00	337.20					
1600 x 500mm	879	3000	450W	A, A+, D, E, F, G	89.0039	314.00	376.80					
1600 x 600mm	1015	3464	600W	A, A+, D, E, F, G	89.0051	355.00	426.00					

Tunstall Tow	Tunstall Towel Rails - Chrome										
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT				
560 x 1000mm	431	1471	150W	A, A+, D, E, F, G	89.0028	358.00	429.60				
800 x 500mm	284	970	150W	A, A+, D, E, F, G	89.0032	307.00	368.40				
800 x 600mm	326	1113	150W	A, A+, D, E, F, G	89.0044	339.00	406.80				
1200 x 500mm	431	1471	150W	A, A+, D, E, F, G	89.0036	367.00	440.40				
1200 x 600mm	493	1683	300W	A, A+, D, E, F, G	89.0048	402.00	482.40				
1600 x 500mm	579	1976	300W	A, A+, D, E, F, G	89.0040	462.00	554.40				
1600 x 600mm	661	2256	300W	A, A+, D, E, F, G	89.0052	508.00	609.60				

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on ▲T60°C. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 718-729. For matching valves see pages 731-737. For indirect heating systems only. Tappings are approx. 46mm less than the width of the rail and approx. 83mm off the wall. Price includes radiator and wall fixing sets, valves extra.
















FEATURES

- 50 x 25mm horizontal bars
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Stunning chrome finish option available

* With conditions













With its double vertical profile construction, Tunstall Double will create a fresh new look for any room in the house. Available in two colour finishes.

FFATURES

- 50 x 25mm vertical bars
- Double vertical profile construction
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Not suitable for elements
- * With conditions

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on ▲T60°C. For matching valves see pages 731-737. For indirect heating systems only. Tappings are the width of the rail and approx. 65mm off the wall. Projection from wall 104mm. Price includes radiator and wall fixing sets, valves extra.









Technical Tables

& Drawings

Page 770-771



Tunstall Dou	Funstall Double Vertical Radiators - Matt White						
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	952	3249	N/A	N/A	81.0140	235.00	282.00
1800 x 350mm	1190	4058	N/A	N/A	81.0190	296.00	355.20
1800 x 420mm	1429	4877	N/A	N/A	81.0141	350.00	420.00
1800 x 490mm	1666	5681	N/A	N/A	81.0193	396.00	475.20
1800 x 560mm	1904	6493	N/A	N/A	81.0196	461.00	553.20
1800 x 630mm	2142	7311	N/A	N/A	81.0142	525.00	630.00

Tunstall Dou	Tunstall Double Vertical Radiators - Matt Anthracite						New Sizes	
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT	
1800 x 280mm	952	3249	N/A	N/A	81.0158	239.00	286.80	
1800 x 350mm	1190	4058	N/A	N/A	81.0191	304.00	364.80	
1800 x 420mm	1429	4877	N/A	N/A	81.0159	359.00	430.80	
1800 x 490mm	1666	5681	N/A	N/A	81.0194	404.00	484.80	
1800 x 560mm	1904	6493	N/A	N/A	81.0197	470.00	564.00	
1800 x 630mm	2142	7311	N/A	N/A	81.0160	536.00	643.20	

Tunstall Dou	Funstall Double Vertical Radiators - Matt Black							
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT	
1800 x 280mm	952	3249	N/A	N/A	81.0172	239.00	286.80	
1800 x 350mm	1190	4058	N/A	N/A	81.0192	304.00	364.80	
1800 x 420mm	1429	4877	N/A	N/A	81.0173	359.00	430.80	
1800 x 490mm	1666	5681	N/A	N/A	81.0195	404.00	484.80	
1800 x 560mm	1904	6493	N/A	N/A	81.0198	470.00	564.00	
1800 x 630mm	2142	7311	N/A	N/A	81.0174	536.00	643.20	

Including new sizes & new colour Bar Dimensions (mm) Vertical Bars 50 x 25mm





TUNSTALL DOUBLE HORIZONTAL

With its double vertical profile construction, Tunstall Double will provide a stylish focus to any room in the house. Available in two colour finishes.

FEATURES

- 50 x 25mm vertical bars
- Double vertical profile construction
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Not suitable for elements
- * With conditions

Technical Tables & Drawings

Page 772-773



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\blacktriangle T60^{\circ}$ C. For matching valves see pages 731-737. For indirect heating systems only. Tappings are the width of the rail and approx. 65mm off the wall. Projection from wall 104mm. Price includes radiator and wall fixing sets, valves extra.

Tunstall Dou	Tunstall Double Horizontal Radiators - Matt White						
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 471mm	734	2503	N/A	N/A	81.0199	205.00	246.00
600 x 589mm	818	2792	N/A	N/A	81.0136	255.00	306.00
600 x 648mm	1010	3444	N/A	N/A	81.0202	292.00	350.40
600 x 825mm	1145	3908	N/A	N/A	81.0137	357.00	428.40
600 x 1002mm	1391	4747	N/A	N/A	81.0138	431.00	517.20
600 x 1061mm	1652	5633	N/A	N/A	81.0205	468.00	561.60
600 x 1179mm	1836	6266	N/A	N/A	81.0139	505.00	606.00

Tunstall Dou	Tunstall Double Horizontal Radiators - Matt Anthracite						
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 471mm	734	2503	N/A	N/A	81.0200	213.00	255.60
600 x 589mm	818	2792	N/A	N/A	81.0154	261.00	313.20
600 x 648mm	1010	3444	N/A	N/A	81.0203	300.00	360.00
600 x 825mm	1145	3908	N/A	N/A	81.0155	362.00	434.40
600 x 1002mm	1391	4747	N/A	N/A	81.0156	438.00	525.60
600 x 1061mm	1652	5633	N/A	N/A	81.0206	478.00	573.60
600 x 1179mm	1836	6266	N/A	N/A	81.0157	517.00	620.40

Tunstall Dou	New Colour						
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 471mm	734	2503	N/A	N/A	81.0201	213.00	255.60
600 x 589mm	818	2792	N/A	N/A	81.0175	261.00	313.20
600 x 648mm	1010	3444	N/A	N/A	81.0204	300.00	360.00
600 x 825mm	1145	3908	N/A	N/A	81.0176	362.00	434.40
600 x 1002mm	1391	4747	N/A	N/A	81.0177	438.00	525.60
600 x 1061mm	1652	5633	N/A	N/A	81.0207	478.00	573.60
600 x 1179mm	1836	6266	N/A	N/A	81.0178	517.00	620.40



Multi-Purpose Towel Hangers Page 740











Double horizontal profiles in elliptical shape of this towel rail will warm your towels and also your bathroom. Available in two colour options.

FEATURES

- 50 x 25mm horizontal bars
- Double horizontal profile construction
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single, dual fuel or all electric
- * With conditions





Tunstall Double Towel Rails - Matt Anthracite										
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT			
560 x 1000mm	1060	3618	600W	A, A+, D, E, F, G	81.0167	344.00	412.80			
800 x 500mm	620	2116	300W	A, A+, D, E, F, G	81.0161	267.00	320.40			
800 x 600mm	742	2532	450W	A, A+, D, E, F, G	81.0164	284.00	340.80			
1200 x 500mm	893	3048	450W	A, A+, D, E, F, G	81.0162	381.00	457.20			
1200 x 600mm	1072	3659	600W	A, A+, D, E, F, G	81.0165	410.00	492.00			
1600 x 500mm	1170	3993	600W	A, A+, D, E, F, G	81.0163	499.00	598.80			
1600 x 600mm	1405	4795	750W	A, A+, D, E, F, G	81.0166	535.00	642.00			

Tunstall Double Towel Rails - Matt Black							New Colour	
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT	
560 x 1000mm	1060	3618	600W	A, A+, D, E, F, G	81.0179	344.00	412.80	
800 x 500mm	620	2116	300W	A, A+, D, E, F, G	81.0180	267.00	320.40	
800 x 600mm	742	2532	450W	A, A+, D, E, F, G	81.0181	284.00	340.80	
1200 x 500mm	893	3048	450W	A, A+, D, E, F, G	81.0182	381.00	457.20	
1200 x 600mm	1072	3659	600W	A, A+, D, E, F, G	81.0183	410.00	492.00	
1600 x 500mm	1170	3993	600W	A, A+, D, E, F, G	81.0184	499.00	598.80	
1600 x 600mm	1405	4795	750W	A, A+, D, E, F, G	81.0185	535.00	642.00	

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on \$\tilde{\tilde{T}}60\circ\$C. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 718-729. For matching valves see pages 731-737. For indirect heating systems only. Tappings are approx. 46mm less than the width of the rail and approx. 70-75mm off the wall. Price includes radiator and wall fixing sets, valves extra.









Profiles in elliptical shape of this radiator is in perfect harmony with the mirror placed in the middle. Available in two colour options.

FEATURES

- Single vertical profile construction, mirror width 145mm
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty
- Not suitable for elements
- * With conditions

Tunstall Mirror Radiators - Matt White										
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT			
1800 x 380mm	705	2406	N/A	N/A	81.0150	282.00	338.40			
1800 x 500mm	1056	3604	N/A	N/A	81.0151	416.00	499.20			
Tunstall Mirr	or Rac	diator	s - Matt Anthi	racite						
Size H x W	Watts	BTU	Element Output	Element Type	Code	$\mathbf{E} \mathbf{E} \mathbf{x} \mathbf{V} \mathbf{A} \mathbf{T}$	£ Inc VAT			
1800 x 380mm	705	2406	N/A	N/A	81.0168	282.00	338.40			

Tunstall Mirror Radiators - Matt Black New Col								
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT	
1800 x 380mm	705	2406	N/A	N/A	81.0186	282.00	338.40	
1800 x 500mm	1056	3604	N/A	N/A	81 0187	416.00	499 20	

N/A

81.0169 416.00

499.20

N/A

TECHNICAL INFORMATION

1800 x 500mm 1056 3604

All measurements in Height by Width. Heat output based on ▲T60°C. For matching valves see pages 731-737. For indirect heating systems only. Tappings are the width of the rail and approx. 40mm off the wall. Projection from wall 79mm. Mirror width 145mm. Price includes radiator and wall fixing sets, valves extra.





Profiles in elliptical shape of this radiator is in perfect harmony with the mirror placed in the middle. Available in two colour options.

FEATURE:

- <u>Double</u> vertical profile construction, mirror width 145mm
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Not suitable for elements
- * With conditions

Tunstall Double Mirror Radiators - Matt White										
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT			
1800 x 380mm	1102	3761	N/A	N/A	81.0152	340.00	408.00			
1800 x 500mm 1654 5645 N/A N/A 81.0153 505.00 606.00										

Tunstall Dou	Tunstall Double Mirror Radiators - Matt Anthracite										
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT				
1800 x 380mm	1102	3761	N/A	N/A	81.0170	340.00	408.00				
1800 x 500mm	1654	5645	N/A	N/A	81.0171	505.00	606.00				

Tunstall Double Mirror Radiators - Matt Black							New Colour			
Size H x W	Code	£ Ex VAT	£ Inc VAT							
1800 x 380mm	1102	3761	N/A	N/A	81.0188	340.00	408.00			
1800 x 500mm	1800 x 500mm 1654 5645 N/A N/A 81.0189									

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on ▲T60°C. For matching valves see pages 731-737. For indirect heating systems only. Tappings are the width of the rail and approx. 65mm off the wall. Projection from wall 104mm. Mirror width 145mm. Price includes radiator and wall fixing sets, valves extra.







Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. The Windrush is a simple, traditional design that will add a vintage feel to your bathroom.

Windrush - Chron	ne						
Size H x W x D	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
950 x 500 x 130mm	147	502	100W	A, A+	41.1009	307.00	368.40
950 x 600 x 130mm	163	556	100W	A, A+	41.1003	328.00	393.60
1195 x 500 x 130mm	236	805	150W	A, A+, E	41.1014	332.00	398.40
1195 x 600 x 130mm	258	880	150W	A, A+, E	41.1015	351.00	421.20
1550 x 500 x 130mm	290	989	150W	A, A+, E	41.1016	402.00	482.40
1550 x 600 x 130mm	322	1099	150W	A, A+, E	41.1017	420.00	504.00


FEATURES

- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- * With conditions

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on ▲T60°C. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type E. For element types see pages 718-729. For matching valves see pages 731-737. For indirect heating systems only. Tappings are approx. 130mm less than the width of the rail (144mm for 41.1009) and approx. 105mm off the wall. Price includes radiator and wall fixing sets, valves extra.







Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. The Stour in chrome finish offers a Victorian feel to complement a traditional bathroom.

FEATURES

- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- * With conditions

Stour - Chro	me						
Size H x W	Watts	BTU	Element Output	Element Type	Cod	e £ExV	AT £ Inc VAT
690 x 500mm	125	428	150W	Е	41.10	10 230.0	0 276.00
690 x 600mm	177	604	100W	A, A+, E	41.10	05 252.0	0 302.40
1195 x 500mm	209	714	100W	A, A+, E	41.10	18 363.0	0 435.60
1195 x 600mm	232	791	150W	A, A+, E	41.10	19 381.0	0 457.20
1550 x 500mm	260	888	150W	A, A+, E	41.10	20 428.0	0 513.60
1550 x 600mm	287	980	150W	A, A+, E	41.10	21 456.0	0 547.20

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on AT60°C. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type E. For element types see pages 718-729. For matching valves see pages 731-737. For indirect heating systems only. Tappings are approx. 74mm less than the width of the rail and approx. 53mm off the wall. Price includes radiator and wall fixing sets, valves extra.





Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. The Stour in new colours, brushed brass and matt white offers a Victorian feel to complement a traditional bathroom.

Stour - Brush		New Colour					
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
690 x 500mm*	125	428	150W	Е	41.0377	355.00	426.00
690 x 600mm*	177	604	100W	A, A+, E	41.0378	383.00	459.60
1195 x 500mm*	209	714	100W	A, A+, E	41.0379	565.00	678.00
1195 x 600mm*	232	791	150W	A, A+, E	41.0380	596.00	715.20
1550 x 500mm*	260	888	150W	A, A+, E	41.0381	696.00	835.20
1550 x 600mm*	287	980	150W	A, A+, E	41.0382	744.00	892.80
*Available Februa	ary 2023	3					

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on \$\tilde{\tilde{T}}60\circ\$C. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type E. For element types see pages 718-729. For matching valves see pages 731-737. For indirect heating systems only. Tappings are approx. 74mm less than the width of the rail and approx. 53mm off the wall. Price includes radiator and wall fixing sets, valves extra.



FEATURES

- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- * With conditions

Stour - Matt	tour - Matt White									
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT			
690 x 500mm*	221	753	100W	A, A+, E	41.0431	197.00	236.40			
690 x 600mm*	240	820	100W	A, A+, E	41.0432	211.00	253.20			
1195 x 500mm*	287	979	100W	A, A+, E	41.0433	316.00	379.20			
1195 x 600mm*	386	1318	150W	A, A+, E	41.0434	337.00	404.40			
1550 x 500mm*	366	1248	150W	A, A+, E	41.0435	346.00	415.20			
1550 x 600mm*	398	1359	150W	A, A+, E	41.0436	376.00	451.20			

*Available February 2023











Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. The Stour in new colours, matt anthracite and matt black offers a Victorian feel to complement a traditional bathroom.

Stour - Matt	Anthra	acite				New C	olour
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
690 x 500mm*	221	753	100W	A, A+, E	41.0437	197.00	236.40
690 x 600mm*	240	820	100W	A, A+, E	41.0438	211.00	253.20
1195 x 500mm*	287	979	100W	A, A+, E	41.0439	316.00	379.20
1195 x 600mm*	386	1318	150W	A, A+, E	41.0440	337.00	404.40
1550 x 500mm*	366	1248	150W	A, A+, E	41.0441	346.00	415.20
1550 x 600mm*	398	1359	150W	A, A+, E	41.0442	376.00	451.20
*Available Februa	ary 202	3					

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on ▲T60°C. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type E. For element types see pages 718-729. For matching valves see pages 731-737. For indirect heating systems only. Tappings are approx. 74mm less than the width of the rail and approx. 53mm off the wall. Price includes radiator and wall fixing sets, valves extra.



FEATURES

- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- * With conditions

Stour - Matt	itour - Matt Black								
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT		
690 x 500mm*	221	753	100W	A, A+, E	41.0443	197.00	236.40		
690 x 600mm*	240	820	100W	A, A+, E	41.0444	211.00	253.20		
1195 x 500mm*	287	979	100W	A, A+, E	41.0445	316.00	379.20		
1195 x 600mm*	386	1318	150W	A, A+, E	41.0446	337.00	404.40		
1550 x 500mm*	366	1248	150W	A, A+, E	41.0447	346.00	415.20		
1550 x 600mm*	398	1359	150W	A, A+, E	41.0448	376.00	451.20		

*Available February 2023









AVON





All Electric



Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. These rails only be used on closed or indirect heating circuits, not on fresh water hot systems as they are of steel construction.

Avon - Chrome / G	Avon - Chrome / Gloss White								
Size H x W x D	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT		
960 x 429 x 185mm	450	1535	150W	A, A+, C, E, H	41.1027	366.00	439.20		
960 x 500 x 185mm	530	1808	300W	A, A+, C, E, H	41.1006	388.00	465.60		

Avon - Chrome / M		New (Colour				
Size H x W x D	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
960 x 429 x 185mm	450	1535	150W	A, A+, C, E, H	41.1028	366.00	439.20
960 x 500 x 185mm	530	1808	300W	A, A+, C, E, H	41.1025	388.00	465.60

Avon - Chrome / M		New 0	Colour				
Size H x W x D	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
960 x 429 x 185mm	450	1535	150W	A, A+, C, E, H	41.1029	366.00	439.20
960 x 500 x 185mm	530	1808	300W	A, A+, C, E, H	41.1026	388.00	465.60

Tappings are approx. 130mm less than the width of the rail and approx. 135mm off the wall.

FEATURES

- · Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

Technical Tables & Drawings Page 800-801

54.0001

Pair of Radiator Valves & Tails

Radiator valves sold separately

(pair) Chrome

u /		
Code	£ Ex VAT	£ Inc VAT
54.0008	85.00	102.00



61.20

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on ▲T60°C. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 718-729. For matching valves see pages 731-737. For indirect heating systems. Prices include radiator and wall fixings sets, valves extra.

51.00





Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. These rails only be used on closed or indirect heating circuits, not on fresh water hot systems as they are of steel construction.

used on closed of	used of closed of indirect fleating circuits, not of flesh water not systems as they are of steer construction.											
Isbourne - Chrome / Gloss White												
Size H x W	Watts	BTU	Element Output	Element Type		Code	£ Ex VAT	£ Inc VAT				
940 x 600 x 260mm	894	3050	450W	A, A+, C, H		41.1000	453.00	543.60				
Isbourne - Chrome / Matt Anthracite												
Size H x W	Watts	BTU	Element Output	Element Type		Code	£ Ex VAT	£ Inc VAT				
940 x 600 x 260mm	894	3050	450W	A, A+, C, H		41.1024	453.00	543.60				
Isbourne - Chrome / Matt Black												
Size H x W	Watts	BTU	Element Output	Element Type		Code	£ Ex VAT	£ Inc VAT				

A, A+, C, H

450W Tappings are approx. 130mm less than the width of the rail and approx. 121mm off the wall.

FEATURES

940 x 600 x 260mm

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- · Can be single or dual fuel, or all electric

894 3050

* With conditions

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on ▲T60°C. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C or H. For element types see pages 718-729. For matching valves see pages 731-737. For indirect heating systems. Prices include radiator and wall fixings sets, valves extra..









Technical Tables & Drawings Page 800-801

41.1023 453.00

543.60

COMPLETE THE LOOK



Angle TRV with Lockshield 15mm (pair) Chrome							
Code	£ Ex VAT	£ Inc VAT					
54.0008	85.00	102.00					









A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in gloss white, matt anthracite or bare metal finishes. Also available in three columns.

- Tested to BS EN 442 standards


- 5 Year Manufacturer's Warranty*
 Matching colour wall fixing sets
 Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter
- * With conditions

Technical Tables & Drawings Page 802-803










Including new sizes Imperia Two Column Radiators - Gloss White 300 x 1145mm** 875 2985 450W A, A+, C, E*, H 41.0383 274.00 328.80 300 x 1370mm** 1048 3573 450W A, A+, C, E*, H 41.0384 323.00 387.60 600 x 425mm** 576 1965 300W A, A+, C, H 41.0385 150.00 180.00 600 x 470mm** 639 2180 300W A. A+. C. H 41.0386 163.00 195.60 600 x 515mm** 704 2402 300W A. A+. C. H 41.0387 176.00 211.20 600 x 560mm** 767 2617 300W A, A+, C, H 41 0388 190.00 328.80 600 x 605mm 2818 450W A, A+, C, H 41 0339 224 00 826 268.80 A, A+, C, <u>E</u>*, H 600 x 830mm 3900 600W 41.0338 295.00 354.00 1143 600 x 1010mm** 4800 750W A, A+, C, H 41.0389 321.00 1407 385.20 5418 900W A, A+, H 41.0337 395.00 474.00 600 x 1145mm 1588 1000W A+ 41.0390 453.00 600 x 1460mm** 2046 6980 543.60 1800 x 290mm** 1078 3678 N/A N/A 41.0391 216.00 259.20 1800 x 380mm 1190 4059 N/A N/A 41.0341 281.00 337.20 1800 x 470mm 1487 5074 N/A N/A 41.0340 339.00 406.80 *600w Type E Element can be fitted **Available February 2023

Imperia Two (Colum	n Rac	diators - Matt	Anthracite		New:	Sizes
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 1145mm**	875	2985	450W	A, A+, C, E*, H	41.0392	274.00	328.80
300 x 1370mm**	1048	3573	450W	A, A+, C, E*, H	41.0393	323.00	387.60
600 x 425mm**	576	1965	300W	A, A+, C, H	41.0394	150.00	180.00
600 x 470mm**	639	2180	300W	A, A+, C, H	41.0395	163.00	195.60
600 x 515mm**	704	2402	300W	A, A+, C, H	41.0396	176.00	211.20
600 x 560mm**	767	2617	300W	A, A+, C, H	41.0397	190.00	228.00
600 x 605mm	826	2818	450W	A, A+, C, H	41.0344	224.00	268.80
600 x 830mm	1143	3900	600W	A, A+, C, E*, H	41.0343	295.00	354.00
600 x 1010mm**	1407	4800	750W	A, A+, C, H	41.0398	321.00	385.20
600 x 1145mm	1588	5418	900W	A, A+, H	41.0342	395.00	474.00
600 x 1460mm**	2046	6980	1000W	A+	41.0399	453.00	543.60
1800 x 290mm**	1078	3678	N/A	N/A	41.0400	216.00	259.20
1800 x 380mm	1190	4059	N/A	N/A	41.0346	281.00	337.20
1800 x 470mm	1487	5074	N/A	N/A	41.0345	339.00	406.80
*600w Type E	Eleme	nt car	be fitted **A	vailable Febr	uary 202	23	

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on ▲T60°C. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 718-729. For matching valves see pages 731-737. For indirect heating systems. Tappings are the width of the rail and 60mm off the wall. Prices include radiator and wall fixings sets, valves extra.














Round Vent Caps

IMPERIA 2 COLUMN

Eastbrook is aways on the look out for products and finishes trending in the UK market. We have noticed a trend in bare brick and plain painted walls with traditional engineering items such as small sand casts mounted on the wall. Known in designer circles as the Industrial Chic look.

For those of you looking for Bare metal finish radiator showing the welds, pressings, sanding and tubes that make up a traditional column radiator we have introduced this range. We have sealed the metal with clear lacquer to ensure no impurities are allow to discolour of oxidise the metal.












Imperia bare metal radiators are handfinished therefore each radiator will have its own unique welding marks and imperfections that are left on purpose. Bare Metal colour shown in images are subject to the limitations of the printing process and may appear different.





FEATURE:

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- · Matching colour wall fixing sets
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter
- * With conditions

Technical Tables & Drawings Page 802-803



Imperia Two (Colum	n Rac	diators - Bare	Metal		New C	olour									
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT									
600 x 605mm**	826	2818	450W	A, A+, C, H	41.0419	318.00	381.60									
600 x 830mm**	1143	3900	600W	A, A+, C, E*, H	41.0420	422.00	506.40									
600 x 1145mm**	1588	5418	900W	A, A+, H	41.0421	566.00	679.20									
1800 x 380mm**	1190	4059	N/A	N/A	41.0422	424.00	508.80									
1800 x 470mm**	1487	5074	N/A	N/A	41.0423	506.00	607.20									
*600w Type E	Eleme	nt car	n be fitted **A	vailable Febr	uary 202	23	*600w Type E Element can be fitted **Available February 2023									

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on Δ T60°C. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 718-729. For matching valves see pages 731-737. For indirect heating systems. Tappings are the width of the rail and 60mm off the wall. Prices include radiator and wall fixings sets, valves extra.



Including new colour

Imperia bare metal radiators are handfinished therefore each radiator will have its own unique welding marks and imperfections that are left on purpose. Bare Metal colour shown in images are subject to the limitations of the printing process and may appear different.



IMPERIA 3 COLUMN



- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- · Matching colour wall fixing sets
- · Radiator feet option available to get the classic look
- Material thickness 1.5mm
- · Doesn't require flow diverter
- * With conditions

Technical Tables & Drawings Page 802-803



Imperia Three	mperia Three Column Radiators - Bare Metal									
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT			
600 x 605mm**	1081	3688	600W	A, A+, C, H	41.0424	374.00	448.80			
600 x 830mm**	1498	5110	900W	A+, C, H	41.0425	497.00	596.40			
600 x 1145mm**	2362	8059	1200W	A, A+, H	41.0426	668.00	801.60			
1800 x 380mm**	2099	7160	N/A	N/A	41.0427	511.00	613.20			
1800 x 470mm**	2623	8950	N/A	N/A	41.0428	610.00	732.00			


All measurements in Height by Width. Heat output based on ▲T60°C. Radiators that

**Available February 2023

Eastbrook is aways on the look out for products and finishes trending in the **TECHNICAL INFORMATION** UK market. We have noticed a trend in bare brick and plain painted walls with

traditional engineering items such as small sand casts mounted on the wall.

are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types For those of you looking for Bare metal finish radiator showing the welds, see pages 718-729. For matching valves see pages 731-737. For indirect heating pressings, sanding and tubes that make up a traditional column radiator we have systems. Tappings are the width of the rail and 60mm off the wall. Prices include introduced this range. We have sealed the metal with clear lacquer to ensure no radiator and wall fixings sets, valves extra.




Known in designer circles as the Industrial Chic look.

















A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in gloss white, matt anthracite or bare metal finishes. Also available in two columns.

- Tested to BS EN 442 standards

- 5 Year Manufacturer's Warranty*
 Matching colour wall fixing sets
 Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter
- * With conditions


Technical Tables & Drawings Page 802-803











Including new sizes Imperia Three Column Radiators - Gloss White A, A+, C, E*, H 41.0401 300 x 1145mm** 1278 4360 600W 317.00 380.40 300 x 1370mm** 1436 4896 750W A, A+, C, E*, H 41.0402 374.00 448.80 600 x 425mm** 850 2900 450W A, A+ 41.0403 178.00 213.60 600 x 470mm** 945 3224 450W A, A+, C, H 41.0404 193.00 231.60 600 x 515mm** 1040 3548 450W A, A+, C, H 41.0405 208.00 249.60 600 x 560mm** 3869 600W A+, C, H 41 0406 225 00 1134 270.00 600 x 605mm 3688 600W A, A+, C, H 41 0349 262 00 1081 314.40 A+, C, H 346.00 600 x 830mm 5110 900W 41.0348 415.20 1498 600 x 1010mm** 7093 1000W A, A+, C, H 41.0407 381.00 2079 457.20 1200W A, A+, H 41.0347 600 x 1145mm 2362 8059 466.00 559.20 41.0408 1200W A+, H 538.00 645.60 600 x 1460mm** 3024 10317 41.0409 1800 x 290mm** 1608 5486 N/A N/A 262.00 314.40 1800 x 380mm 2099 7160 N/A N/A 41.0351 339.00 406.80 1800 x 470mm 2623 8950 N/A N/A 41.0350 407.00 488.40 *600w Type E Element can be fitted **Available February 2023


Imperia Three Column Radiators - Matt Anthracite							New Sizes	
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT	
300 x 1145mm**	1278	4360	600W	A, A+, C, E*, H	41.0410	317.00	380.40	
300 x 1370mm**	1436	4896	750W	A, A+, C, E*, H	41.0411	374.00	448.80	
600 x 425mm**	850	2900	450W	A, A+	41.0412	178.00	213.60	
600 x 470mm**	945	3224	450W	A, A+, C, H	41.0413	193.00	231.60	
600 x 515mm**	1040	3548	450W	A, A+, C, H	41.0414	208.00	249.60	
600 x 560mm**	1134	3869	600W	A+, C, H	41.0415	225.00	270.00	
600 x 605mm	1081	3688	600W	A, A+, C, H	41.0354	262.00	314.40	
600 x 830mm	1498	5110	900W	A+, C, H	41.0353	346.00	415.20	
600 x 1010mm**	2079	7093	1000W	A, A+, C, H	41.0416	381.00	457.20	
600 x 1145mm	2362	8059	1200W	A, A+, H	41.0352	466.00	559.20	
600 x 1460mm**	3024	10317	1200W	A+, H	41.0417	538.00	645.60	
1800 x 290mm**	1608	5486	N/A	N/A	41.0418	262.00	314.40	
1800 x 380mm	2099	7160	N/A	N/A	41.0356	339.00	406.80	
1800 x 470mm	2623	8950	N/A	N/A	41.0355	407.00	488.40	

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on ▲T60°C. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 718-729. For matching valves see pages 731-737. For indirect heating systems. Tappings are the width of the rail and 60mm off the wall. Prices include radiator and wall fixings sets, valves extra.

*600w Type E Element can be fitted **Available February 2023















A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in gloss white, matt anthracite or matt black finishes. Also available in three and four columns.

- Tested to BS EN 442 standards

- Tested to BS EN 442 standards
 5 Year Manufacturer's Warranty*
 Matching colour wall fixing sets
 300mm height option for limited spaces
 Radiator feet option available to get the classic look
 Material thickness 1 5mm
- Material thickness 1.5mm
- · Doesn't require flow diverter
- * With conditions


Technical Tables & Drawings

Page 804-805





Heating



Including new colour Rivassa Two Column Radiators - Gloss White 300 x 1148mm 889 3034 450W A, A+, C, E*, H 81.0005 443.00 531.60 300 x 1373mm 1067 3641 600W A, A+, C, E*, H 81.0006 531.00 637.20 600 x 428mm 567 1933 300W A, A+, C, H 81.0038 202.00 242.40 600 x 473mm 2148 300W A, A+, C, H 81.0039 225.00 270.00 630 600 x 518mm 2362 300W A, A+, C, H 81.0040 246.00 693 295.20 600 x 563mm 756 2577 450W A, A+, C, H 81 0041 270.00 324.00 600 x 608mm 818 2792 450W A, A+, C, H 81.0007 293 00 351.60 A, A+, C, E*, H 600 x 833mm 1133 600W 81.0008 406.00 487.20 3866 4727 600 x 1010mm 750W A, A+, C, H 81.0077 497.00 596.40 1385 600 x 1148mm 5369 900W A, A+, H 81.0009 564.00 676.80 1573 1200W A, A+, H 81.0078 723.00 867.60 600 x 1460mm 2014 6874 1800 x 293mm 933 3185 N/A N/A 81.0002 263.00 315.60 1800 x 383mm 1245 4247 N/A N/A 81.0003 346.00 415.20 1800 x 473mm 1556 5308 N/A N/A 81.0004 434.00 520.80 *600w Type E Element can be fitted

Rivassa Two Column Radiators - Matt Anthracite							
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 1148mm	889	3034	450W	A, A+, C, E*, H	81.0021	450.00	540.00
300 x 1373mm	1067	3641	600W	A, A+, C, E*, H	81.0022	541.00	649.20
600 x 428mm	567	1933	300W	A, A+, C, H	81.0046	206.00	247.20
600 x 473mm	630	2148	300W	A, A+, C, H	81.0047	228.00	273.60
600 x 518mm	693	2362	300W	A, A+, C, H	81.0048	246.00	295.20
600 x 563mm	756	2577	450W	A, A+, C, H	81.0049	274.00	328.80
600 x 608mm	818	2792	450W	A, A+, C, H	81.0023	301.00	361.20
600 x 833mm	1133	3866	600W	A, A+, C, E*, H	81.0024	414.00	496.80
600 x 1010mm	1385	4727	750W	A, A+, C, H	81.0090	509.00	610.80
600 x 1148mm	1573	5369	900W	A, A+, H	81.0025	575.00	690.00
600 x 1460mm	2014	6874	1200W	A, A+, H	81.0091	737.00	884.40
1800 x 293mm	933	3185	N/A	N/A	81.0018	270.00	324.00
1800 x 383mm	1245	4247	N/A	N/A	81.0019	352.00	422.40
1800 x 473mm	1556	5308	N/A	N/A	81.0020	443.00	531.60
*600w Type E	Elem	ent ca	n be fitted				

ooon Type I Element out be need							
Rivassa Two Column Radiators - Matt Black							Colour
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 1148mm	889	3034	450W	A, A+, C, E*, H	81.0208	450.00	540.00
300 x 1373mm	1067	3641	600W	A, A+, C, E*, H	81.0209	541.00	649.20
600 x 428mm	567	1933	300W	A, A+, C, H	81.0210	206.00	247.20
600 x 473mm	630	2148	300W	A, A+, C, H	81.0211	228.00	273.60
600 x 518mm	693	2362	300W	A, A+, C, H	81.0212	246.00	295.20
600 x 563mm	756	2577	450W	A, A+, C, H	81.0213	274.00	328.80
600 x 608mm	818	2792	450W	A, A+, C, H	81.0214	301.00	361.20
600 x 833mm	1133	3866	600W	A, A+, C, E*, H	81.0215	414.00	496.80
600 x 1010mm	1385	4727	750W	A, A+, C, H	81.0216	509.00	610.80
600 x 1148mm	1573	5369	900W	A, A+, H	81.0217	575.00	690.00
600 x 1460mm	2014	6874	1200W	A, A+, H	81.0218	737.00	884.40
1800 x 293mm	933	3185	N/A	N/A	81.0219	270.00	324.00
1800 x 383mm	1245	4247	N/A	N/A	81.0220	352.00	422.40
1800 x 473mm	1556	5308	N/A	N/A	81.0221	443.00	531.60
*600w Type E	Elem	ent ca	n be fitted				

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on ▲T60°C. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 718-729. For matching valves see pages 731-737. For indirect heating systems. Tappings are the width of the rail and 65.5mm off the wall. Prices include radiator and wall fixings sets, valves extra.





Rivassa Radiator Feet			
Description	Code	£ Ex VAT	£ Inc VAT
Rivassa 2 Column Radiator Feet (pair) White	81.0034	35.00	42.00
Rivassa 2 Column Rad. Feet (pair) Matt Anthracite	81.0035	35.00	42.00
Rivassa 2 Column Rad. Feet (pair) Matt Black	81.0222	35.00	42.00















A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in gloss white, matt anthracite or matt black finishes. Also available in two and four columns.

- Tested to BS EN 442 standards

- Fested to BS EN 442 standards
 5 Year Manufacturer's Warranty*
 Matching colour wall fixing sets
 300mm height option for limited spaces
 Radiator feet option available to get the classic look
- Material thickness 1.5mm
- · Doesn't require flow diverter
- * With conditions

Technical Tables & Drawings


Page 804-805











Including new colour Rivassa Three Column Radiators - White 300 x 1148mm 1118 3816 600W A, A+, C, E*, H 81.0013 472.00 566.40 300 x 1373mm 1342 4579 750W A, A+, C, E*, H 81.0014 564.00 676.80 600 x 428mm 734 2504 450W A, A+, C, H 81.0042 216.00 259.20 600 x 473mm 816 2782 450W A, A+, C, H 81.0043 238.00 285.60 600 x 518mm 898 3061 450W A, A+, C, H 81.0044 261.00 313.20 979 A+, C, H 600 x 563mm 600W 81.0045 284.00 3339 340.80 A+, C, H 600 x 608mm 600W 81.0015 313.00 375.60 1060 3616 A+, C, H 600 x 833mm 5007 900W 81.0016 432.00 518.40 1467 600 x 1010mm 1794 1000W A, A+, C, H 81.0079 525.00 630.00 6123 600 x 1148mm 2038 6954 1200W A, A+, H 81.0017 596.00 715.20 600 x 1460mm 2609 8904 1200W A, A+, H 81.0080 765.00 918.00 1800 x 293mm 1563 5333 N/A N/A 81.0010 290.00 348.00 1800 x 383mm 2084 7111 N/A N/A 81.0011 361.00 433.20 1800 x 473mm N/A N/A 81.0012 450.00 540.00 *600w Type E Element can be fitted


Rivassa Three Column Radiators - Matt Anthracite							
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 1148mm	1118	3816	600W	A, A+, C, E*, H	81.0029	479.00	574.80
300 x 1373mm	1342	4579	750W	A, A+, C, E*, H	81.0030	575.00	690.00
600 x 428mm	734	2504	450W	A, A+, C, H	81.0050	219.00	262.80
600 x 473mm	816	2782	450W	A, A+, C, H	81.0051	242.00	290.40
600 x 518mm	898	3061	450W	A, A+, C, H	81.0052	269.00	322.80
600 x 563mm	979	3339	600W	A+, C, H	81.0053	289.00	346.80
600 x 608mm	1060	3616	600W	A+, C, H	81.0031	318.00	381.60
600 x 833mm	1467	5007	900W	A+, C, H	81.0032	438.00	525.60
600 x 1010mm	1794	6123	1000W	A, A+, C, H	81.0092	536.00	643.20
600 x 1148mm	2038	6954	1200W	A, A+, H	81.0033	608.00	729.60
600 x 1460mm	2609	8904	1200W	A, A+, H	81.0093	778.00	933.60
1800 x 293mm	1563	5333	N/A	N/A	81.0026	296.00	355.20
1800 x 383mm	2084	7111	N/A	N/A	81.0027	370.00	444.00
1800 x 473mm	2605	8889	N/A	N/A	81.0028	459.00	550.80
*600w Type E	Elem	ent ca	n be fitted				

D' TI OI DI'. MUDII							
Rivassa Three Column Radiators - Matt Black							Colour
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 1148mm	1118	3816	600W	A, A+, C, E*, H	81.0223	479.00	574.80
300 x 1373mm	1342	4579	750W	A, A+, C, E*, H	81.0224	575.00	690.00
600 x 428mm	734	2504	450W	A, A+, C, H	81.0225	219.00	262.80
600 x 473mm	816	2782	450W	A, A+, C, H	81.0226	242.00	290.40
600 x 518mm	898	3061	450W	A, A+, C, H	81.0227	269.00	322.80
600 x 563mm	979	3339	600W	A+, C, H	81.0228	289.00	346.80
600 x 608mm	1060	3616	600W	A+, C, H	81.0229	318.00	381.60
600 x 833mm	1467	5007	900W	A+, C, H	81.0230	438.00	525.60
600 x 1010mm	1794	6123	1000W	A, A+, C, H	81.0231	536.00	643.20
600 x 1148mm	2038	6954	1200W	A, A+, H	81.0232	608.00	729.60
600 x 1460mm	2609	8904	1200W	A, A+, H	81.0233	778.00	933.60
1800 x 293mm	1563	5333	N/A	N/A	81.0234	296.00	355.20
1800 x 383mm	2084	7111	N/A	N/A	81.0235	370.00	444.00
1800 x 473mm	2605	8889	N/A	N/A	81.0236	459.00	550.80
*600w Type E	Elem	ent ca	n be fitted				

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on Δ T60°C. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 718-729. For matching valves see pages 731-737. For indirect heating systems. Tappings are the width of the rail and 80mm off the wall. Prices include radiator and wall fixings sets, valves extra.





Rivassa Radiator Feet									
Description	Code	£ Ex VAT	£ Inc VAT						
Rivassa 3 Column Radiator Feet (pair) White	81.0036	35.00	42.00						
Rivassa 3 Column Radiator Feet (pair) Matt Anthracite	81.0037	35.00	42.00						
Rivassa 3 Column Radiator Feet (pair) Matt Black	81.0237	35.00	42.00						










Round Vent Caps





A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in gloss white, matt anthracite or matt black finishes. Also available in two and three columns.

FEATURES

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- · Matching colour wall fixing sets
- 300mm height option for limited spaces
 Radiator feet option available to get the classic look
- Material thickness 1.5mm
- · Doesn't require flow diverter
- * With conditions










Technical Tables & Drawings Page 806-807



Rivassa Four Column Radiators - Gloss White							
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 1010mm	1197	4085	600W	A, A+, C, E*, H	81.0068	478.00	573.60
300 x 1373mm	1633	5573	1000W	A, A+, H	81.0069	652.00	782.40
300 x 1505mm	1796	6110	1000W	A+, H	81.0070	715.00	858.00
600 x 425mm	869	2966	450W	A, A+	81.0071	286.00	343.20
600 x 605mm	1255	4283	750W	A+, C, H	81.0072	411.00	493.20
600 x 785mm	1641	5601	900W	A+, H	81.0073	536.00	643.20
600 x 1010mm	2124	7249	1200W	A, A+	81.0074	691.00	829.20
600 x 1190mm	2510	8567	1200W	A, A+	81.0075	818.00	981.60
*600w Type E	Elem	ent ca	n be fitted				


Rivassa Four Column Radiators - Matt Black							New Colour	
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT	
300 x 1010mm	1197	4085	600W	A, A+, C, E*, H	81.0238	488.00	585.60	
300 x 1373mm	1633	5573	1000W	A, A+, H	81.0239	665.00	798.00	
300 x 1505mm	1796	6110	1000W	A+, H	81.0240	730.00	876.00	
600 x 425mm	869	2966	450W	A, A+	81.0241	290.00	348.00	
600 x 605mm	1255	4283	750W	A+, C, H	81.0242	420.00	504.00	
600 x 785mm	1641	5601	900W	A+, H	81.0243	546.00	655.20	
600 x 1010mm	2124	7249	1200W	A, A+	81.0244	707.00	848.40	
600 x 1190mm	2510	8567	1200W	A, A+	81.0245	832.00	998.40	
*600w Type E	*600w Type E Element can be fitted							


RIVASSA 4 CC RADIATOR FE		N	
Description	Code	£ Ex VAT	£ Inc VAT
Rivassa 4 Column Radiator Feet (pair) - Gloss White	81.0076	42.00	50.40
Rivassa 4 Column Radiator Feet (pair) - Matt Anthracite	81.0089	42.00	50.40
Rivassa 4 Column Radiator Feet (pair) - Matt Black	81.0246	42.00	50.40

Rivassa Four Column Radiators - Matt Anthracite							
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 1010mm	1197	4085	600W	A, A+, C, E*, H	81.0081	488.00	585.60
300 x 1373mm	1633	5573	1000W	A, A+, H	81.0082	665.00	798.00
300 x 1505mm	1796	6110	1000W	A+, H	81.0083	730.00	876.00
600 x 425mm	869	2966	450W	A, A+	81.0084	290.00	348.00
600 x 605mm	1255	4283	750W	A+, C, H	81.0085	420.00	504.00
600 x 785mm	1641	5601	900W	A+, H	81.0086	546.00	655.20
600 x 1010mm	2124	7249	1200W	A, A+	81.0087	707.00	848.40
600 x 1190mm	2510	8567	1200W	A, A+	81.0088	832.00	998.40
*600w Type E	*600w Type E Element can be fitted						

TECHNICAL INFORMATION


All measurements in Height by Width. Heat output based on ▲T60°C. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 718-729. For matching valves see pages 731-737. For indirect heating systems. Tappings are the width of the rail and 95mm off the wall. Projection from wall 165mm. Prices include radiator and wall fixings sets, valves extra.








Chrome		
Power	Length (mm)	
150W	300	Turbo Boost Function
300W	340	For <u>vertical</u> installation only.
600W	390	Digital temp control element
900W	440	including remote control.
1200W	470	



*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are non-returnable.




*(not including appropriate element). I.P. rating 54. (Zone 2 and 3) Please note all fluid filled rails are special order and are **non-returnable**.

FEATURES

- Comes with remote control, that acts as ambient temperature sensor.
- Turbo boost function
- Off season heating
- Cable connection cover included
- · Daily & weekly programmable
- · Low running costs, towel drying
- Smooth temperature adjustment (10°C to 65°C)
- · Thermostat can control either water
- temperature or ambient room temperature
- Open window detection
- · Eco Design ready
- Anti-Freeze function

TECHNICAL INFORMATION

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. Suitable for electric only installation.



*(not including appropriate element). I.P. rating 54. (Zone 2 and 3) Please note all fluid filled rails are special order and are **non-returnable**.



Matt Anthracite					
Element Type F With Square Cap - Matt Anthracite					
Description	Colour	Code	£ Ex VAT	£ Inc VAT	
150W Type F Element with Square Cap	Matt Anthracite	8.394	201.00	241.20	
300W Type F Element with Square Cap	Matt Anthracite	8.395	205.00	246.00	
600W Type F Element with Square Cap	Matt Anthracite	8.396	215.00	258.00	
900W Type F Element with Square Cap	Matt Anthracite	8.397	219.00	262.80	
1200W Type F Element with Square Cap	Matt Anthracite	8.398	224.00	268.80	
Spare Remote Controller for Type F Elemen	t	8.319	63.00	75.60	
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40	

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3) Please note all fluid filled rails are special order and are **non-returnable**.

			88	
Matt Black			U	
Element Type F With Square Cap - Description	Matt Black Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element with Square Cap	Matt Black	8.399	201.00	241.20
300W Type F Element with Square Cap	Matt Black	8.400	205.00	246.00
600W Type F Element with Square Cap	Matt Black	8.401	215.00	258.00
900W Type F Element with Square Cap	Matt Black	8.402	219.00	262.80

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

1200W Type F Element with Square Cap

Fluid filling for above rail (electric only)*

Spare Remote Controller for Type F Element

Matt Black

8.403

8.319

FF

224.00

63.00

117.00

268.80

140.40

Element Type F WiFi With D Shape Ca	p - Chrome			
Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element Wi-Fi with D Shape Cap	Chrome	8.479	281.00	337.20
300W Type F Element Wi-Fi with D Shape Cap	Chrome	8.480	287.00	344.40
600W Type F Element Wi-Fi with D Shape Cap	Chrome	8.481	291.00	349.20
900W Type F Element Wi-Fi with D Shape Cap	Chrome	8.482	295.00	354.00
1200W Type F Element Wi-Fi with D Shape Cap	Chrome	8.483	301.00	361.20
Spare Remote Controller for Type F Element		8.319	63.00	75.60
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3) Please note all fluid filled rails are special order and are non-returnable.

FEATURES

- · Wi-Fi & App Control.
- · Comes with remote control, that acts as ambient temperature sensor.
- Turbo boost function.
- · Off season heating.
- · Cable connection cover included.
- · Anti-Freeze function.
- · Daily & weekly programmable.
- · Low running costs, towel drying.
- Smooth temperature adjustment (10°C 65°C)
- · Thermostat can control either water
- temperature or ambient room temperature. · Open window detection .
- · Anti-Freeze function.
- · Eco Design ready

TECHNICAL INFORMATION

elements will be fitted RH side unless otherwise specified. Suitable for electric

WI-FI SMARTPHONE

Your WI-FI Element has the option of programming the air temperature in the daily and weekly cycles and meets the requirements of the EcoDesign Directive (Lot

APPLICATION

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only only installation.





20) is compatible with the EcoDirective 2018 for electric elements.

Model is distinguished by modern design, equipped with an electronic controller with an LED display. Additionally, the model is equipped with a cover covering the electrical connection

Download the "SUPLA" app from Google Play Store or Apple App Store.

Video instructions for the smartphone app available on our website.





*(not including appropriate element). I.P. rating 54. (Zone 2 and 3) Please note all fluid filled rails are special order and are non-returnable



Element Type F WiFi With D Shape Cap - Matt Anthracite					
Description	Colour	Code	£ Ex VAT	£ Inc VAT	
150W Type F Element Wi-Fi with D Shape Cap	Matt Anthracite	8.489	290.00	348.00	
300W Type F Element Wi-Fi with D Shape Cap	Matt Anthracite	8.490	296.00	355.20	
600W Type F Element Wi-Fi with D Shape Cap	Matt Anthracite	8.491	300.00	360.00	
900W Type F Element Wi-Fi with D Shape Cap	Matt Anthracite	8.492	309.00	370.80	
1200W Type F Element Wi-Fi with D Shape Cap	Matt Anthracite	8.493	315.00	378.00	
Spare Remote Controller for Type F Element		8.319	63.00	75.60	
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40	

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3) Please note all fluid filled rails are special order and are non-returnable.



Matt Diack					
Element Type F WiFi With D Shape Cap - Matt Black					
Description	Colour	Code	£ Ex VAT	£ Inc VAT	
150W Type F Element Wi-Fi with D Shape Cap	Matt Black	8.494	290.00	348.00	
300W Type F Element Wi-Fi with D Shape Cap	Matt Black	8.495	296.00	355.20	
600W Type F Element Wi-Fi with D Shape Cap	Matt Black	8.496	300.00	360.00	
900W Type F Element Wi-Fi with D Shape Cap	Matt Black	8.497	309.00	370.80	
1200W Type F Element Wi-Fi with D Shape Cap	Matt Black	8.498	315.00	378.00	
Spare Remote Controller for Type F Element		8.319	63.00	75.60	
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40	
1/ .1 1 1 1 1 1			1.0\		

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3) Please note all fluid filled rails are special order and are non-returnable




	Length (mm)	Power
	300	150W
Fo	340	300W
Di	390	600W
in	440	900W
	470	1200W
	•	

Turba	Doost	Function
Turbo	DUUSL	Function

For <u>vertical</u> installation only. Digital temp control element including remote control.

Gloss White				
Element Type F WiFi With Round Cap	- Gloss Whit	e		
Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element Wi-Fi with Round Cap	Gloss White	8.504	268.00	321.60
300W Type F Element Wi-Fi with Round Cap	Gloss White	8.505	274.00	328.80
600W Type F Element Wi-Fi with Round Cap	Gloss White	8.506	278.00	333.60
900W Type F Element Wi-Fi with Round Cap	Gloss White	8.507	287.00	344.40
1200W Type F Element Wi-Fi with Round Cap	Gloss White	8.508	293.00	351.60
Spare Remote Controller for Type F Element		8.319	63.00	75.60
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3) Please note all fluid filled rails are special order and are **non-returnable**.



*(not including appropriate element). I.P. rating 54. (Zone 2 and 3) Please note all fluid filled rails are special order and are **non-returnable**.

FEATURES

- · Wi-Fi & App Control.
- Comes with remote control, that acts as ambient temperature sensor.
- Turbo boost function.
- · Off season heating.
- Cable connection cover included.
- · Anti-Freeze function.
- Daily & weekly programmable.
- · Low running costs, towel drying.
- Smooth temperature adjustment (10°C 65°C)
- Thermostat can control either water temperature or ambient room temperature.
- · Open window detection .
- Anti-Freeze function.
- Eco Design ready

TECHNICAL INFORMATION

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. <u>Suitable for electric only installation</u>.

WI-FI SMARTPHONE APPLICATION

Your WIFI Element has the option of programming the air temperature in the daily and weekly cycles and meets the requirements of the EcoDesign Directive (Lot 20) is compatible with the EcoDirective 2018 for electric elements.





Model is distinguished by modern design, equipped with an electronic controller with an LED display. Additionally, the model is equipped with a cover covering the electrical connection.

Download the "SUPLA" app from Google Play Store or Apple App Store.

Video instructions for the smartphone app available on our website.



Watt Antinacite				
Element Type F WiFi With Round Cap - Matt Anthracite				
Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element Wi-Fi with Round Cap	Matt Anthracite	8.509	290.00	348.00
300W Type F Element Wi-Fi with Round Cap	Matt Anthracite	8.510	296.00	355.20
600W Type F Element Wi-Fi with Round Cap	Matt Anthracite	8.511	300.00	360.00
900W Type F Element Wi-Fi with Round Cap	Matt Anthracite	8.512	309.00	370.80
1200W Type F Element Wi-Fi with Round Cap	Matt Anthracite	8.513	315.00	378.00
Spare Remote Controller for Type F Element		8.319	63.00	75.60
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3) Please note all fluid filled rails are special order and are **non-returnable**.



Element Type F WiFi With Round Cap - Matt Black				
Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element Wi-Fi with Round Cap	Matt Black	8.514	290.00	348.00
300W Type F Element Wi-Fi with Round Cap	Matt Black	8.515	296.00	355.20
600W Type F Element Wi-Fi with Round Cap	Matt Black	8.516	300.00	360.00
900W Type F Element Wi-Fi with Round Cap	Matt Black	8.517	309.00	370.80
1200W Type F Element Wi-Fi with Round Cap	Matt Black	8.518	315.00	378.00
Spare Remote Controller for Type F Element		8.319	63.00	75.60
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3) Please note all fluid filled rails are special order and are **non-returnable**.

Element Type F WiFi With Square Ca	p - Chrome			
Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element Wi-Fi with Square Cap	Chrome	8.519	281.00	337.20
300W Type F Element Wi-Fi with Square Cap	Chrome	8.520	287.00	344.40
600W Type F Element Wi-Fi with Square Cap	Chrome	8.521	291.00	349.20
900W Type F Element Wi-Fi with Square Cap	Chrome	8.522	295.00	354.00
1200W Type F Element Wi-Fi with Square Cap	Chrome	8.523	301.00	361.20
Spare Remote Controller for Type F Element		8.319	63.00	75.60
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3) Please note all fluid filled rails are special order and are **non-returnable**.

FEATURES

- Wi-Fi & App Control.
- Comes with remote control, that acts as ambient temperature sensor.
- Turbo boost function.
- · Off season heating.
- Cable connection cover included.
- · Anti-Freeze function.
- · Daily & weekly programmable.
- · Low running costs, towel drying.
- Smooth temperature adjustment (10°C 65°C)
- Thermostat can control either water
- temperature or ambient room temperature.
- Open window detection .
- · Anti-Freeze function.
- · Eco Design ready

TECHNICAL INFORMATION

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. <u>Suitable for electric only installation.</u>

WI-FI SMARTPHONE APPLICATION

Your WIFI Element has the option of programming the air temperature in the daily and weekly cycles and meets the requirements of the EcoDesign Directive (Lot 20) is compatible with the EcoDirective 2018 for electric elements.



1200W





Model is distinguished by modern design, equipped with an electronic controller with an LED display.

Additionally, the model is equipped with a cover covering the electrical connection.

Download the "SUPLA" app from Google Play Store or Apple App Store.

Video instructions for the smartphone app available on our website.






470

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3) Please note all fluid filled rails are special order and are **non-returnable**.



Element Type F WiFi With Square Cap - Matt Anthracite			
Colour	Code	£ Ex VAT	£ Inc VAT
Matt Anthracite	8.529	290.00	348.00
Matt Anthracite	8.530	296.00	355.20
Matt Anthracite	8.531	300.00	360.00
Matt Anthracite	8.532	309.00	370.80
Matt Anthracite	8.533	315.00	378.00
	8.319	63.00	75.60
-	FF	117.00	140.40
	Colour Matt Anthracite Matt Anthracite Matt Anthracite Matt Anthracite Matt Anthracite	Colour Code Matt Anthracite 8.529 Matt Anthracite 8.530 Matt Anthracite 8.531 Matt Anthracite 8.532 Matt Anthracite 8.533 Matt Anthracite 8.533	Colour Code £ Ex VAT Matt Anthracite 8.529 290.00 Matt Anthracite 8.530 296.00 Matt Anthracite 8.531 300.00 Matt Anthracite 8.532 309.00 Matt Anthracite 8.533 315.00 8.319 63.00


*(not including appropriate element). I.P. rating 54. (Zone 2 and 3) Please note all fluid filled rails are special order and are **non-returnable**.



*(not including appropriate element). I.P. rating 54. (Zone 2 and 3) Please note all fluid filled rails are special order and are **non-returnable**.

900W

1200W




440

470

Gloss White				
Element Type G With Square Cap - G	loss White Colour	Code	£ Ex VAT	£ Inc VAT
Description				
150W Type G Element with Square Cap	Gloss White	8.459	153.00	183.60
300W Type G Element with Square Cap	Gloss White	8.460	158.00	189.60
600W Type G Element with Square Cap	Gloss White	8.461	168.00	201.60
900W Type G Element with Square Cap	Gloss White	8.462	172.00	206.40
1200W Type G Element with Square Cap	Gloss White	8.463	176.00	211.20
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40
*(not including appropriate alamont)	D ====================================	7 0	10)	

Digital temp control element.





*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are non-returnable.

Element Type G With Square Cap £ Ex VAT £ Inc VAT 150W Type G Element with Square Cap Chrome 8.454 162.00 194,40 300W Type G Element with Square Cap Chrome 8.455 168.00 201.60 600W Type G Element with Square Cap 8.456 176.00 Chrome 211.20 900W Type G Element with Square Cap 8.457 185.00 Chrome 222.00 1200W Type G Element with Square Cap 8.458 191.00 Chrome 229.20 Fluid filling for above rail (electric only)* FF 117.00 140,40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3) Please note all fluid filled rails are special order and are **non-returnable**.


FEATURES

included


- · Timer 1-9 hour
- · Turbo boost function
- Off season heating Cable connection cover
- · Anti-Freeze function
- Maintains previously selected temperature for a period of 1-9 hours
- Low running costs, towel drying
- Smooth temperature adjustment (10°C to 65°C)
- · Water temperature controlled Thermostat

TECHNICAL INFORMATION

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. Suitable for electric only installation.



*(not including appropriate element). I.P. rating 54. (Zone 2 and 3) Please note all fluid filled rails are special order and are **non-returnable**.



*(not including appropriate element). I.P. rating 54. (Zone 2 and 3) Please note all fluid filled rails are special order and are **non-returnable**.

All Eastbrook fluid filled rails are filled with Fernox HP-5.

Fluid filling for above rail (electric only)*

With over 40 years experience and continual investment in research and development, Fernox water treatment products are manufactured to the highest quality, reliability and performance. Fernox HP-5 is a pre-blended heat transfer fluid which gives a frost protection down to -5°C. It also provides long-term protection from damage caused by corrosion, limescale and bacteria and maintains a stable pH across a range of operational temperatures.

FF

117.00

140.40

FEATURES - FERNOX

- Anti-cavitation (lower noise)
- Better heat transfer
- Anti-corrosion properties
- Anti-freeze



WATER OR ROOM TEMPERATURE CONTROL

FEATURES

- Turbo boost function (full heating for a set period 1, 2 or 3 hours)
- Off season heating
- · Anti-Freeze function
- · Low running costs
- Eco Design ready
- Smooth temperature adjustment (10°C to 65°C)
- Comes with remote control, that acts as ambient temperature sensor
- Thermostat can control either water temperature or ambient room temperature
- Can be fitted on LH or RH side by 180°C rotating thermostat

TECHNICAL INFORMATION

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. **Only suitable with Chrome T-Piece** - **8.901 & Chrome Elbow** - **41.3003**.

Element Type H Horizontal - Chrome				
Description	Colour	Code	£ Ex VAT	£ Inc VAT
300W Type H Element Horizontal**	Chrome	8.554	288.00	345.60
600W Type H Element Horizontal**	Chrome	8.555	293.00	351.60
900W Type H Element Horizontal**	Chrome	8.556	297.00	356.40
1200W Type H Element Horizontal**	Chrome	8.557	302.00	362.40
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

Element Type H Horizontal - Matt Anthracite				
Description	Colour	Code	£ Ex VAT	£ Inc VAT
300W Type H Element Horizontal**	Matt Anthracite	8.544	284.00	340.80
600W Type H Element Horizontal**	Matt Anthracite	8.545	288.00	345.60
900W Type H Element Horizontal**	Matt Anthracite	8.546	293.00	351.60
1200W Type H Element Horizontal**	Matt Anthracite	8.547	297.00	356.40
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

Power Length (mm) 300W 340 600W 390 900W 440 1200W 470 Includes remote control.

	f £ Inc VAT
39 265.00	318.00
40 269.00	322.80
41 274.00	328.80
42 278.00	333.60
117.00	140.40
	269.00 41 274.00 42 278.00

Element Type H Horizontal - Matt Black				
Description	Colour	Code	£ Ex VAT	£ Inc VAT
300W Type H Element Horizontal**	Matt Black	8.549	284.00	340.80
600W Type H Element Horizontal**	Matt Black	8.550	288.00	345.60
900W Type H Element Horizontal**	Matt Black	8.551	293.00	351.60
1200W Type H Element Horizontal**	Matt Black	8.552	297.00	356.40
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

ELEMENT TYPE H WI-FI HORIZONTAL

WATER OR ROOM TEMPERATURE CONTROL

FEATURES

- Turbo boost function (full heating for a set period 1, 2 or 3 hours)
- Off season heating
- Anti-Freeze function
- · Low running costs
- Eco Design ready
- Smooth temperature adjustment (10°C to 65°C)
- Wi-Fi & App Control
- Comes with remote control, that acts as ambient temperature sensor
- Thermostat can control either water temperature or ambient room temperature
- Can be fitted on LH or RH side by 180°C rotating thermostat

TECHNICAL INFORMATION

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. **Only suitable with Chrome T-Piece - 8.901 & Chrome Elbow - 41.3003**.

Element Type H Wi-Fi Horizontal - Chrome					
Description	Colour	Code	£ Ex VAT	£ Inc VAT	
300W Type H Element Wi-Fi Horizontal**	Chrome	8.574	324.00	388.80	
600W Type H Element Wi-Fi Horizontal**	Chrome	8.575	328.00	393.60	
900W Type H Element Wi-Fi Horizontal**	Chrome	8.576	333.00	399.60	
1200W Type H Element Wi-Fi Horizontal**	Chrome	8.577	337.00	404.40	
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40	

Element Type H Wi-Fi Horizontal - Matt Anthracite					
Description	Colour	Code	£ Ex VAT	£ Inc VAT	
300W Type H Element Wi-Fi Horizontal**	Matt Anthracite	8.564	319.00	382.80	
600W Type H Element Wi-Fi Horizontal**	Matt Anthracite	8.565	324.00	388.80	
900W Type H Element Wi-Fi Horizontal**	Matt Anthracite	8.566	328.00	393.60	
1200W Type H Element Wi-Fi Horizontal**	Matt Anthracite	8.567	333.00	399.60	
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40	

Power Length (mm) 300W 340 600W 390 900W 440 1200W 470 88 Includes remote control **Element Type H Wi-Fi Horizon** 300W Type H Element Wi-Fi Horizontal** 8.559 300.00 Gloss White 360.00 600W Type H Element Wi-Fi Horizontal** Gloss White 8.560 305.00 366.00

Element Type H Wi-Fi Horizontal - Matt Black				
Description	Colour	Code	£ Ex VAT	£ Inc VAT
300W Type H Element Wi-Fi Horizontal**	Matt Black	8.569	319.00	382.80
600W Type H Element Wi-Fi Horizontal**	Matt Black	8.570	324.00	388.80
900W Type H Element Wi-Fi Horizontal**	Matt Black	8.571	328.00	393.60
1200W Type H Element Wi-Fi Horizontal**	Matt Black	8.572	333.00	399.60
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

Gloss White

Gloss White

900W Type H Element Wi-Fi Horizontal**

1200W Type H Element Wi-Fi Horizontal**

Fluid filling for above rail (electric only)*

*(not including appropriate element, for all colours). I.P. rating 54. (Zone 2 and 3) Please note all fluid filled rails are special order and are **non-returnable**. **Available February 2023



Your WIFI Element has the option of programming the air temperature in the daily and weekly cycles and meets the requirements of the EcoDesign Directive (Lot 20) is compatible with the EcoDirective 2018 for electric elements.

Download the "SUPLA" app from Google Play Store or Apple App Store. Video instructions for the smartphone app available on our website.

8.561

8.562

FF

309.00

314.00

117.00

370.80

376.80

140.40

^{*(}not including appropriate element, for all colours). I.P. rating 54. (Zone 2 and 3) Please note all fluid filled rails are special order and are **non-returnable**.
**Available February 2023

Thermostatic Valves

Straight Thermostatic Valves




Biava 15mm TRV & Lockshield - Chrome				
Code	£ Ex VAT	£ Inc VAT		
12.043	51.00	61.20		




Biava 15mm TRV & Lockshield - Chrome/White					
Code	£ Ex VAT	£ Inc VAT			
12.048	41.00	49.20			













Straight Thermostatic Valves



15mm TRV & Lockshield - Matt Black				
Code	£ Ex VAT	£ Inc VAT		
41.3022	47.00	56.40		



15mm TRV & Lockshield - Brushed Brass				
Code	£ Ex VAT	£ Inc VAT		
41.3035	65.00	78.00		

Angled Thermostatic Valves









FEATURES (STRAIGHT & ANGLED)

- 15mm straight models
- Approved to EN215
- Produced to ISO 9001: 2008
- · Energy saving lower fuel bills
- · Controls individual radiators to allow varying comfort levels throughout the home
- Reversible tail piece facilitates vertical or horizontal installation
- Luxury gloss white, matt white, matt grey, matt cappuccino, matt black, brushed nickel and and chrome finishes
- 2 Year warranty with conditions

All straight TRV's are **BI-DIRECTIONAL**

All angled TRV's are **BI-DIRECTIONAL**

TECHNICAL INFORMATION

On all TRV's, due to different materials used, there can be a slight difference between the parts colours. The numbers on the TRV heads do not represent specific room temperatures as the temperature at which the valve operates depends on the water temperature flowing through the radiator, airflow around the head of the TRV, the room size and any heat loss in that space through walls, windows and floors.

Thermostatic Valves

Angled Thermostatic Valves








Angled Thermostatic Valves























15mm TRV & Lockshield - Brushed Brass					
Code	£ Ex VAT	£ Inc VAT			
41.3037	76.00	91.20			

FEATURES (CORNER VALVES)

- 15mm corner models
- Approved to EN215
- Produced to ISO 9001: 2008
- Energy saving lower fuel bills
- Controls individual radiators to allow varying comfort levels throughout the home
- Reversible tail piece facilitates vertical or horizontal installation
- Luxury gloss white, matt white, matt grey, matt cappuccino, matt black, brushed nickel and and chrome finishes
- · 2 Year warranty*
- * With conditions

TECHNICAL INFORMATION

**Due to different materials used, there can be a slight difference between the parts colours.

The Corner TRV can <u>only</u> be fitted RH if fitting on bottom connection or LH if fitting on side connection.



	目		
Bundle 7			
Description	Code	£ Ex VAT	£ Inc VAT
Concealed valve, rectanglar shower head, square shower arm & luxury shower shelf.	BND007	906.00	1087.20

Bundle Components • 68.0003 x1

• 68.0003 x1 • 68.0024 x1 • 68.0012 x3

• 78.0023 x1

• 78.0020 x1

• 78.0023 x1


		Chro	me
EN			
Bundle 14			HP1
Description	Code	£ Ex VAT	£ Inc VAT

Bundle Components

• 60.1007 x1 • 60.1009 x1 • 60.1012 x1 • 60.1008 x1 • 60.1011 x1 • 60.1013 x1


 $\underline{\hbox{hose, round wall elbow \& shower handset holder}}.$

* Available February 2023



Bundle Components		
• 93.0091 x1	 78.0046 x1 	
• 78 0048 v1	 93 0094 v1 	


shower head & round shower arm



£ Ex VAT £ Inc VAT Thermostatic concealed shower valve, round fixed over BND015 270.00 324.00 head shower arm, shower head, shower hand set, shower hose, round wall elbow & shower handset holder.

Bundle Components

- 60.1014 x1 • 60.1016 x1 • 60.1018 x1 • 60.1015 x1 • 60.1017 x1 • 60.1019 x1
- * Available February 2023



Bundle Components

- 68.0056 x1
- 78.0040 x1
- 93.0106 x1 · 93.0064 x1

Concealed manual valve, round outlet elbow with shower

holder, shower hose & round round shower handset



Bundle Components



Bundle 16			
Description	Code	£ Ex VAT	£ Inc VAT
Thermostatic concealed shower valve, round fixed over head shower arm, shower head, shower hand set, shower hose, round wall elbow & shower handset holder.	BND016	278.00	333.60

Bundle Components • 60.1021 x1

- 60.1022 x1
- 60.1023 x3
- 60.1025 x1
- 60.1024 x1
- 60.1026 x1

BUNDLE 06 Bundle 06 £ Ex VAT 999.60 833.00 Concealed valve, rectangular shower head, square body jets BND006 & sqaure shower arm


- **Bundle Components** 68.0003 x1
 68.0024 x1
- 68.0046 x3 78.0010 x1 • 78.0004 x1 • 78.0031 x4



Bundle 17			
Description	Code	£ Ex VAT	£ Inc VAT
Thermostatic concealed shower valve, square fixed over head shower arm, shower head, shower hand set, shower hose, square wall elbow & shower handset holder.	BND017	259.00	310.80

Bundle Components • 60.1027 x1

- 60.1028 x1
- 60.1029 x3
- 60.1032 x1
- 60.1031 x1 • 60.1033 x1
- * Available February 2023



Bundle Components

• 93.0090 x1 • 93.0096 x1

• 93.0099 x1

BUNDLE 18

Bundle 18			
Description	Code	£ Ex VAT	£ Inc VAT
Thermostatic concealed shower valve, square fixed over head shower arm, shower head, shower hand set, shower hose, square wall elbow & shower handset holder.	BND018	277.00	332.40

Bundle Components

* Available February 2023

• 60.1034 x1 • 60.1035 x1 • 60.1036 x3 • 60.1037 x1

• 60.1038 x1

• 60.1039 x1

	BUNDLE 19		Brushe	d Brass

THE THE PROPERTY OF THE PROPER				
	— 1			
HP1				
HP1				
HP1				
₩ HP1				
Bundle 19	Bundle 19			HP1

Bundle Components

• 60.1043 x3 • 60.1041 x1

Thermostatic concealed shower valve, square fixed over head shower arm, shower head, shower hand set, shower hose, square wall elbow & shower handset holder.

• 60.1045 x1 • 60.10242 x1 • 60.1044 x1 • 60.1046 x1 342.00

285.00

Shower Valves

MODERN THERMOSTATIC TWO WAY CONCEALED SHOWER VALVE

Modern twist-lever flow controlled shower valves for easy operation and minimalist appearance. Available in twin outlets for overhead showering and handsets.





Modern Round Thermostatic Two Way Concealed Shower Valve - Chrome

Round Concealed Valve - Chrome						
Description	Code	£ Ex VAT	£ Inc VAT			
Round Concealed Valve	60.1009	181.00	217.20			
Pressure	MP (0.5 bar minimum)					

* Available February 2023



Modern Round Thermostatic Two Way Concealed Shower Valve - Matt Black

Round Concealed Valve - Matt Black						
Description	Code	£ Ex VAT	£ Inc VAT			
Round Concealed Valve	60.1016	190.00	228.00			
Pressure	MP (0.5 bar minimum)					

* Available February 2023



Modern Round Thermostatic Two Way Concealed Shower Valve - Brushed Brass

Round Concealed Valve - Matt Black					
Description	Code	£ Ex VAT	£ Inc VAT		
Round Concealed Valve	60.1023	191.00	229.20		
Pressure	MP (0.5 bar minimum)				

* Available February 2023



Modern Square Thermostatic Two Way Concealed Shower Valve - Chrome

Square Concealed Valve - Chrome					
Description	Code	£ Ex VAT	£ Inc VAT		
Square Concealed Valve	60.1029	182.00	218.40		
Pressure	sure MP (0.5 bar minimum)				
* Available February 2023					

MP

Modern Square Thermostatic Two Way Concealed Shower Valve - Matt Black

Square Concealed Valve - Matt Black			
Description	Code	£ Ex VAT	£ Inc VAT
Square Concealed Valve	60.1036	190.00	228.00
Pressure	MI	P (0.5 bar	minimum)
* Δvailable February 2023			



Modern Square Thermostatic Two Way Concealed Shower Valve - Brushed Brass


HP1

Description	Code	£ Ex VAT	£ Inc VAT
Square Concealed Valve	60.1043	192.00	230.40
Pressure	MI	P (0.5 bar	minimum)

FEATURES

All shower valves on this page:

- PVD coated brass body
- Ceramic disc cartridge technology
- · Thermostatic control
- · Anti-scald & override function



Shower Poles



- · PVD coated brass body
- Ceramic disc cartridge technology
- Thermostatic control
- Anti-scald & override function
- Exposed valve has 150mm centres
- Adjustable shower pole height 850mm to 1200mm





February 2023 MP

MODERN SQUARE THERMOSTATIC SHOWER

- · PVD coated brass body
- Ceramic disc cartridge technology
 Thermostatic control
 Assign 110
- Anti-scald & override function
- Exposed valve has 150mm centres
- Adjustable shower pole height 850mm to 1200mm

Shower Handsets


SHOWER HANDSETS











- Single function
- Chrome finish



 Code
 £ Ex VAT
 £ Inc VAT

 97.0011
 22.00
 26.40

- Single function
- Chrome finish



Type 35 Shower Handset		
Code	£ Ex VAT	£ Inc VAT
97.0021	14.00	16.80

- Single function
- Chrome finish



Type 45 Shower Handset		
Code	£ Ex VAT	£ Inc VAT
97.0023	17.00	20.40

- Single function
- Chrome finish



Type 40 Shower Handset		
Code	£ Ex VAT	£ Inc VAT
97.0022	14.00	16.80

- Single function
- Chrome finish







Round Sho	wer Handse	t
Code	£ Ex VAT	£ Inc VAT
78.0040	54.00	64.80

- Solid brass construction, Chrome finish
- 2 functions





- Single function
- Chrome finish



- Single function
- *Chrome finish





Modern Ro	und Shower	Handse
Code	£ Ex VAT	£ Inc VAT
60.1024	12.00	14.40

- Single function
- Brushed Brass finish
- * Available February 2023



Modern Sq	uare Shower	Handset
Code	£ Ex VAT	£ Inc VAT
60.1044	13.00	15.60

- Single function
- Brushed Brass finish
- * Available February 2023



Shower Handsets

SHOWER HANDSETS



Type 15 Shower Handset		
Code £ Ex VAT £ Inc VAT		
97.0013	19.00	22.80

- 5 functions
- Chrome finish



Type 60 Shower Handset		
Code £ Ex VAT £ Inc VAT		
97.0009	20.00	24.00

- 5 functions
- · Chrome finish



Type 65 Shower Handset		
Code	£ Ex VAT	£ Inc VAT
97.0016	21.00	25.20

- 5 functions
- Chrome finish



Type 70 Shower Handset		
Code	£ Ex VAT	£ Inc VAT
07 0017	26.00	21 20

- 3 functions
- Chrome finish



Type 75 Shower Handset			
Code	£ Ex VAT	£ Inc VAT	
97.0020	27.00	32.40	

- 4 functions




Type 80 Shower Handset			
Code £ Ex VAT £ Inc VAT			
97.0019	19.00	22.80	

- Single function
- Chrome finish









- Single function
- White & chrome finish
- Traditional design



Round Shower Handset					
Code	Code £ Ex VAT £ Inc VA				
78.0039	26.00	31.20			

- · Solid brass construction
- Single function
- Chrome finish



Traditional Shower Handset				
Code	£ Ex VAT	£ Inc VAT		
93.0069	31.00	37.20		

- Single function
- White & chrome finish
- · Traditional design





- · Single function
- Brass construction, white & chrome finish
- Ultra thin design





- · Single function
- Chrome finish
- * Available February 2023



Shower Handsets & Hoses

SHOWER HAND SET





Full Spray



Massage



Spray/Massage



Spray/Misty



Oxygenic



Misty



Dot Massage



Water Saving Drizzle



Strong Spray



Spray/Dot Massage





Code	£ Ex VAT	£ Inc VAT
78.0054	49.00	58.80

- Single function
- Matt smooth black finish
- · Solid brass construction



Type 20 Shower Handset Matt Smooth Black

- Code
 £ Ex VAT
 £ Inc VAT

 78.0055
 44.00
 52.80
- Single function
- · Matt smooth black finish
- Solid brass construction



Type 95 Shower Handset Matt Smooth Black

Officotif Black				
Code	£ Ex VAT	£ Inc VAT		
78.0051	24.00	28.80		

- Single function
- · Matt smooth black finish



Type 100 Shower Handset Matt Smooth Black

Olliootii Blaok			
Code	£ Ex VAT	£ Inc VAT	
78.0052	21.00	25.20	

- Single function
- · Matt smooth black finish




Modern Ro Matt Black		r Handset
Code	C Es WAT	C Inc MAT

Mall Diack		
Code	£ Ex VAT	£ Inc VAT
60.1017	11.00	13.21

- Single function
- Matt smooth black finish
- * Available February 2023






matt Black		
Code	£ Ex VAT	£ Inc VAT
60.1037	12.00	14.41

- Single function
- Matt smooth black finish
- * Available February 2023

FLEXIBLE SHOWER HOSES

Flexible Shower Hoses			
Description	Code	£ Ex VAT	£ Inc VAT
1.5m Shower Flexible Hose - 8mm Bore	93.0061	15.00	18.00
2m Shower Flexible Hose - 8mm Bore	93.0062	15.00	18.00
1.5m Shower Flexible Hose - 10mm Bore	93.0063	19.00	22.80
2m Shower Flexible Hose - 10mm Bore	93.0064	20.00	24.00
1.5m PVC Shower Hose Matt Smooth Black - 6mm Bore	93.0102	19.00	22.80



















Elbows & Shower Handset Holder















Elbows				
Description	Colour	Code	£ Ex VAT	£ Inc VAT
Round Wall Elbow & ShowerHandset Holder	Chrome	60.1012	18.00	21.60
Square Wall Elbow & ShowerHandset Holder	Chrome	60.1032	19.00	22.80
Round Wall Elbow & ShowerHandset Holder	Matt Black	60.1018	20.00	24.00
Square Wall Elbow & ShowerHandset Holder	Matt Black	60.1038	20.00	24.00
Round Wall Elbow & ShowerHandset Holders	Brushed Brass	60.1025	20.00	24.00
Square Wall Elbow & ShowerHandset Holder	Brushed Brass	60.1045	21.00	25.20

FEATURES

- Solid brass construction
- * Available February 2023

Shower Arms

CEILING MOUNTED SHOWER ARMS

Ceiling Mounted Shower Arms					
Description	Code	£ Ex VAT	£ Inc VAT		
Round Shower Arm 160mm Chrome	93.0114	26.00	31.20		
Round Shower Arm 160mm Matt Smooth Black	93.0115	29.00	34.80		
Square Shower Arm 200mm Chrome	78.0010	37.00	44.40		
Round Shower Arm 200mm Chrome	78.0011	29.00	34.80		
Round Shower Arm 200mm Matt Smooth Black	78.0045	35.00	42.00		












WALL MOUNTED SHOWER ARMS





- Outlet to wall 400mm
- · Stanless Steel Materail, brushed brass finish



Modern Round Fixed Over Head Shower arm				
Description	Code	£ Ex VAT	£ Inc VAT	
Modern Round Fixed over Head Shower Arm Chrome	60.1007	17.00	20.40	


- Outlet to wall 400mm
- · Stanless Steel Materail, chrome finish



Modern Round Fixed Over Head Shower arm				
Description	Code	£ Ex VAT	£ Inc VAT	
Modern Round Fixed over Head Shower Arm Matt Black	60.1014	18.00	21.62	

- · Outlet to wall 400mm
- · Stanless Steel Materail, matt black finish





Round Offset Shower Arm Ø22 x 400mm				
Description	Code	£ Ex VAT	£ Inc VAT	
Round Offset Shower Arm Ø22 x 400mm	78.0012	40.00	48.00	

- Outlet to wall 400mm
- Solid brass construction, chrome finish



Round Offset Shower Arm Matt Smooth Black				
Description	Code	£ Ex VAT	£ Inc VAT	
Round Offset Shower Arm	78.0046	55.00	66.00	
Matt Smooth Black				

- Outlet to wall 400mmSolid brass construction



ı	Wall Mounted Arm 200mm					
	Code	£ Ex VAT	£ Inc VAT			
ĺ	98.0025	22.00	26.40			

- Outlet to wall 200mm
- · Solid brass construction, chrome finish



- £ Inc VAT £ Ex VAT 78.0022 41.00 49.20
- Outlet to wall 400mm
- $\bullet \ \, \text{Solid brass construction, chrome finish}$



- Outlet to wall 345mm
- Solid brass construction, chrome finish

Shower Arms







- Outlet to wall 400mm
- · Stanless Steel construction, chrome finish



Modern Square Fixed Over Head Shower Arm				
Description	Code	£ Ex VAT	£ Inc VAT	
Square Wall Arm	60.1034	22.00	26.40	

- Outlet to wall 400mm
- · Stanless Steel construction, matt black finish



Square L Shower Arm Matt Smooth Black			
Description	Code	£ Ex VAT	£ Inc VAT
Square L Shower Arm	78.0047	139.00	166.80

- Outlet to wall 360mm
- Solid brass construction




Square X Shower Arm				
Description	Code	£ Ex VAT	£ Inc VAT	
Square X Shower Arm	78.0019	119.00	142.80	

- Outlet to wall 370mm
- · Solid brass construction, chrome finish



Square Wall Arm			
Description	Code	£ Ex VAT	£ Inc VAT
Square Wall Arm	78.0020	88.00	105.60

- Outlet to wall 360mm
- · Solid brass construction



Modern Square Fixed Over Head Shower Arm				
Description	Code	£ Ex VAT	£ Inc VAT	
Square Wall Arm	60.1041	24.00	28.80	

- Outlet to wall 400mm
- · Solid brass construction, brushed brass finish



Square Wall Arm			
Description	Code	£ Ex VAT	£ Inc VAT
Square Wall Arm	78.0021	65.00	78.00

- Outlet to wall 400mm
- · Solid brass construction, chrome finish



Square Wall Mounted Arm 200mm					
Description	Code	£ Ex VAT	£ Inc VAT		
Square Wall Mounted Arm	98.0023	36.00	43.20		

- Outlet to wall 200mm
- Solid brass construction, chrome finish



Shower Arm			
Description	Code	£ Ex VAT	£ Inc VA1
Shower Arm	98.0026	59.00	70.80

- Outlet to wall 172mm
- · Solid brass construction, chrome finish




- Solid brass construction, chrome finish
- Outlet to wall 402mm



Shower Heads



Shower Head Chrome Finish				
Description	Code	£ Ex VAT	£ Inc VAT	
8" Round shower head	78.0001	79.00	94.80	
8" Square shower head	78.0003	86.00	103.20	
8" Round Fixed Over Head Shower Head	60.1008	22.00	26.40	
8" Square Fixed Over Head Shower Head	60.1028	22.00	26.40	



FEATURES

• Stainless steel one piece construction

200 x 200mm

· Polished (chrome effect) finish

60.1028 * Available February 2023

- Rainfall outlet
- · 4mm thickness

Pressure MP (0.5 bar minimum)

ø300mm


MP

WRAS



FEATURES


- Stainless steel one piece construction
- Polished (chrome effect) finish
- Rainfall outlet
- 4mm thickness





Pressure MP (0.5 bar minimum)

Shower Heads

WRAS








FEATURES


- · Brass construction
- · Matt smooth black finish
- Rainfall outlet

bar minimum)
ŀ



Shower Head Smooth Black Finish			
Description	Code	£ Ex VAT	£ Inc VAT
8" Round Shower Head - Smooth Black	93.0094	80.00	96.00
8" Square Shower Head - Smooth Black	93.0095	86.00	103.20
8" Round Fixed Over Head Shower Head - Smooth Black	60.1015	24.00	28.80
8" Square Fixed Over Head Shower Head - Smooth Black	60.1035	26.00	31.20

WRAS



MP			_	
IVII				60.1042
Show	er Heads Brushed Brass Finish			
Descript	iion	Code	£ Ex VAT	£ Inc VAT
8" Round	d Fixed Over Head Shower Head - Brushed Brass	60.1022	28.00	33.60
8" Squar	re Fixed Over Head Shower Head - Brushed Brass	60.1042	28.00	33.60

FEATURES

- PDV coated finish
- Brushed Brass finish
- Rainfall outlet

Pressure MP (0.5 bar minimum)

* Available February 2023



SHOWER HEADS - BRUSHED BRASS



Abberton Range





Abberton Basin Taps - Chrome				
Description	Code	£ Ex VAT	£ Inc VAT	
Abberton Mini Basin Mono with Waste	79.1031	75.00	90.00	
Abberton Basin Mono with Waste	79.1034	83.00	99.60	
* Available February 2023				

Abberton Basin Taps - Black					
Description	Code	£ Ex VAT	£ Inc VAT		
Abberton Mini Basin Mono with Waste	79.1032	80.00	96.00		
Abberton Basin Mono with Waste	79.1035	88.00	105.60		
* Available February 2023					

Abberton Basin Taps - Brushed Brass					
Description	Code	£ Ex VAT	£ Inc VAT		
Abberton Mini Basin Mono with Waste	79.1033	84.00	100.80		
Abberton Basin Mono with Waste	79.1036	93.00	111.60		
* Available February 2023					
























Abberton Range





Abberton Range Chrome				
Description	Code	£ Ex VAT	£ Inc VAT	
Abberton Bath Filler	79.1041	138.00	165.60	
Abberton Bath Shower Mixer inc bracket, Handset & Hose	79.1037	162.00	194.40	
* Available February 2023				

Abberton Range Black			
Description	Code	£ Ex VAT	£ Inc VAT
Abberton Bath Filler	79.1042	146.00	175.20
Abberton Bath Shower Mixer inc bracket, Handset & Hose	79.1038	176.00	211.20
* Available February 2023			

Abberton Range Brushed Brass				
Description	Code	£ Ex VAT	£ Inc VAT	
Abberton Bath Filler	79.1043	155.00	186.00	
Abberton Bath Shower Mixer inc bracket, Handset & Hose	79.1039	189.00	226.80	
* Available February 2023				














180	105	
229	130	
79.1037 - 79.1038 - 79.1039		



	J	
041 - 79.1042 - 79.1043	Note: Pressure based on an	

Pressure (bar)	Flow (litres/min)
0.5	18
1	29
2	43
3	51

Note: Pressure based on an open ended valve outlet without downstream resistance. Applies to bath filler only.

Eastbrook Co Terms & Conditions

We deliver all goods on our own dedicated transport fleet to ensure a speedy and problem-free service, however, in the unlikely event that goods are delivered wrong or damaged. it is the responsibility of the customer to ensure sufficient time is allowed for a replacement to be sent.

DEFINITIONS

In these terms and conditions, the following words shall have the following meanings:

shall mean any person, Eastbrook or company, to whom Eastbrook supplies Goods or Services or with whom Eastbrook enters into negotiations for the supply of Goods or Services.

"Eastbrook"

Easturions shall mean Brian Michael Doouss and Nicolas Brian Doouss (each a "Partner" together the "Partners") trading as "Eastbrook Co." or "Woodstock". (Goods'

shall mean products, articles or things which are supplied by or which are the subject of negotiations for supply by Eastbrook to the Buyer.

'Services' shall mean services are supplied by or which are the subject of negotiations/ or supply by Eastbrook to the Buyer.

2. MAKING THE CONTRACT
2.1

Eastbrook's salesmen are not authorised representatives and are not authorised to accept confirm or vary any order nor to make any representation or promise on Eastbrook's behalf
2.2

Any optimate (***)

2.2 Any estimate/quotation which comprises an invitation to treat is open for a period of 30 days only from the date thereof, provided that Eastbrook has not previously withdrawn it. Any order issued by the Buyer is subject to acceptance by Eastbrook and a contract will only be formed when Eastbrook has accepted the Buyer's offer to buy in writing. Any offer made by the Buyer must be confirmed in writing by the Buyer.

All orders are placed under these terms and conditions alone

These terms and conditions exclude any other terms and conditions inconsistent therewith which a Buyer might seek to impose even though such other terms and conditions may be submitted in a later document and/or purport to exclude or supersede any terms or conditions with them or may be contained in any offer acceptance or counter-offer made by the Buyer.

2.5

No variation of these terms and conditions is permitted unless expressly accepted by a Partner of Eastbrook in writing.

3. CANCELLATION

No cancellation by the Buyer is permitted except where expressly agreed by a Partner of Eastbrook in writing. 32

3.2
The Buyer will in the event of agreed cancellation by the Buyer indemnify Eastbrook fully against all expenses incurred up to the time of such cancellation together with by way of liquidated damages a sum of 33 1/3% of the contract price which shall be paid by the Buyer to Eastbrook Forthwith.

4. PRICE

All prices quoted are those ruling at the date of dispatch or supply.

4.2
Unless otherwise stated all prices quoted are nett, exclusive of VAT, and in the case of Goods ex works.

4.3 Eastbrook reserves the right at any time prior to delivery of the Goods or supply of Services to adjust the price to take account of any increase in the cost of raw materials, labour or services or any currency fluctuations affecting the cost of imported materials or services.

TERMS OF PAYMENT

All sums become due and payable under these terms and conditions not later than 14 days from date of invoice.

5.3 The Buyer shall have no right to set off, statutory or otherwise.

5.4 If the Buyer (being a Company) has a petition for its winding-up or passes a resolution for voluntary winding-up otherwise than for the purpose of a bona fide amalgamation or reconstruction or compounds with its creditors or has a receiver appointed or all or any part of its assets or (being an individual) becomes bankrupt or insolvent or enters into any arrangement with its creditors or commits a material or serious breach of this Agreement (and in the case of such a breach being remediable fails to remedy it within 7 days of receiving notice to do so)' he will be deemed to have repudiated the Contract.

5.5 Eastbrook reserves the right at any time at its discretion to demand security for payment before continuing with or delivering any Order, supplying any Goods or Services.

DELIVERY

b.1 Delivery will be deemed to have been effected when the Goods are ready for collection at the premises of Eastbrook or as the case may be the premises of the suppliers to Eastbrook in circumstances where the Goods are delivered direct from such suppliers.
6.2
Time of delivery is not of the essence.

6.3 Eastbrook shall not be liable for any loss whatsoever or howsoever arising caused by its non-delivery or by the failure to make Goods ready for collection on the due date.

b.4 Eastbrook reserves the right to make delivery by instalments and to tender a separate invoice in respect of each instalment. 6.5

0.5 When delivery is to be by instalments or Eastbrook exercises its right to deliver by instalments under clause 6.4 hereof or if there be delay in the delivery of any one or more instalments for whatever reason this will not entitle the Buyer to treat the contract as repudiated and/or to damages.

Deviations in quantity between the Goods delivered and Goods ordered representing not more than 10 per cent by value shall not give the Buyer any right to reject the Goods or to claim damages and the Buyer shall be obliged to accept and pay at the contract rate for the quantity of the Goods delivered 7. SUPPLY OF SERVICES

Time for the supply of Services is not of the essence. 7.2

Eastbrook shall not be liable for any loss whatsoever or howsoever arising caused by its failure to supply Services or any part thereof on the due date

Eastbrook reserves the right to supply Services by instalments and to tender a separate invoice in respect of each instalment.

1.4 When the supply of Services is to be by instalments or Eastbrook exercises its right to supply Services by instalments under clause 7.3 hereof or if there be a delay in the supply of any one or more instalments of Services for whatever reason this will not entitle the Buyer to treat the contract as repudiated or to damages.

7.5
Deviation in the quantity between Services supplied and the Services ordered representing not more than 10 per cent by value shall not give the Buyer any right to reject the Services or to claim damages and the Buyer shall be obliged to accept and pay at the contract rate for the quantity of the Services supplied.

8. Place of the Service of the Service of the Services supplied.

8. Risk AND THE PASSING OF PROPERTY IN GOODS

8. Risk in the Goods shall pass to the Services.

6.2 Notwithstanding risk in the Goods passing in accordance with clause 8.1 hereof title in the Goods shall not pass to the Buyer until whichever shall be the first to occur of the following:
8.21

8.2.1
payment being received by Eastbrook for the Goods and Services and no other amounts then being outstanding from the Buyer to Eastbrook in respect of other Goods or Services supplied by Eastbrook 8.2.2
the Buyer selling the Goods in accordance with the provisions of these terms and conditions in which case title to the Goods shall be deemed to have passed to the Buyer immediately prior to delivery of the Goods to the Buyer's customers and

6.2.3 Eastbrook waiving its rights under this clause 8.2 in respect of specified Goods or Services whereupon title to the said Goods shall forthwith vest in the Buyer.

8.3 The Buyer is licensed by Eastbrook to use or to agree to sell the Goods

delivered to the Buyer subject to the express condition that the entire proceeds of any sale are held in trust for Eastbrook and are not mixed with other moneys or paid into an overdrawn bank account and shall at all times be identifiable as Eastbrook's moneys.

8.4 Until title to the Goods passes:

8.41 The Buyer will hold the Goods as fiduciary agent and bailee for Fastbrook'.

8.4.2 the Goods shall, subject to clause 8.3, be kept separate and distinct from all other property of the Buyer and of third parties and in good and substantial repair and condition and be stored in such a way as to be clearly identifiable as belonging to Eastbrook;

8.4.3
Eastbrook may at any time revoke the power of sale and use contained in clause 8.3 by notice to the Buyer if the Buyer is in default for longer than 14 days in the payment of any sum whatsoever due to Eastbrook (Whether in respect of the Goods or any other Goods or Services supplied at any time by it to the Buyer) or if Eastbrook has bona fide doubts as to the solvency of the

8.4.4 The Buyer's power of sale and use contained in clause 8.3 shall automatically cease if the Buyer has a petition presented for its winding-up or passes a resolution for voluntary winding-up otherwise than for the purpose of a bona fide amalgamation or reconstruction or compounds with its creditors or has a receiver appointed of all or any part of its assets or becomes bankrupts or insolvent or enters into any arrangements with creditors or takes or suffers any similar action in consequence of debts or carries out or undergoes any analogues act or proceeding under foreign law; 8.4.5

upon determination of the Buyer's power of sale and use pursuant to clause 8.4.3 or clause 8.4.4 the Buyer shall place any of the Goods in its possession or under its control and unsold at the disposal of Eastbrook and Eastbrook shall be entitled to enter upon any premises of the Buyer for the purpose of removing such Goods.

8.5 Eastbrook shall at any time be entitled to appropriate any payments made by the Buyer in respect of any Goods or Services in settlement of such invoices or accounts in respect of such Goods or Services as Eastbrook may in its absolute discretion think fit notwithstanding any purported appropriation to the contrary by the Buyer.
9. LIEN AND STOPPAGE

9.1
Until such time as the title in the Goods has passed to the Buyer Eastbrook has the right to withhold delivery if the Buyer (being a Company) has a petition presented for its winding-up or passes a resolution for voluntary winding-up otherwise than for the purpose of a bona fide amalgamation or reconstruction or compounds with its creditors or has a receiver appointed of all or any part of its assets or (being an individual) becomes bankrupt or insolvent or enters into any arrangements with creditors or takes or suffers any similar action in consequence of debts or carries out or undergoes any analogous act or proceedings under foreign law.

9.2
When the title in the Goods has passed to the Buyer and the time for payment has falled due but payment has not been made or if the Buyer (being a Company) has a petition presented for its winding-up or passes a resolution for voluntary winding-up otherwise than for the purposes of a bona fide amalgamation or reconstruction or compounds with its creditors or has a receiver appointed of all or any part of its assets or (being an individual) becomes bankrupt or insolvent or enters into any arrangements with creditors or takes or suffers any similar action in consequence of debts or carries out or undergoes any analogous act or proceedings under foreign law Eastbrook has 9.2.1 a lien on the Goods so long as Eastbrook is in possession of them 9.2.2 a right to stoppage in transit

a right of stoppage in transit a right of resale

9.3

For the avoidance of doubt it is hereby declared that nothing in this clause shall affect the rights given to Eastbrook by ss.38-48 of the Sale of Goods Act 1979.

INSPECTION/SHORTAGES

The Buyer is under a duty to inspect the Goods forthwith on delivery and satisfy himself as to the due performance of Services forthwith after supply. 10.2

IJL.2. Eastbrook shall be under no liability for any defects or shortages that would be apparent on careful inspection if the terms of this clause are not complied with, and, in any event will be under no liability if a written complaint is not delivered to Eastbrook within 7 days of delivery or supply detailing the alleged detect or shortage.

detect of shortage.

10.3

In all cases where defects or shortages in respect of Goods are complained of Eastbrook shall be under no liability in respect thereof unless an opportunity to inspect the Goods is given to Eastbrook before any use is made thereof or any alteration or modification is made thereto by the Buyer.

10.4

10.4 Subject to clauses 10.2 and 10.3 Eastbrook shall make good any defect or shortage in the Goods and where appropriate replace any Goods damaged in transit as soon as it is reasonably able to do so, but otherwise shall be under no liability whatsoever or howsoever arising from such defect, shortage or damage.

10.5 10.5
Subject to clause 10.4 Eastbrook shall remedy any defect in the supply of Services as soon as it its reasonably able to do so but otherwise shall be under no liability whatsoever or howsoever arising from such defect

11. WARRANTY

No representation or warranty is given as to the suitability or fitness of the Goods or Services for any particular purpose and the Buyer shall satisfy himself in this respect and shall be totally responsible therefore 11.2

II.2 if the Goods are in such a state or the Services so defectively supplied as would but for this condition entitle the Buyer to repudiate the contract and/ or claim damages from Eastbrook Eastbrook reserves the right to repair or replace the Goods or perform the Services (or the relevant part thereof) again.

12. LIABILITY

Introduction

Nothing in this clause 12 shall be deemed to exclude or restrict Eastbrook's liability for death or personal injury resulting from Eastbrook's negligence.

12.1.2 Each of the sub-clauses in this clause 12 is to be treated as separate and indepe 12.1.3

Eastbrook is willing to undertake liability additional to that provided by this clause 12 in exchange for a higher price.
12.2 Exclusion

12.2.1 Eastbrook agrees that if any defect caused by faulty design, manufacture, materials or workmanship is discovered during the period of 3 months commencing with the date of delivery or supply, Eastbrook will remedy any defect at its own expense or, in the case of Goods if it chooses to do so, replace them. Defects caused by abnormal use, misuse, neglect or wilful or accordinated by a error to covered by this clause.

12.2.2 The Buyer cannot claim the benefit of clause 12.2.1 above unless:

he informs Eastbrook of the relevant defect in writing within 7 working days of discovering it; and

in the case of Goods, he returns the Goods to Eastbrook at his own expense.

The risk of accidental loss whilst any Goods are being returned to Eastbrook will be borne by the Buyer.

12.2.4 Notwithstanding clause 12.2.1 above, if the manufacturer of any Goods has provided any guarantee of such Goods for a period longer than three months a "Manufacturer's Extended Guarantee", Eastbrook shall use its reasonable endeavours to transfer to the Buyer the benefit of any such Manufacturer's Extended Guarantee in respect of the Goods, provided that Eastbrook may in its absolute discretion elect to do so only at the cost of the Buyer.

its absolute discretion elections of any 12.2.5

Any Manufacturer's Extended Guarantee is for the Buyer only who must complete a return and registration form within 30 days of purchase. Manufacturer's Extended Guarantees are not transferable to third parties and do not cover previously installed products such as ex shownoom displays. For the complete and return a registration form to Eastbrook within the 10 factors of the country of the

ta.z.2

Manufacturer's Extended Guarantees cover Goods which are used for normal domestic use only and are not applicable to Goods which are used for commercial use (i.e. hotels, residential homes, leisure facilities etc.).
12.2.7

the event that a manufacturer of Goods providing a Manufacturer's

Extended Guarantee pursuant to clause 12.2.3 above ceases trading and/ or no longer honours such guarantee, Eastbrook shall have no liability whatsoever to the Buyer with respect to such Manufacturer's Extended Guarantee.

12.2.8 (If the benefit of a Manufacturer's Extended Guarantee is transferred to the Buyer, subject always to clause 12.21 above and further subject to the defect not being as a result of fair wear and tear, Eastbrook shall only be liable to provide replacement parts. For the avoidance of doubt, Eastbrook excludes any consequential costs involved in the fitting of such parts. Furthermore, with respect to the following these additional terms are applicable:

Perishable components such as non-glass or metallic parts (e.g. plastic parts, seals, wheels etc.) are excluded from a Manufacturer's Extended Guarantee.

Shower and bath screens: Glass and seals for such products are excluded from a Manufacturer's Extended Guarantee.

Towel rails and radiators: Such products must be individually earthed when installed for a Manufacturer's Extended Guarantee to apply.

IZ.Z.3 If, in the sole opinion of Eastbrook, the Goods which are the subject of the Manufacturer's Extended Guarantee have been modified, misused or neglected or have been willfully or accidentally damaged, Eastbrook shall not be liable under the Manufacturer's Extended Guarantee for the failure of the Goods.

the Goods.
12.2.10
No claim under a Manufacturer's Extended Guarantee will be accepted if Goods have been installed with a fault that would have been clearly visible before installation. A Manufacturer's Extended Guarantee does not cover any Goods which have been modified, altered, transformed or relocated in any way.
12.2.11
Claims under a Manufacturer's Extended Guarantee must be made by the

IZ.Z.II
Claims under a Manufacturer's Extended Guarantee must be made by the Buyer within [7 working days] of the defect being discovered. 12.2.12

12.2.12
In consideration for receiving the benefit of this clause, the Buyer agrees that, apart from those terms set out in clause 10 and 11, all other terms, whether conditions, warranties or innominate terms, express or implied, statutory or otherwise, are excluded from the contract between Eastbrook and the Buyer to the extent permitted by law (except where the Buyer deals as consumer within section 12 of the Unfair Contract Terms Act 1977 when the terms implied by sections 13, 14 and 15 of the Sale of Goods Act 1979 shall be implied into the contract).

12.3 Exclusion of Consequential Loss

Eastbrook shall not be liable for any consequential or indirect loss suffered by the Buyer whether such loss arises from breach of a duty in contract or tort or in any other way (including loss arising from Eastbrook's negligence) including, without limitation to the generality of the foregoing:

- loss of profits;
- loss of contracts;
- damage to property of the Buyer or anyone else; or

personal injury to the Buyer or anyone else (except so far as such injury is attributable to Eastbrook's negligence).

attributable to Lastronia Translation of the total of all claims arising from any one act or default of Eastbrook's total liability for any one claim or for the total of all claims arising from any one act or default of Eastbrook (whether arising from Eastbrook's negligence or otherwise) shall not exceed the contract price of the Goods.

3. FORCE MAJEURE

13.1 Eastbrook shall not be liable for any failure to deliver the Goods or perform the Services arising from circumstances outside Eastbrook's control.

13.4 Non-exhaustive illustrations of such circumstances would be act of God, war, riot, explosion, abnormal weather conditions, fire, flood, strikes, lockouts, Government action or regulations (UK or otherwise), delay by suppliers, accidents and shortage of materials, labour or manufacturing facilities. 13.3

Should Eastbrook be prevented from delivering the Goods or performing the Services in the above circumstances, it shall give the Buyer written notice of this fact as soon as reasonably practicable after discovering it. 13.4

13.4 If the circumstances preventing delivery of the Goods or performing the Services are still continuing three months after the Buyer receives Eastbrook's notice, then either party may give written notice to the other cancelling the contract.

if the contract is cancelled in this way, Eastbrook will refund any payment which the Buyer has already made on account of the price (subject to deduction of any amount Eastbrook is entitled to claim from the Buyer) but Eastbrook will not be liable to compensate the Buyer for any further loss or damage caused by the failure to deliver the Goods or perform the Services.

SALES PROMOTION DOCUMENTATION

Whilst Eastbrook takes every precaution in the preparation of its catalogue, technical circulars, price lists and its other literature, these documents are for the Buyer's general guidance only and the particulars contained therein shall not constitute representations by Eastbrook and Eastbrook shall not be bound thereby.

15. USE OF DATA

15.1 If the Buyer provides any data relating to the business of the Buyer to Eastbrook for any purpose, then the Buyer agrees that Eastbrook may hold such data and use it in relation to the supply of Goods, to process payment and to inform the Buyer (including all its staff) of other Goods or Services that Eastbrook will hold all data relating to the Buyer inaccordance with our privacy policy and privacy statements in force from time to time. Earth allow of the Control of the Co

15.2
The Buyer agrees that Eastbrook may share any data referred to in clause 15.1 with third parties only where it is necessary for the provision of the Goods or Services supplied by Eastbrook and further that the Buyer shall hold Eastbrook harmless for the misuse of such data by those third parties. 15.3
In relation to any data supplied by the Buyer to Eastbrook regarding the Buyer's customers, the Buyer warrants and represents that they have obtained consent to share such data with Eastbrook (whether this relates to remedial services or the replacement of Goods or otherwise) and the Buyer agrees to indemnify and keep indemnified, Eastbrook from and against any losses, damages, liability, costs (including legal fees) and expenses incurred by Eastbrook as a result of or in connection with the Buyers breach of this Clause.

16. NOTICES

16.

Any notice to be given hereunder shall be in writing and shall be deemed to have been duly given if sent or delivered to the party concerned at its address specified overled for such other address as that party may from time to time notify in writing and shall be deemed to have been served, if sent by post, 48 hours after posting.

ASSIGNMENT

Neither Eastbrook nor the Buyer shall assign or purport to assign or transfer the contract or the benefits thereof to any other person without prior written consent of the other.

18. SEVERANCE

if any provision of this contract (or part of any provision) is or becomes illegal, invalid or unenforceable, the legality, validity and enforceability of any other provision of the Contract shall not be affected.

18.2

18.2 If any provision of the contract (or part of any provision) is or becomes illegal, invalid or unenforceable but would be legal, valid and enforceable if some part of it was deleted or modified, the provision or part-provision in question shall apply with such deletions or modifications as may be necessary to make provision legal, valid and enforceable. In the event of such deletion or modification, the parties shall negotiate in good faith in order to agree the terms of a mutually acceptable alternative provision.

PROPER LAW AND JURISDICTION

The Contract shall be governed by and construed in accordance with English law and all disputes arising in connection with the contract shall be submitted to the jurisdiction of the English Courts.

HEADINGS

The headings of these conditions are for convenience only and shall have no effect on the interpretation thereof.



Affordable Luxury

ISSUE 47

New Products



















UK Mainland Edition
January 1st - July 31st 2023

Eastbrook Co.

Eastbrook Road, Gloucester GL4 3DB

Tel: 01452 317800 Fax: 01452 330494

For Sales / Enquiries: sales@eastbrookco.com
For Orders Only: orders@eastbrookco.com

For Technical Enquiries: technical@eastbrookco.com